

Please indicate application type:

- Calculated
 Itemized
 Itemized and Calculated

All applications require Forms 1 and 2. Depending on the type of project (itemized or calculated) also submit Form 3 or 4. For combined projects submit all forms (1,2,3 and 4). Carefully review the application process and terms & conditions listed below. Incentive is sent to the sponsor unless otherwise indicated on Form 2. Payment may be issued as a check or applied as a utility bill credit on the customer's SCE bill.

Form 1 and 2

Calculated (Standard Performance Contract) Measures

Form 3

Calculated Terms and Conditions

Calculated (Standard Performance Contract) Measures

How To Apply

A pre-inspection is required for all calculated projects. Submit your application prior to installation. This requirement also applies to any combined itemized/calculated application.

1. Submitting an Application

Complete, sign and submit Forms 1, 2, and 3 *prior to beginning any project installations*. Attach detailed energy savings calculations – either engineering calculations or the SPC software (available at www.sce.com/spc). A reviewer will contact you within 5 days to schedule a pre-inspection.

2. Signing the SPC Agreement upon approval

When the inspection is complete and all calculations are verified, a formal approval notification and 2 SPC agreements will be mailed to the sponsor. Sign and return both agreements to SCE.

3. Installing Your Project

Once you've received SCE approval, move forward with project installation.

4. Submitting an Installation Report

Upon completion of your project, sign and submit the SPC Installation Report along with invoices or other cost documentation. (The Installation Report will be mailed with your approval letter or you may download it at www.sce.com/spc). This document alerts the SPC group your project is complete. A reviewer will contact you within 5 days to schedule a post-inspection. Please only submit the Installation Report when the entire project is completed and operational.

5. Receiving Payment

Upon approval of the post-inspection, a formal notification will be sent by SCE. Incentive payments take approximately 4 weeks for delivery. 100% of the incentive will be paid upon completion.

Itemized (Express Efficiency) Measures

Form 4

Itemized Terms and Conditions

Itemized (Express Efficiency) Measures

How To Apply

Pre-installation inspection is not required for itemized measures.

Please do not submit your application until the equipment is installed and operational. All equipment installations are subject to post-installation inspection at the discretion of SCE.

1. Qualifying Your Equipment

Use the Itemized Terms and Conditions to verify that the existing equipment (base case) meets program requirements and that the new equipment qualifies before you purchase and install it. **If you need help with qualifying equipment call (626) 633-4833.**

2. Purchasing and Installing Your Equipment

Pre-installation inspection is not required for itemized measures, unless there is previous participation for the same measure. Once you have determined that your project meets the program Terms and Conditions you may purchase the new equipment and install it.

3. Computing Your Incentive

Compute your incentive using Form 4 by multiplying the quantity installed (Qty) by the unit incentive amount (\$/Unit) and write the total in the incentive column. Add all the incentive amounts in the incentive column and write the total incentive amount in the space provided.

4. Completing Your Application

Complete, sign and date Forms 1 and 2. Attach Form 4, the original itemized invoice (**include the model number and manufacturer of the equipment**), and the manufacturer's specification sheet for the equipment installed and send to the address below.

5. Receiving Payment

For itemized projects with rebates of \$7,000 or greater, a post-installation inspection is required. All other projects are subject to random post-installation inspections. Upon completion/approval of the inspection the incentive will be paid. Incentive payments take approximately 4 weeks.

Submit to: Southern California Edison Business Incentives & Services P.O. Box 800 Rosemead, CA 91770

Fax: (626) 633-4844 / 1-866-526-7284 Questions? 800-736-4777 www.sce.com

Please complete form 1 and 2 for all projects. Form 3 should be submitted with calculated projects and form 4 should be submitted with itemized projects. If your project includes both types of measure please submit all forms. For more information on eligibility of equipment please review the terms and conditions, for calculated measures please visit www.sce.com/spc.

CUSTOMER INFORMATION (CUSTOMER / BUSINESS OWNER / PARENT COMPANY / PROPERTY MGR.)

Customer Name _____

Customer Mailing Address _____ City _____ State _____ ZIP _____

Contact Name _____ Title _____

Contact Telephone Number _____ Contact Fax Number _____ Contact E-Mail Address _____

PROJECT TYPE(S)

CALCULATED (SPC) Form 3 ITEMIZED (Express Efficiency) Form 4 COMBINED (SPC & Express measures) Forms 3 & 4

Pre-installation required. No pre-installation required.

Provide original _____
equipment description. _____

PROJECT SITE INFORMATION

(SITE OF RETROFIT/PROJECT) Attach additional sheets if multiple sites.

3- _____
Service Account Number

Project Name _____ Description _____

Project Site Address _____
City _____ State CA ZIP _____

Contact Name at Project Site _____

Contact Telephone Number _____ Contact E-Mail Address _____

Years since built or last major renovation _____ Total Sq. Ft of Facility _____ Total No. of Floors _____

PROPERTY TYPE:

<input type="checkbox"/> Elementary	<input type="checkbox"/> Hospital
<input type="checkbox"/> Secondary schools H.S.	<input type="checkbox"/> Manufacturing/Industrial
<input type="checkbox"/> Community/Trade college	<input type="checkbox"/> Refrigerated whse/storage
<input type="checkbox"/> University	<input type="checkbox"/> Conditioned whse/storage
<input type="checkbox"/> Hotel/Motel common areas	<input type="checkbox"/> Unconditioned whse/storage
<input type="checkbox"/> Guest Rooms	
<input type="checkbox"/> Small office	<input type="checkbox"/> Grocery store
<input type="checkbox"/> Large office	<input type="checkbox"/> Fast food restaurant
<input type="checkbox"/> Small retail	<input type="checkbox"/> Sit down restaurant
<input type="checkbox"/> 3 Story retail	<input type="checkbox"/> Miscellaneous Comm'l
<input type="checkbox"/> Large retail	_____ (describe) _____

PROJECT SPONSOR (PRIMARY POINT OF CONTACT)

Typically the project sponsor is a vendor who assists the customer in the purchase and installation of qualifying energy efficient equipment. The Vendor category includes vendors, installers, contractors and energy service companies. Project Sponsors serve as the primary point of contact and all communications will be directed to them. If you (the customer) are the primary contact indicate "same as above".

Company/Business Name of Project Sponsor _____

Address _____
City _____ State _____ ZIP _____

Contact Name _____

Contact Telephone Number _____ Contact E-Mail Address _____

FOR UTILITY USE ONLY

Project Number _____ Date _____

SCE Rep _____

Phone _____

SCE Engineer _____

Notes _____

PAYMENT INFORMATION

CHECK SHOULD BE MADE PAYABLE TO:

Payee: Customer or Project Sponsor _____ Telephone Number _____ Fax Number _____

Mailing Address _____ City _____ State _____ ZIP _____

Contact Name _____ Title _____ Contact E-Mail Address _____

Tax Identification Type (Select Only One)

Federal Tax ID _____

SSN _____

Tax Status (Select Only One)

Corporation Exempt _____

Non-Corp _____ Exempt Reason _____

Incentives are taxable and if greater than \$600 will be reported to the IRS unless you are exempt. You will be required to submit a completed W9 for tax purposes. SCE will report your rebate as income on IRS form 1099. Please consult your tax advisor concerning the taxability of rebates.

As the Customer of Record, I understand the incentive payment will be made to the third party named above and that I will not be receiving the incentive check from SCE. I also understand that my release of the payment to the third party does not exempt me from the program requirements.

Customer Authorization: (Please Print Name) _____

Signature _____ Date _____

Utility Bill Credit (Please complete this section if you prefer payment in the form of a bill credit)

Check here and complete the following section ONLY if incentive payment is to be credited to the Utility account for the Applicant of Record

3- _____ 2- _____

Service Account Number _____ Customer Account Number _____ Signature _____ Date _____

AGREEMENT

I understand that SCE has made no warranty or representation regarding the qualifications of the Project Sponsor and that I am solely responsible for the selection of the Project Sponsor to implement the Project. I understand that the Project Sponsor is an independent contractor and is not authorized to make any representation on behalf of SCE. I agree that SCE will have no role in resolving any disputes between me, the Project Sponsor, and/or any other third parties.

I understand that the energy savings, incentives and installed costs are estimates only, and are subject to change based on SCE review and approval, and that I am solely responsible for the selection, purchase, installation and ownership of the measures and services under this program.

I have authority to contract, on behalf of the legal owners of the Project Site, for installation of the measures, or I have obtained the permission of the legal owner of the Project Site to install the energy efficiency measures under my contract with the Project Sponsor.

I understand the program may require inspections, measurements and/or verification of installations of measures applied for, and I agree to provide access to the Project Site for those purposes to SCE and/or its agents or assigns.

For calculated projects, pre-inspections are required and the application must be submitted prior to installation. A separate SPC agreement will be provided upon approval by SCE and must be executed by the Project Sponsor. (This does not apply to itemized measures.)

As a qualified SCE customer, I certify that the indicated energy savings products are for use in my business facility and not for resale. I agree to provide SCE with documents establishing paid proof of purchase and installation of the measures applied for in this Application. I understand the rebate payments are based on related energy benefits over the life of the product. I agree that if (a) I do not provide Southern California Edison with 100% of the related energy benefits specified in the rebate form for the life of the product or for a period of five (5) years from receipt of rebate, whichever is less, or (b) I cease to be a customer of SCE during said time period, I shall refund a prorated amount of rebate dollars to SCE based on the actual period of time for which I provided the related energy benefits as an electric customer of SCE.

If at any time during the first five years after the SCE approved installation date for the retrofit project the customer adds self-generation capacity to the same service account that results in the purchasing of less electricity from SCE in any subsequent 12 month period than the annual amount of energy on which the financial incentive was based, the customer shall refund to SCE any prorated amount of the incentive dollars that SCE, in its sole discretion, determines must be repaid.

I understand that Itemized Measures must be purchased, installed and fully operational prior to submitting an Application, and I understand that submission of this Application is not a guarantee of payment by SCE, nor is it a guarantee of funds availability. This program has a limited budget. Applications/Reservations are accepted on a first-come, first-served basis, until allocated funds are spent, or December 31, 2009, whichever comes first. In no case will SCE pay more than 50% of the project cost for calculated measures, 100% of the individual measure cost for itemized measures, not to exceed 15% of the utility incentive budget (\$2.4 million for SPC and \$1.8 million for Express) per Project Site, whichever is less.

I agree that I have not received rebates, incentives or services for the same measure(s) from another utility, state or local program funded by the Public Goods Charge (PGC), and that this program is funded by California utility ratepayers and administered under the auspices of the California Public Utilities Commission. This program may be modified or terminated without notice.

I UNDERSTAND THAT SCE MAKES NO REPRESENTATION OR WARRANTY REGARDING MANUFACTURERS, DEALERS, CONTRACTORS, MATERIALS OR WORKMANSHIP. PROJECT SPONSOR ALSO UNDERSTAND THAT SCE MAKES NO WARRANTY WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE, USE, OR APPLICATION OF THE PRODUCTS OR MEASURES. I AGREE TO INDEMNIFY, DEFEND AND HOLD HARMLESS, AND HEREBY RELEASES SCE, ITS AFFILIATES, SUBSIDIARIES, PARENT COMPANIES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES, FROM AND AGAINST ALL CLAIMS, DEMANDS, LOSSES, DAMAGES, COSTS, EXPENSES, AND LIABILITY (LEGAL, CONTRACTUAL, OR OTHERWISE), WHICH ARISE FROM OR ARE IN ANY WAY CONNECTED WITH ANY MEASURES INSTALLED.

I have read and understand the program requirements and terms and conditions set forth in this Application. I certify that the information I have provided is true and correct, and the project(s) for which I am requesting incentive(s) meet the requirements in this application package. Furthermore, I understand and agree that I must meet all eligibility criteria in order to receive a payment under this program.

Customer Contact Name (Print) _____ Title _____ Signature _____ Date _____

The Project Sponsor agrees to follow all guidelines and procedures established in the 2006 - 2009 SPC Procedures Manual. Eligibility for receipt of any incentive payments is contingent on meeting these requirements. **SELF-SPONSORING CUSTOMERS PLEASE SIGN BOTH AS THE CUSTOMER AND THE PROJECT SPONSOR.**

Project Sponsor Name (Print) _____ Title _____ Signature _____ Date _____

PLEASE MAKE A COPY OF THIS DOCUMENT FOR YOUR FILES

2009 Calculated Measures (SPC) - FORM 3

Project Name: _____ Project Sponsor: _____

Anticipated Installation Date: _____

Enter data in yellow cells

Please indicate your anticipated completion date.

Calculated Measures (SPC) require a pre-installation inspection. Submit the application prior to installation.

Energy Efficiency Measure Information for Calculated Projects

Provide a brief description of each measure. Identify whether the measure is lighting, air conditioning/refrigeration I (AC&R I), air conditioning/refrigeration II (AC&R II), or other. Provide costs for each measure. Total measure cost includes, but is not limited to, audits, design, engineering, construction, materials, permits, fees, overhead and labor.

Calculated Measures					Measure Costs			
#	Site Name (and project description)	Lighting	AC&R I	AC&R II	Other	\$		
1		<input type="radio"/> L	<input type="radio"/> A	<input type="radio"/> A	<input type="radio"/> O			
2		<input type="radio"/> L	<input type="radio"/> A	<input type="radio"/> A	<input type="radio"/> O			
3		<input type="radio"/> L	<input type="radio"/> A	<input type="radio"/> A	<input type="radio"/> O			
4		<input type="radio"/> L	<input type="radio"/> A	<input type="radio"/> A	<input type="radio"/> O			
5		<input type="radio"/> L	<input type="radio"/> A	<input type="radio"/> A	<input type="radio"/> O			

Energy/On-Peak Demand Savings and Incentive Summary

Attach annual energy savings calculations, either using SPC software or engineering calcs. Enter the summarized energy savings and demand reduction parameters below.

*Incentive Rates			
Lighting	\$0.05 / kWh	Other	\$0.09 / kWh
AC&R I	\$0.15 / kWh	Peak Demand	
AC&R II	\$0.09 / kWh	Reduction	\$100.00 / kW

Energy Savings					
Calculated Measure # from above	Baseline Usage (kWh)	Installed Usage (kWh)	Energy Savings (kWh)	Incentive Rate* (\$/kWh)	Energy Incentive (\$)
1					
2					
3					
4					
5					
Calculated Energy Savings Totals			_____ kWh	Calculated Savings Incentive (\$) _____	

**Total Project Cost (\$)

On-Peak Demand Reduction				
Calculated Measure # from above	Baseline On-Peak Demand (kW)	Installed On-Peak Demand (kW)	On-Peak Demand Reduction (kW)	Peak Demand Reduction Incentive (\$)
1				
2				
3				
4				
5				
On-Peak Demand Reduction			_____ kW	

**The incentive is capped at 50% of the total project cost. Project sites are limited to \$2.4 million in incentives. An adjustment may be made after review of project costs.

2009 Itemized (Express Efficiency) Measures - Form 4

Effective January 1, 2009

Date Installed: _____

Project Sponsor: _____

Compute your incentive by multiplying the Quantity installed (Qty) by the unit incentive amount (\$/unit) and write the total in the Incentive column. Add all the incentive amounts in the Incentive column and write the total incentive amount in the space

Complete Your Application by filling out, printing the entire application using the above **Print Forms** button, signing and dating Forms 1 and 2. Attach Form 4, the original itemized invoice, and the manufacturer's specification sheet for the equipment installed and send to the address provided on the cover sheet.

Select the equipment your project includes by clicking on the button

<input checked="" type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Compact Fluorescent Lamps/Fixtures	<input checked="" type="checkbox"/> Interior Induction Fixtures	<input checked="" type="checkbox"/> Air-Conditioning	<input checked="" type="checkbox"/> Refrigeration
	<input checked="" type="checkbox"/> Linear Fluorescent Lamps/Fixtures	<input checked="" type="checkbox"/> Pulse-Start Metal Halide Fixtures	<input checked="" type="checkbox"/> Food Service	<input checked="" type="checkbox"/> Agriculture
	<input checked="" type="checkbox"/> Display and Accent Lighting	<input checked="" type="checkbox"/> Controls AND Sensors	<input checked="" type="checkbox"/> Office	<input checked="" type="checkbox"/> Motors
	<input checked="" type="checkbox"/> Exit & Channel Signs			

ITEMIZED MEASURE INFORMATION

SBR Code	ID #	Measure Description - See Terms and Conditions for description of measures	Units	\$/Units	Enter: Qty	Incentive \$/Units x Qty
Lighting Itemized Measures						
Screw-In Compact Fluorescent Lamps						
101	L-A1	Screw-in Compact Fluorescent Lamp: 5 - 13 watts	lamp	\$1.50		
102	L-A2	Screw-in Compact Fluorescent Lamp: 14-26 watts	lamp	\$2.50		
103	L-A3	Screw-in Compact Fluorescent Lamp: ≥27watts	lamp	\$3.50		
Compact Fluorescent Fixtures						
162	L-C1	Exterior Compact Fluorescent Fixture: ≤100 watt lamp basecase; Up to 70 watt replacement fixture	fixture	\$17.00		
163	L-C2	Interior Compact Fluorescent Fixture: ≤100 watt lamp basecase; Up to 70 watt replacement fixture	fixture	\$17.00		
164	L-C3	Interior Compact Fluorescent Fixture: 101-175 watt lamp basecase; Up to 160 watt replacement fixture	fixture	\$20.00		
165	L-C4	Interior Compact Fluorescent Fixture: 176-399 watt lamp basecase; Up to 275 watt replacement fixture	fixture	\$20.00		
166	L-C5	Interior Compact Fluorescent Fixture: ≥400 watt lamp basecase; Up to 390 watt replacement fixture	fixture	\$45.00		
Display and Accent Lighting						
100	L-B1	Cold Cathode Fluorescent Lamp: 2-8 watts	lamp	\$2.00		
193	L-B2	Integrated Ballast Ceramic Metal Halide PAR lamps	lamp	\$12.50		
194	L-B3	Ceramic Metal Halide Adjustable Accent Lighting	fixture	\$45.00		
195	L-B4	Screw-in Compact Fluorescent Reflector Lamps: 14 to 28 watts	lamp	\$5.00		
	L-B5	Cold Cathode Fluorescent Lamp: 16 Watt with Electronic Ballast	fixture	\$30.00		
	L-B6	Cold Cathode Fluorescent Lamp: 32 Watt with Electronic Ballast	fixture	\$30.00		
Interior Induction Fixtures						
167	L-D1	Interior Induction Fixtures: 100 watt lamp basecase; Up to 95 watt replacement fixture	fixture	\$35.00		
168	L-D2	Interior Induction Fixtures: 101-175 watt lamp basecase; Up to 160 watt replacement fixture	fixture	\$35.00		
169	L-D3	Interior Induction Fixtures: 176-399 watt lamp basecase; Up to 180 watt replacement fixture	fixture	\$75.00		
170	L-D4	Interior Induction Fixtures: 400 watt lamp basecase; Up to 360 watt replacement fixture	fixture	\$100.00		
T8 OR T5 Linear Fluorescent Lamps with Electronic Ballasts						
123	L-E1	T-8 or T-5 Lamp and Electronic Ballast - 2 foot (T12 replacement only)	lamp	\$3.50		
126	L-E2	T-8 or T-5 Lamp and Electronic Ballast - 3 foot (T12 replacement only)	lamp	\$4.25		
129	L-E3	T-8 or T-5 Lamp and Electronic Ballast - 4 foot (T12 replacement only)	lamp	\$4.25		
131	L-E4	T-8 or T-5 Lamp and Electronic Ballast - 8 foot (T12 replacement only)	lamp	\$7.50		
124	L-E5	T-8 or T-5 Lamp - 2 foot lamp removed (T12 replacement only)	lamp	\$4.00		
127	L-E6	T-8 or T-5 Lamp - 3 foot lamp removed (T12 replacement only)	lamp	\$4.00		
130	L-E7	T-8 or T-5 Lamp - 4 foot lamp removed (T12 replacement only)	lamp	\$6.00		
133	L-E8	T-8 or T-5 Lamp - 8 foot lamp removed (T12 replacement only)	lamp	\$9.00		
Interior Linear Fluorescent Fixtures						
183	L-H1	Interior Linear Fluorescent Fixture: ≤100 watt lamp basecase; Up to 64 watt replacement fixture	fixture	\$35.00		
184	L-H2	Interior Linear Fluorescent Fixture: 101-175 watt lamp basecase; Up to 128 watt replacement fixture	fixture	\$50.00		
185	L-H3	Interior Linear Fluorescent Fixture: 176-399 watt lamp basecase; Up to 192 watt replacement fixture	fixture	\$75.00		
186	L-H4	Interior Linear Fluorescent Fixture: 400 watt lamp basecase; 245 to 360 watt replacement fixture (Tier 2)	fixture	\$75.00		
187	L-H5	Interior Linear Fluorescent Fixture: 400 watt lamp basecase; Up to 244 watt replacement fixture (Tier 1)	fixture	\$100.00		
188	L-H6	Interior Linear Fluorescent Fixture: >400 watt lamp basecase; Up to 600 watt replacement fixture	fixture	\$125.00		
Interior/Exterior Pulse-Start Metal Halide Fixtures						
171	L-F1	Exterior Pulse-Start Metal Halide Fixtures: 175 watt lamp basecase; Up to 190 watt replacement fixture	fixture	\$10.00		
172	L-F2	Exterior Pulse-Start Metal Halide Fixtures: 176-399 watt lamp basecase; Up to 275 watt replacement fixture	fixture	\$40.00		
173	L-F3	Exterior Pulse-Start Metal Halide Fixtures: 400 watt lamp basecase; Up to 400 watt replacement fixture	fixture	\$45.00		
174	L-F4	Exterior Pulse-Start Metal Halide Fixtures: >400 watt lamp basecase; 821 to 950 watt replacement fixture (Tier 2)	fixture	\$50.00		
175	L-F5	Exterior Pulse-Start Metal Halide Fixtures: >400 watt lamp basecase; Up to 820 watt replacement fixture (Tier 1)	fixture	\$100.00		
176	L-G1	Interior Pulse-Start Metal Halide Fixtures: 175 watt lamp basecase; Up to 190 watt replacement fixture	fixture	\$10.00		
177	L-G2	Interior Pulse-Start Metal Halide Fixtures: 176-399 watt lamp basecase; Up to 275 watt replacement fixture	fixture	\$40.00		
178	L-G3	Interior Pulse-Start Metal Halide Fixtures: 400 watt lamp basecase; Up to 400 watt replacement fixture	fixture	\$45.00		
179	L-G4	Interior Pulse-Start Metal Halide Fixtures: >400 watt lamp basecase; 821 to 950 watt replacement fixture (Tier 2)	fixture	\$50.00		
180	L-G5	Interior Pulse-Start Metal Halide Fixtures: >400 watt lamp basecase; Up to 820 watt replacement fixture (Tier 1)	fixture	\$100.00		
Controls AND Sensors						
151	L-J1	Wall-box Lighting Sensor	sensor	\$16.50		
161	L-J2	Wall or Ceiling-mounted Lighting Sensor < 500 watts controlled	sensor	\$20.00		
152	L-J3	Wall or Ceiling-mounted Lighting Sensor ≥ 500 watts controlled	sensor	\$44.00		
189	L-J4	Integrated Sensor in installations over 12 feet	sensor	\$20.00		
190	L-J5	Integrated Sensor in installations 12 feet or under	sensor	\$7.00		
154	L-J6	Photocell	photocell	\$7.00		
155	L-J7	Timeclock	timeclock	\$36.00		
Exit and Channel Signs						
191	L-K1	High Efficiency Exit Sign: Incandescent basecase	fixture	\$27.00		
192	L-K2	High Efficiency Exit Sign: Compact fluorescent lamp basecase	fixture	\$15.00		
409	L-M1	LED Channel Signage, Indoor ≤ 2ft	foot	\$4.00		
410	L-M2	LED Channel Signage, Outdoor ≤ 2ft	foot	\$2.00		
411	L-M3	LED Channel Signage, Indoor > 2ft	foot	\$6.00		
412	L-M4	LED Channel Signage, Outdoor > 2ft	foot	\$3.00		
Total Lighting Incentive (\$)						

Air Conditioning						
206	AC-A1	Reflective Window Film - Coastal	square feet	\$1.35		
204	AC-A2	Reflective Window Film - Inland	square feet	\$1.35		
205	AC-A3	Reflective Window Film - Desert	square feet	\$1.35		
202	AC-B1	Variable Frequency Drives HVAC Fans	hp	\$80.00		
201	AC-C1	Package Terminal Air Conditioners and Package Heat Pumps	unit	\$100.00		
207	AC-D1	Advanced Evaporative Coolers	ton	\$123.00		
				Total Other HVAC Incentive (\$)		
Food Service Itemized Measures						
380	FS-A1	Connectionless Steamers Full load efficiency 50% or greater	unit	\$750.00		
550	FS-J1	DVC Control Retrofit Existing Hood	hp	\$350.00		
551	FS-J2	DVC Control Integral New Hood	hp	\$300.00		
518	FS-E1	Commercial Electric Griddle, Cooking Efficiency > 70%	unit	\$300.00		
520	FS-F1	Commercial Electric Combination Oven, Cooking Efficiency > 60%	unit	\$1,000.00		
519	FS-G1	Commercial Electric Convection Oven, Cooking Efficiency > 70%	unit	\$350.00		
517	FS-C1	Commercial Electric Fryer, Cooking Efficiency ≥ 80%	unit	\$200.00		
Holding Cabinets						
528	FS-B1	Insulated Holding Cabinet- Full Size ≤ 0.4 kW	unit	\$300.00		
529	FS-B2	Insulated Holding Cabinet-Three Quarter Size ≤ 0.3 kW	unit	\$250.00		
530	FS-B3	Insulated Holding Cabinet-Half Size ≤ 0.2 kW	unit	\$200.00		
Commercial Ice Machines						
536	FS-I1	Commercial Ice Machines, Air Cooled 101-200 lbs per 24 hrs. Tier II CEE	unit	\$50.00		
537	FS-I2	Commercial Ice Machines, Air Cooled 201-300 lbs per 24 hrs. Tier II CEE	unit	\$50.00		
538	FS-I3	Commercial Ice Machines, Air Cooled 301-400 lbs per 24 hrs. Tier II CEE	unit	\$75.00		
539	FS-I4	Commercial Ice Machines, Air Cooled 401-500 lbs per 24 hrs. Tier II CEE	unit	\$75.00		
540	FS-I5	Commercial Ice Machines, Air Cooled 501-1,000 lbs per 24 hrs. Tier II CEE	unit	\$125.00		
541	FS-I6	Commercial Ice Machines, Air Cooled 1,001-1,500 lbs per 24 hrs. Tier II CEE	unit	\$200.00		
542	FS-I7	Commercial Ice Machines, Air Cooled > 1,500 lbs per 24 hrs. Tier II CEE	unit	\$250.00		
543	FS-I8	Commercial Ice Machines, Air Cooled 101-200 lbs per 24 hrs. Tier III CEE	unit	\$100.00		
544	FS-I9	Commercial Ice Machines, Air Cooled 201-300 lbs per 24 hrs. Tier III CEE	unit	\$100.00		
545	FS-I10	Commercial Ice Machines, Air Cooled 301-400 lbs per 24 hrs. Tier III CEE	unit	\$150.00		
546	FS-I11	Commercial Ice Machines, Air Cooled 401-500 lbs per 24 hrs. Tier III CEE	unit	\$150.00		
547	FS-I12	Commercial Ice Machines, Air Cooled 501-1,000 lbs per 24 hrs. Tier III CEE	unit	\$250.00		
548	FS-I13	Commercial Ice Machines, Air Cooled 1,001-1,500 lbs per 24 hrs. Tier III CEE	unit	\$400.00		
549	FS-I14	Commercial Ice Machines, Air Cooled > 1,500 lbs per 24 hrs. Tier III CEE	unit	\$500.00		
Reach-In Refrigerator/Freezer						
500	FS-H1	Solid-Door Reach-In Refrigerator Tier II CEE, 1 door/<19 cu. ft.	unit	\$75.00		
501	FS-H2	Solid-Door Reach-In Refrigerator Tier II CEE, 1 door/19-30 cu. ft.	unit	\$100.00		
502	FS-H3	Solid-Door Reach-In Refrigerator Tier II CEE, 2 door/31-60 cu. ft.	unit	\$150.00		
504	FS-H4	Solid-Door Reach-In Refrigerator Tier II CEE, 3 door/61-90 cu. ft.	unit	\$225.00		
505	FS-H5	Solid-Door Reach-In Freezer Tier II CEE, 1 door/<19 cu. ft.	unit	\$100.00		
506	FS-H6	Solid-Door Reach-In Freezer Tier II CEE, 1 door/19-30 cu. ft.	unit	\$200.00		
507	FS-H7	Solid-Door Reach-In Freezer Tier II CEE, 2 door/31-60 cu. ft.	unit	\$325.00		
508	FS-H8	Solid-Door Reach-In Freezer Tier II CEE, 3 door/61-90 cu. ft.	unit	\$500.00		
513	FS-H13	Glass-Door Reach-In Refrigerator Tier II CEE, 1 door/<19 cu. ft.	unit	\$75.00		
514	FS-H14	Glass-Door Reach-In Refrigerator Tier II CEE, 1 door/19-30 cu. ft.	unit	\$100.00		
515	FS-H15	Glass-Door Reach-In Refrigerator Tier II CEE, 2 door/31-60 cu. ft.	unit	\$125.00		
516	FS-H16	Glass-Door Reach-In Refrigerator Tier II CEE, 3 door/61-90 cu. ft.	unit	\$150.00		
				Total Food Service Incentive (\$)		
Refrigeration Itemized Measures						
309	R-A1	Night Covers for Open Vertical and Horizontal Display Cases - med temp	linear ft	\$9.00		
301	R-A2	Night Covers for Open Vertical and Horizontal Display Cases - low temp	linear ft	\$9.00		
302	R-B1	Strip Curtains for Walk-in Boxes	square feet	\$3.00		
311	R-I1	Door Gaskets on Solid Doors for Coolers	linear ft	\$4.00		
312	R-I2	Door Gaskets on Solid Doors for Freezers	linear ft	\$4.00		
323	R-J1	Door Gaskets on Glass Doors	linear ft	\$4.00		
308	R-G1	Anti-Sweat Heat (ASH) Controls	linear ft	\$14.00		
303	R-C1	New Refrigeration Display Case with Doors (Low Temp)	linear ft	\$200.00		
304	R-D1	New Refrigeration Display Case with Doors (Medium Temp)	linear ft	\$150.00		
320	R-E1	New High Eff. Refrigeration Display Case with Special Doors (Low Temp)	linear ft	\$200.00		
313	R-K1	Auto-Closer for Main Cooler Doors	closer	\$40.00		
333	R-L1	Auto-Closer for Main Freezer Doors	closer	\$50.00		
307	R-F1	Special Doors with Low/No Anti-Sweat Heat on LowTemp Display Case	door	\$50.00		
322	R-O1	Efficient Evaporator Fan Motor - Electronically Controlled Motor (ECM)	motor	\$20.00		
321	R-P1	Efficient Evaporator Fan Motor - Permanent Split Capacitor (PSC) Motor	motor	\$20.00		
310	R-H1	Insulate Bare Suction Pipes	linear ft	\$1.00		
315	R-M1	Evaporative Fans Controller for Walk-in Coolers	controller	\$75.00		
331	R-N1	Vending Machine Controller	controller	\$90.00		
				Total Refrigeration Incentive (\$)		
Office						
601	O-A1	Plug Load Occupancy Sensor	sensor	\$15.00		
602	O-B1	PC Network Software	PC	\$15.00		
604	O-C1	High Efficiency Copier	unit	\$100.00		
				Total Office Incentive (\$)		
Agriculture Itemized Measures						
250	A-A1	Sprinkler to Drip Irrigation, check crop type and location: <input type="checkbox"/> Field Vegetables <input type="checkbox"/> Deciduous Trees <input type="checkbox"/> Vineyards <input type="checkbox"/> Central Valley <input type="checkbox"/> Coastal	acre	\$44.00		
256	A-B1	Low Pressure Sprinkler Nozzles, check type and location <input type="checkbox"/> Permanent <input type="checkbox"/> Portable <input type="checkbox"/> Central Valley <input type="checkbox"/> Coastal	nozzle	\$1.15		
				Total Agricultural Incentive (\$)		

SBR Code	ID #	Measure Description - See Terms and Conditions for description of measures	Units	\$/Units	Qty	Incentive \$/Units x Qty
Premium Efficiency Motor Measures						
271	M-1	Motors 1 HP	Motor	\$35.00		
272	M-2	Motors 1.5 HP	Motor	\$35.00		
273	M-3	Motors 2 HP	Motor	\$35.00		
274	M-4	Motors 3 HP	Motor	\$40.00		
275	M-5	Motors 5 HP	Motor	\$50.00		
276	M-6	Motors 7.5 HP	Motor	\$60.00		
277	M-7	Motors 10 HP	Motor	\$70.00		
278	M-8	Motors 15 HP	Motor	\$80.00		
279	M-9	Motors 20 HP	Motor	\$90.00		
280	M-10	Motors 25 HP	Motor	\$135.00		
281	M-11	Motors 30 HP	Motor	\$230.00		
282	M-12	Motors 40 HP	Motor	\$300.00		
283	M-13	Motors 50 HP	Motor	\$320.00		
284	M-14	Motors 60 HP	Motor	\$355.00		
285	M-15	Motors 75 HP	Motor	\$540.00		
286	M-16	Motors 100 HP	Motor	\$720.00		
287	M-17	Motors 125 HP	Motor	\$945.00		
288	M-18	Motors 150 HP	Motor	\$1,260.00		
289	M-19	Motors 200 HP	Motor	\$1,260.00		
Incentives for motors above 200 hp must be calculated using Form 3. Calculated measures require pre-installation inspection.				Total Motor Incentive (\$)		

*The project incentive is capped per measure at 100% of individual measure cost. Projects are limited to \$1.8 million in incentives.

***Gross Total Incentive (\$)** _____

Notes:

Glossary:	Basecase - Refers to the existing equipment prior to retrofitting Delamping - Refers to the permanent removal of T12 lamps and ballasts and unused lamp holders (tomb stones) from existing fixtures
------------------	---

Terms and Conditions

Lighting

L-M1	LED Channel Signage, Indoor ≤ 2 ft	\$4.00
L-M2	LED Channel Signage, Outdoor ≤ 2 ft	\$2.00
L-M3	LED Channel Signage, Indoor > 2 ft	\$6.00
L-M4	LED Channel Signage, Outdoor > 2 ft	\$3.00

DEFINITIONS

Basecase Refers to the existing lighting equipment, prior to retrofitting, based on lamp (bulb) wattage
Electroluminescent Exit Sign Exit sign using materials containing phosphors that light up when voltage is applied.
Replacement Fixture Refers to new equipment being installed based on system (lamp and ballast) wattage.
Photoluminescent Exit Sign Non-electrified exit sign containing materials that absorb and reradiate light.

Refrigeration

- Low temperature refers to temperatures below 0°F.
- Medium temperature refers to refrigerated space temperatures between 1°F and 35°F.

Intended for refrigerated vending machines containing only non-perishable bottled and canned beverages. Controller must include a passive infrared occupancy sensor to turn off fluorescent lights and compressor when surrounding area is unoccupied for 15 minutes or longer. Control logic should periodically power up machine at two-hour intervals to maintain product temperature and provide compressor protection. *Refurbished vending machines that include this option are eligible.*

R-O. & R-P. Efficient Evaporator Fan Motor

Applicable to existing standard efficiency shaded pole evaporator fan motor of refrigerated display cases or fan coil systems in walk-ins. Shaded pole motors to be replaced by either electronically commutated motors (ECM) or permanent-split-capacitor (PSC) motors. This measure cannot be used in conjunction with Evaporator Fan Controller Measure R-M.

Food Service

Electric equipment can only be replaced with qualifying electric equipment, and gas equipment can only be replaced with qualifying gas equipment. Fuel switching is not permitted.

For a list of qualifying food service equipment visit <http://www.fishnick.com/saveenergy/rebates>.

This incentive applies towards the purchase and installation of a new commercial kitchen exhaust hood control system installed in a new dedicated commercial kitchen exhaust hood and make-up air system. The control system must be used in conjunction with variable speed fan motor controls. Project Installation Worksheet must be submitted with rebate application. Only pre-approved control systems will qualify for an incentive.

Air Conditioning

*If the capacity is less than 7,000 Btu/hr, use 7,000. If the capacity is > 15,000 Btu/hr, use 15,000.

Agriculture

This measure must convert from a high-pressure, impact-type, sprinkler irrigation system (50 psi operating pressure or more at the sprinkler head) to a micro irrigation system. Not applicable to new plantings of vineyards or orchards unless a vineyard or orchard was the previous crop on the field. Drip tape systems are not eligible. **Include an Assessor's Parcel Map or other documentation to verify acreage.**

Motors

Office

2009 Itemized (Express Efficiency) Measures

ITEMIZED MEASURE TERMS AND CONDITIONS

Effective January 1, 2009

DETERMINING ELIGIBILITY

For any measure detailed below, answer the questions following the measure category title to see if a project qualifies for an Express Efficiency incentive.

The answer should be “Yes” to every applicable question in a measure category in order for a project to qualify for that measure.

If your answer is “No” or you don’t know the answer to the question please contact your account representative. If you don’t know who your account representative is please call (800)736-4777.

Lighting

L-A. Screw-In Compact Fluorescent lamps

Yes No

- Are Compact Fluorescent Lamps (CFL’s) replacing incandescent lamps? Replacing CFL’s with CFL’s is not allowed.
- Is this the first time this location is participating in the Screw-In Compact Fluorescent lamp measure? Answering “No” to this question does not indicate that a project is ineligible for an incentive. If the answer is “No”, the measure is subject to pre-inspection. Rebates will not be paid for a customer location that has previously received a rebate for a CFL without a pre-installation inspection.
- Can documentation be provided showing the price of the new lamps was not reduced through a utility buy-down program? Lamps purchased at retail outlets do not qualify for a rebate if the price has been reduced through a utility buy-down program.
- If the CFL is self-ballasted (one-piece screw-in), is the lamp ENERGY STAR® qualified? Visit www.energystar.gov for a list of qualifying lamps.
- If the CFL is modular (two-piece lamp and ballast adapter) and ≥ 15 watts, does it meet the minimum efficacy requirements in Table 1 and meet the minimum lumen output requirements in Table 2?

Table1: Minimum Efficacy Requirements

Lamp Power & Configuration Minimum Efficacy		Minimum Efficacy (Lumens Per Watt, Based on Initial Lumen Data)
<i>Bare Lamp</i>	Power < 15	45.0
	Power ≥ 15	60.0
<i>Covered Lamp (no reflector)</i>	Lamp Power < 15	40.0
	Lamp Power ≥ 15 and < 19	48.0
	Lamp Power ≥ 19 and < 25	50.0
	Lamp Power ≥ 25	50.0
	Lamp Power ≥ 25	50.0
<i>Covered Lamp (with reflector)</i>	Lamp Power < 20	33.0
	Lamp Power ≥ 20	40.0

Table 2: Minimum Lumen Output Requirements

Wattage of A-Shaped Incandescent Bulb	CFL Minimum Lumen Output (based on 100 hr. initial values)
40	Minimum of 450
60	Minimum of 800
75	Minimum of 1,100
100	Minimum of 1,600
150	Minimum of 2,600

Product Code	Description	Rebate/Unit Measure
L-A1	Screw-in Compact Fluorescent Lamp: 5-13 watts	\$1.50
L-A2	Screw-in Compact Fluorescent Lamp: 14-26 watts	\$2.50
L-A3	Screw-in Compact Fluorescent Lamp: \geq 27 watts	\$3.50

L-C. Compact Fluorescent Fixtures

Yes No

- Are complete new Compact Fluorescent fixtures being installed?
- Do the new fixtures have a lower Wattage than the fixtures being replaced without exceeding the maximum Wattage listed in the rebate table below for each range of lamp Wattage being replaced?
- Are fixtures equipped with Compact Fluorescent Lamps (CFLs) and electronic ballasts?
- Are CFL ballasts Programmed-start or Programmed Rapid-start with a Power Factor (PF) of \geq 0.90 and Total Harmonic Distortion (THD) of $<$ 20%?
- Are new fixtures replacing, one for one, existing Incandescent, Mercury Vapor, T12/High Output Fluorescent, T12/Very High Output Fluorescent, Standard Metal Halide, or High Pressure Sodium Fixtures in interior installations? Existing Pulse Start Metal Halide installations do not qualify.
- If retrofitting an exterior fixture, is the existing lamp \leq 100 watts?
- Will all replacement fixtures be hardwired?
- Will fixtures be installed at a height over 12' above the finished floor to qualify for the greater than 400 watt category?
- Is this the only Itemized Measure Category under which the fixtures are receiving incentives? Fixtures are not eligible for additional rebates under the Linear Fluorescent Fixtures and T8 or T5 Linear Fluorescent Lamps with Electronic Ballasts categories, but may qualify for an occupancy sensor rebate under the Occupancy Sensor category, provided all requirements are met.

***Please Note:** In all cases, the wattage of the replacement fixture must be less than the wattage of the existing lamp. The maximum replacement wattage listed in the table below is typically associated with the highest wattage in the basecase range.

Product Code	Description	Rebate/Unit Measure
L-C1	Exterior \leq 100 Watt lamp basecase, up to 70 Watt replacement fixture	\$17.00
L-C2	Interior \leq 100 Watt lamp basecase, up to 70 Watt replacement fixture	\$17.00
L-C3	Interior 101-175 Watt lamp basecase, up to 160 Watt replacement fixture	\$20.00
L-C4	Interior 176-399 Watt lamp basecase, up to 275 Watt replacement fixture	\$20.00
L-C5	Interior \geq 400 Watt lamp basecase, up to 390 Watt replacement fixture	\$45.00

L-B. Display and Accent Lighting

Yes No

- Does the retrofit involve the replacement of existing reflector-type incandescent, PAR halogen, or PAR halogen IR lamps? Accent lighting, flood lighting, or down lighting in interior installations all qualify.

Cold Cathode Fluorescent Lamps: 2 to 8 Watts

Yes No

- Is the cold cathode lamp replacing an incandescent lamp of at least 10 watts?
- Does the cold cathode lamp range from 2 watts to 8 watts?
- Is the cold cathode lamp a medium (Edison) or candelabra base?
- Is the cold cathode lamp rated for at least 18,000 average life hours?

Integrated Ballast Ceramic Metal Halide PAR Lamps

- Yes No
- Is the integrated ballast ceramic metal halide PAR lamp 25 watts?
 - Does the integrated ballast ceramic metal halide PAR lamp have a rated lamp life of 10,500 hours or greater?
 - Is the integrated ballast ceramic metal halide PAR lamp compatible with the existing equipment and controls? Customers are responsible for determining if the lamp will fit in their existing equipment and for verifying compatibility with existing lighting controls.

Ceramic Metal Halide Directional Lighting Fixtures

- Yes No
- Does the ceramic metal halide directional lighting fixture have a nominal lamp wattage of 39 watts or lower?
 - Is the ceramic metal halide directional lighting fixture compatible with the existing controls? Customers are responsible for verifying compatibility with existing lighting controls.

Screw-in Compact Fluorescent Reflector Lamps

- Yes No
- Are the screw-in compact fluorescent reflector lamps with integrated ballasts listed as ENERGY STAR® qualified? Visit www.energystar.gov for a list of qualifying lamps.
 - Is the screw-in compact fluorescent reflector lamp wattage between 14 and 28 watts?
 - If the retrofit involves screw-in induction reflector lamps, can it be demonstrated that the lamp performance is equivalent to ENERGY STAR®?

Cold Cathode Fluorescent Lamp: 16 Watts with Electronic Ballast

- Yes No
- Is the Units a Refrigerated Case?
 - Is the 16 Watt Cold Cathode Fluorescent Lamp with Electronic Ballast replacing a 4ft or 5ft T8/T12 fluorescent lamp?
 - Is the Cold Cathode Lamp rated for at least 80,000 average life hours?

Cold Cathode Fluorescent Lamp: 32 Watts with Electronic Ballast

- Yes No
- Is the Units a Refrigerated Case?
 - Is the 16 Watt Cold Cathode Fluorescent Lamp with Electronic Ballast replacing a 4ft or 5ft T8/T12 fluorescent lamp?
 - Is the Cold Cathode Lamp rated for at least 80,000 average life hours?

Product Code	Description	Rebate/Unit Measure
L-B1	Cold Cathode Fluorescent Lamp: 2-8 watts	\$2.00
L-B2	Integrated Ballast CMH PAR Lamps	\$12.50
L-B3	CMH Adjustable Accent Lighting	\$45.00
L-B4	Screw-in Compact Fluorescent Reflector Lamps, 14 - 28 Watts	\$5.00
L-B5	Cold Cathode Fluorescent Lamp: 16 watts	\$30.00
L-B6	Cold Cathode Fluorescent Lamp: 32 watts	\$30.00

L-D. Interior Induction Fixtures

Yes No

- Are complete new Induction fixtures being installed?
- Do the new fixtures have a lower Wattage than the fixtures being replaced without exceeding the maximum Wattage listed in the rebate table below for each range of lamp Wattage being replaced?
- Are new fixtures equipped with Induction lamps and drivers?
- Are new fixtures replacing, one for one, existing Incandescent, Mercury Vapor, T12/High Output Fluorescent, T12/Very High Output Fluorescent, Standard Metal Halide, or High Pressure Sodium fixtures in interior installations? Existing Pulse Start Metal Halide installations do not qualify. Exterior installations do not qualify.
- Will all replacement fixtures be hardwired?
- Will fixtures be installed at a height over 12' above the finished floor to qualify for the 400 watt category?
- Is this the only Itemized Measure Category under which the fixtures are receiving incentives? Fixtures are not eligible for additional rebates under the other measure categories, but may qualify for an occupancy sensor rebate under the Occupancy Sensor category, provided all requirements are met.

***Please Note: In all cases, the wattage of the replacement fixture must be less than the wattage of the existing lamp. The maximum replacement wattage listed in the table below is typically associated with the highest wattage in the basecase range.**

Product Code	Description	Rebate/Unit Measure
L-D1	100 Watt lamp basecase, up to 95 Watt replacement fixture	\$35.00
L-D2	101-175 Watt lamp basecase, up to 160 Watt replacement fixture	\$35.00
L-D3	176-399 Watt lamp basecase, up to 180 Watt replacement fixture	\$75.00
L-D4	400 Watt lamp basecase, up to 360 Watt replacement fixture	\$100.00

L-E. T8 or T5 Linear Fluorescent Lamps with Electronic Ballasts

Yes No

- Are T12 lamps and magnetic ballasts being replaced with T8 or T5 lamps with electronic, high frequency (≥ 20 kHz) ballasts?
- Are proposed ballasts Underwriters Laboratory (UL) listed ballasts that are warranted against mechanical or electrical defects for five years?
- Do the proposed ballasts have a power factor of ≥ 0.90 ?
- At full light output, do ballasts for 4-foot and 8-foot lamps have total harmonic distortion of $\leq 20\%$?
- At full light output, do ballasts for 2-foot and 3-foot lamps have total harmonic distortion of $\leq 32\%$?
- Will Programmed Start/Programmed Rapid-start ballasts be used for T5 lamp installations?
- Will T5 lamps being replaced in low bay installations (under 15') provide indirect lighting only? Customers installing T5 lamps for direct lighting in low ceilings should consult a lighting professional to address the possibility of excessive glare.
- Do T8 and T5 replacement lamps meet the color rendering index (CRI) and rated lamp life standards listed in Table 3 below?
- Can Manufacturer's specification sheets that document the color rendering index (CRI) and rated lamp life be provided for each ballast type?
- Will Instant Start ballasts be used for T8 lamp installations for general illumination purposes?
- Will Programmed Start/Programmed Rapid-start ballasts be used when occupancy sensors are installed to control circuits in lamp/ballast retrofits in order to maximize lamp life? (This is recommended; however, it is not required)
- Will occupancy sensors, which are being installed with linear fluorescent lighting retrofits, meet the requirements of Measure L-J?
- Is this the only Itemized Measure Category under which the replacement lamps and ballasts are receiving incentives? Replacement lamps and ballasts rebated in Measure L-E are not eligible for

rebates under Measures L-C and L-H.

Table 3: Lamp and Ballast Requirements

Lamp Type & Size	Ballast Type	CRI	Minimum Rated Lamp Life (3 hrs/start)
T8 – 2-ft, 3-ft, 4-ft	Programmed Start/ Programmed Rapid-start	≥80	24,000 hours
T8 – All sizes	Instant Start	≥80	18,000 hours
T5 – All sizes	Programmed Start or Programmed Rapid-start	≥82	20,000 hours

De-Lamping

Yes No

- Are existing T12 lamps/ballasts and unused lamp holders (tomb stones) permanently being removed from existing fixtures?
- Are less than or equal to half of the existing lamps and ballasts (along with lamp holders) being removed from each fixture?
- Is the total number of lamps being claimed for de-lamping less than the number of replacement T8 or T5 lamps being installed?
- Will de-lamping maintain adequate light levels? Customers are responsible for deciding whether de-lamping will maintain adequate light levels.
- Is de-lamping being claimed in conjunction with T8 or T5 replacements? De-lamping alone is not eligible.

L-H. Interior Linear Fluorescent Fixtures

Yes No

- Are complete new T8 or T5 or High Output (HO) T5 fixtures being installed?
- Will the new fixtures have a wattage equal to or less than the maximum wattage listed in the rebate table below for each range of lamp wattage being replaced and have a lower wattage than the fixture being replaced?*
- Will fixtures be equipped with linear fluorescent lamps and ballasts that meet the specifications defined in the T8 or T5 Linear Fluorescent Lamps with Electronic Ballasts category?
- Are new fixtures replacing, existing Incandescent, Mercury Vapor, T12 Fluorescent, Standard Metal Halide, or High Pressure Sodium Fixtures in interior installations? Existing Pulse Start Metal Halide and exterior installations do not qualify.
- Will all replacement fixtures be hardwired?
- Is this the only Itemized Measure Category under which the fixtures are receiving incentives? Fixtures are not eligible for additional rebates under the Compact Fluorescent Fixtures and T8 or T5 Linear Fluorescent Lamps with Electronic Ballasts categories, but may qualify for an occupancy sensor rebate under the Occupancy Sensor category, provided all requirements are met.
- Will fixtures be installed at a height over 12' above the finished floor to qualify for 400 watt and greater than 400 watt categories?

***Please Note:** In all cases, the wattage of the replacement fixture must be less than the wattage of the existing lamp. The maximum replacement wattage listed in the table below is typically associated with the highest wattage in the basecase range.

Product Code	Description	Rebate/Unit Measure
L-H1	≤100 Watt lamp basecase, up to 64 Watt replacement fixture	\$35.00
L-H2	101-175 Watts lamp basecase, up to 128 Watt replacement fixture	\$50.00
L-H3	176-399 lamp basecase, up to 192 Watt replacement fixture	\$75.00
L-H4	400 Watt lamp basecase, 245 to 360 Watt replacement fixture (Tier 2)	\$75.00
L-H5	400 Watt lamp basecase, up to 244 Watt replacement fixture (Tier 1)	\$100.00
L-H6	>400 Watt lamp basecase, up to 600 Watt replacement fixture	\$125.00

L-F. Exterior Pulse-Start Metal Halide Fixtures

Yes No

- Are complete new Pulse Start Metal Halide Fixtures or Retrofit Kits being installed?
- Is the proposed installation for an exterior application? All installations for this measure are for exterior applications only - interior installations do not qualify.
- Are new fixtures replacing, one-for-one, existing Incandescent, Mercury Vapor, T12/High Output Fluorescent, T12/Very High Output Fluorescent, Standard Metal Halide, or High Pressure Sodium Fixtures?
Retrofit kits may be used on existing Mercury Vapor, Standard Metal Halide, or High Pressure Sodium Fixtures only.
- If installing retrofit kits, will retrofit kits be used on existing Mercury Vapor, Standard Metal Halide, or High Pressure Sodium Fixtures only?
- Will the new fixtures or retrofit kits have a wattage equal to or less than the maximum wattage listed in the rebate table below for each range of lamp wattage being replaced and have a lower wattage than the fixture being replaced?*
- Will fixtures be equipped with Pulse Start Metal Halide lamps and either magnetic or electronic ballasts?
- Are lamp wattages greater than 175 watts? Lamp wattages below 175 watts lamps do not qualify under this category.
- Will all replacement fixtures be hardwired?
- Will fixtures be installed at a height over 12' above the finished floor to qualify for 400 watt and greater than 400 watt categories?

***Please Note:** In all cases, the wattage of the replacement fixture must be less than the wattage of the existing lamp. The maximum replacement wattage listed in the table below is typically associated with the highest wattage in the basecase range.

Product Code	Description	Rebate/Unit Measure
L-F1	175 Watt lamp basecase, up to 190 Watt replacement fixture	\$10.00
L-F2	176-399 Watt lamp basecase, up to 275 Watt replacement fixture	\$40.00
L-F3	400 Watt lamp basecase, up to 400 Watt replacement fixture	\$45.00
L-F4	>400 Watt lamp basecase, 821 to 950 Watt replacement fixture (Tier 2)	\$50.00
L-F5	>400 Watt lamp basecase, up to 820 Watt replacement fixture (Tier 1)	\$100.00

L-G. Interior Pulse Start Metal Halide Fixtures

Yes No

- Are complete new Pulse Start Metal Halide Fixtures or Retrofit Kits being installed?
- Are new fixtures replacing, one-for-one, existing Incandescent, Mercury Vapor, T12/High Output Fluorescent, T12/Very High Output Fluorescent, Standard Metal Halide, or High Pressure Sodium Fixtures in interior installations? Exterior installations do not qualify.
- If installing retrofit kits, will retrofit kits be used on existing Mercury Vapor, Standard Metal Halide, or High Pressure Sodium Fixtures only?
- Will the new fixtures or retrofit kits have a wattage equal to or less than the maximum wattage listed in the rebate table below for each range of lamp wattage being replaced and have a lower wattage than the fixture being replaced?*
- Will fixtures be equipped with Pulse Start Metal Halide lamps and either magnetic or electronic ballasts?
- Are lamp wattages greater than or equal to 175 watts? Lamp wattages below 175 watts lamps do not qualify under this category.
- Will all replacement fixtures be hardwired?
- Will fixtures be installed at a height over 12' above the finished floor to qualify for 400 watt and greater than 400 watt categories?

- Is this the only Itemized Measure Category under which the fixtures are receiving incentives? Fixtures are not eligible for additional rebates under the other measure categories, but may qualify for an occupancy sensor rebate under the Occupancy Sensor category, provided all requirements are met.

***Please Note:** In all cases, the wattage of the replacement fixture must be less than the wattage of the existing lamp. The maximum replacement wattage listed in the table below is typically associated with the highest wattage in the basecase range.

Product Code	Description	Rebate/Unit Measure
L-G1	175 Watt lamp basecase, up to 190 Watt replacement fixture	\$10.00
L-G2	176-399 Watt lamp basecase, up to 275 Watt replacement fixture	\$40.00
L-G3	400 Watt lamp basecase, up to 400 Watt replacement fixture	\$45.00
L-G4	>400 Watt lamp basecase, 821 to 950 Watt replacement fixture (Tier 2)	\$50.00
L-G5	>400 Watt lamp basecase, up to 820 Watt replacement fixture (Tier 1)	\$100.00

L-J. Controls and Sensors

Yes No

- Are hardwired passive infrared and/or ultrasonic detectors being installed to control interior lighting fixtures?
- If planning to install self-contained wall-box lighting sensors, are the units without an exterior switch pack or relay and designed to replace a standard wall switch?
- If planning to install fixture-integrated sensors, are the units factory-installed in a lighting fixture, used in interior installations, and control all lamps in the fixture?
- If applicable, do sensors meet the wattage controlled requirements listed in the table below?
- Will Programmed Rapid-start ballasts be used when occupancy sensors are installed to control fluorescent lamps? (This is generally recommended; however, it is not required)
- Will the proper ballast be used for the retrofit? Customers shall ensure that the appropriate ballast is in use for the installation.

Photocells

Yes No

- Does the retrofit involve built-in or stand-alone photoelectric cells that switch outdoor lighting loads on at dusk and off at dawn?

Time Clocks

Yes No

- Will time clocks control lighting equipment?
- Do units feature a minimum 3-hour battery back-up to avoid time loss during power outages?
- For outdoor lighting without a photocell, will astronomical time clocks (where on-off time follows sunset and sunrise) be used?

Product Code	Description	Rebate/Unit Measure
L-J1	Wall-box	\$16.50
L-J2	Wall- or Ceiling-Mounted <500 Watts	\$20.00
L-J3	Wall- or Ceiling-Mounted ≥500 Watts	\$44.00
L-J4	Fixture-Integrated in Installations Over 12'	\$20.00
L-J5	Fixture-Integrated in Installations 12' or Under	\$7.00
L-J6	Photocell	\$7.00
L-J7	Timeclock	\$36.00

L-K. Exit Signs

Yes No

- Are new Light Emitting Diode (LED), Electroluminescent, or Photoluminescent exit signs replacing incandescent or compact fluorescent lamps (CFL)? Retrofit kits are not eligible.
- Do all new exit signs meet UL-924 requirements?
- Will exit signs have a usage level ≤ 5 watts and a minimum product life of 10 years or be listed as ENERGY STAR[®] qualified?
- Can manufacturer's information be provided stating the model number and ENERGY STAR[®] qualification? If not, other qualifying specification sheet must be submitted with each rebate form.
- Do new exit signs meet local fire codes?

Product Code	Description	Rebate/Unit Measure
L-K1	Exit Sign, Incandescent basecase	\$27.00
L-K2	Exit Sign, CFL basecase	\$15.00

L-M. Channel Signs (LED)

Yes No

- Are incandescent-lighted or neon-lighted channel letter signs being replaced? Retrofit kits or complete replacement LED signs are eligible.
- Will the replacement sign use less than or equal to 20% of the actual input power of the sign that it is replacing?
- Has the length of the sign been measured properly? Measure the length of the sign as follows:
- Measure the length of each individual letter at the centerline. Do not measure the distance between letters.
 - Add up the measurements of each individual letter to get the length of the entire sign being replaced.

Product Code	Description	Rebate/Unit Measure
L-M1	LED Channel Signage, Indoor ≤ 2 ft	\$4.00
L-M2	LED Channel Signage, Outdoor ≤ 2 ft	\$2.00
L-M3	LED Channel Signage, Indoor > 2 ft	\$6.00
L-M4	LED Channel Signage, Outdoor > 2 ft	\$3.00

DEFINITIONS

Basecase

Refers to the existing lighting equipment, prior to retrofitting, based on lamp (bulb) wattage

Electroluminescent Exit Sign

Exit sign using materials containing phosphors that light up when voltage is applied.

Replacement Fixture

Refers to new equipment being installed based on system (lamp and ballast) wattage.

Photoluminescent Exit Sign

Non-electrified exit sign containing materials that absorb and reradiate light.

Refrigeration

- Low temperature refers to temperatures below 0°F.
- Medium temperature refers to refrigerated space temperatures between 1°F and 35°F.

R-A. Night Covers for Open Vertical and Horizontal Display Cases

Yes No

- Is a cover being installed on an otherwise open display case to decrease cooling load of the refrigerated case during off hours?
- Has the linear footage of the installed night cover been properly measured? The rebate is based on the linear footage of the installed night cover.
- Does the film type cover have small, perforated holes to decrease moisture buildup? (This is recommended; however, it is not required)
- Will the cover be applied for a period of at least six hours in a 24-hour period?
- Has the following been considered?
- Using proper compressor capacity modulation mechanisms (such as variable speed drive (VSD) or cylinder un-loader)
 - Using evaporator pressure regulator (EPR) and possibly resetting to higher suction temperatures when shields are applied
 - Resizing TVX and resetting suction pressure to a higher value
- Will installing night covers impact system performance? Consult with the case manufacturer or an authorized representative to determine if installing night covers will impact system performance.

R-B. Strip Curtains for Walk-in Boxes

Yes No

- Are new strip curtains or plastic swinging doors being installed on doorways of walk-in boxes and refrigerated warehouses?
- Does the retrofit involve the replacement of existing strip curtains that have no useful life left?
- Has the square footage of the doorway been properly measured? The rebate is based on the linear footage of the installed night cover. Rebate is based on the square footage of the doorway.

R-C. & R-D. New Refrigeration Display Case with Doors (Low and Medium Temperatures)

Yes No

- Does the retrofit involve the replacement of an existing open multi-deck display case with a new high efficiency reach-in unit with standard glass doors with electronically commutated motor (ECM) fan, T-8 lamps and electronic ballast? This measure can be applied to self-contained or remote cases.
- Have the display cases been properly measured? New display cases are rebated based on their length.
- Is the new case length equal to or shorter than the original case?

R-E. New High Efficiency Refrigeration Display Case with Special Doors (Low Temp)

Yes No

- Is a new high efficiency reach-in display case replacing an existing low temperature self-contained or remote reach-in as shown in the table below?
- Is this the only Itemized Measure Category under which the fixtures are receiving incentives? This measure cannot be used in conjunction with measure R-G.

Existing	Replacement
T-12 lamps, magnetic ballast	T-8 lamps, electronic ballast
Shaded pole fan motor	ECM fan
Standard glass doors	Low/no anti-sweat glass double pane doors meeting the requirements of measure F

R-F. Special Doors with Low/No Anti-Sweat Heat on Low Temperature Display Cases

Yes No

- Is an existing standard glass door of a low temperature reach-in display case being replaced with a special glass door that requires minimum to no anti-sweat heat (ASH)?
- Will new doors prevent condensation from occurring within the frame assembly?
- Is the total amperage (at 120 volts) from the door rail, glass, and frame heater equal to or less than 0.39 amps per foot (length) of display case?
- Is this the only Itemized Measure Category under which the fixtures are receiving incentives? This measure cannot be used in conjunction with measure R-G.

R-G. Anti-Sweat Heat (ASH) Controls

Yes No

- Can the proposed device sense the relative humidity in the air outside of the display case and reduce or turn off the glass door (if applicable) and frame anti-sweat heaters at low humidity conditions? Equivalent technologies that can reduce or turn off anti-sweat heater based on the amount of condensation formed on the inner glass pane may also qualify.
- Is this the only Itemized Measure Category under which the fixtures are receiving incentives? This measure cannot be used in conjunction with measures R-E & R-F.
- Has the linear footage of the case been properly measured? Rebate is based on the total linear footage of the case.

R-H. Insulation for Bare Suction Lines

Yes No

- Does the retrofit involve insulating bare refrigeration suction lines of 1 5/8 inches or less on existing equipment only?
- If insulating Medium temperature lines, will 3/4-inch of flexible closed-cell nitrite rubber or equivalent insulation be used?
- If insulating Low temperature lines, will 1-inch of flexible closed-cell nitrite rubber or equivalent insulation be used?
- Has the length of the insulated material been properly measured? Rebate is based on the length, in linear feet, of the insulation installed.

R-I. Door Gaskets on Solid Doors

Yes No

- Is a worn gasket on the insulated opaque door of a walk-in or reach-in cooler or freezer being replaced?
- Do replacement gaskets meet the manufacturer's installation specifications, specifically regarding dimensions, materials, attachment method, style, compression, and magnetism?
- Has the perimeter of the door been properly measured? Rebate is based on total door perimeter in linear feet.

R-J. Door Gaskets on Glass Doors

Yes No

- Is a worn gasket on the on a reach-in glass door(s) of a cooler or freezer being replaced?
- Do replacement gaskets meet the manufacturer's installation specifications, specifically regarding dimensions, materials, attachment method, style, compression, and magnetism?
- Has the perimeter of the door been properly measured? Rebate is based on total door perimeter in linear feet.

R-K. & R-L. Auto-Closers for Main Cooler or Main Freezer Doors

Yes No

- Will the auto-closer be applied to the main insulated opaque door(s) of a walk-in cooler or freezer?
- Will the auto-closer be able to firmly close that door when it is within one inch of full closure?

R-M. Evaporator Fan Controller for Walk-in Coolers

Yes No

- Will airflow of evaporator fans in medium-temperature walk-in coolers be reduced when compressor(s) cycle off and there is no refrigerant flow through the evaporator?
- Will a minimum fan load of 1/20 horsepower be controlled where the fan(s) operate continuously at full speed?
- Will fan motor power be reduced by at least 75% during the compressor off-cycle?

Not eligible if any of the following conditions apply:

- 1) the compressor runs all the time with high duty cycle;
- 2) the evaporator fan does not run at full speed all the time;
- 3) the evaporator fan motor runs on poly-phase power;
- 4) the evaporator fan motor is not shaded-pole; or
- 5) evaporator does not use off-cycle or time-off defrost.

R-N. Vending Machine Controller

Yes No

- Do the refrigerated vending machines contain only non-perishable bottled and canned beverages?
- Will the controller include a passive infrared occupancy sensor to turn off fluorescent lights and compressor when surrounding area is unoccupied for 15 minutes or longer?
- Will control logic periodically power up the machine at two-hour intervals to maintain product temperature and provide compressor protection? Refurbished vending machines that include this option are eligible.

R-O. & R-P. Efficient Evaporator Fan Motor

Yes No

- Is the existing equipment a standard efficiency shaded pole evaporator fan motor of refrigerated display cases or fan coil systems in walk-ins?
- Are shaded pole motors being replaced by either electronically commutated motors (ECM) or permanent-split-capacitor (PSC) motors?
- Is this the only Itemized Measure Category under which the fans are receiving incentives? This measure cannot be used in conjunction with Evaporator Fan Controller Measure R-M.

Food Service

Electric equipment can only be replaced with qualifying electric equipment, and gas equipment can only be replaced with qualifying gas equipment. Fuel switching is not permitted.

For a list of qualifying food service equipment visit <http://www.fishnick.com/saveenergy/rebates>.

FS-A1. Electric Commercial Pressureless Steamers (Connectionless/Boilerless)

Yes No

- Do pressureless or boilerless steamers meet ENERGY STAR® specifications or have cooking energy efficiency rating of 50% or greater? Cooking energy efficiency is based on full load efficiency testing (potato cooking test) in accordance with the American Society for Testing and Materials (ASTM) Standard F1484.
- Has the manufacturer or manufacturer's representative been consulted to determine if a specific model qualifies?

FS-B. Commercial Insulated Hot Food Holding Cabinets

Yes No

- Is equipment an electric hot food holding cabinet that is fully insulated on all sides and has solid insulated doors, in full, three-quarter and half sizes respectively as listed in the table below? This measure does not include cook and hold equipment.
- Is the cabinet equal to or less than the maximum idle energy rate of 20 watts/ft³ in accordance with the ASTM Standard F2140 test method?
- Has the manufacturer or manufacturer's representative been consulted to determine if a specific model qualifies?

Cabinet Size	Qualifying Energy Rate (ER)
Full Size	Insulated with ER \leq 0.4 kW
¾ Size	Insulated with ER \leq 0.3 kW
½ Size	Insulated with ER \leq 0.2 kW

FS-C1. Commercial Electric Fryers

Yes No

- Are the commercial electric fryers ENERGY STAR® qualified or do they have a demonstrated cooking energy efficiency rating of \geq 80% utilizing ASTM Standard F1361? ENERGY STAR® maintains an updated list of qualifying products and specifications at www.energystar.gov.
- Has the manufacturer or manufacturer's representative been consulted to determine if a non-ENERGY STAR® qualified model meets the ASTM Standard?

FS-E1. Commercial Electric Griddles

Yes No

- Do the commercial electric griddles have a cooking energy efficiency of \geq 70%, as tested in accordance with ASTM F1275?

FS-E2. Commercial Gas Griddles (not applicable for SCE Customers)

Yes No

- Do the commercial gas griddles have a cooking energy efficiency of \geq 38%, as tested in accordance with ASTM F1275?

FS-F1. Commercial Electric Combination Ovens

Yes No

- Do the commercial electric combination ovens have a cooking energy efficiency \geq 60%, as tested in accordance with ASTM F1639-05?

FS-F2. Commercial Gas Combination Ovens (not applicable for SCE Customers)

Yes No

- Do the commercial gas combination ovens have a cooking energy efficiency \geq 40%, as tested in accordance with ASTM F1639-05?

FS-G1. Commercial Electric Convection Ovens

Yes No

- Do the commercial electric convection ovens have a cooking energy efficiency \geq 70%, based on heavy load (potato) cooking as tested in accordance with ASTM F1496?

FS-G2. Commercial Gas Convection Ovens (not applicable for SCE Customers)

Yes No

- Do the commercial gas convection ovens have a cooking energy efficiency $\geq 40\%$, based on heavy load (potato) cooking as tested in accordance with ASTM F1496?

FS-H. Commercial Reach-In Refrigerators and Freezers

Yes No

- Does the retrofit involve new or replacement energy efficient commercial reach-in solid door refrigerators and freezers, and glass door reach-in refrigerators? Used or rebuilt equipment is not eligible.
- Is the refrigeration system built-in (packaged)? Cases with remote refrigeration systems do not qualify.
- Can documentation (manufacturer's specification sheet) be provided proving that the appliance meets the Consortium for Energy Efficiency (CEE) Tier II energy efficiency specifications using ASHRAE Standard 117-1992 (38°F +/- 2°F)?

Commercial Solid Door Reach-In Refrigerators and Freezers, and Glass Door Reach-In Refrigerators

Product Description	CEE Maximum Daily Energy Usage
Solid Door Reach-In Refrigerators Tier II CEE	$\leq 0.06 V + 1.22 \text{ kWh/day}$
Solid Door Reach-In Freezers Tier II CEE	$\leq 0.28 V + 0.97 \text{ kWh/day}$
Glass Door Reach-In Refrigerator Tier II CEE	$\leq 0.086 V + 2.39 \text{ kWh/day}$

FS-I. Commercial Ice Machines

New Specifications and Rebate Levels are Effective for all Purchases and Installations Effective 1/1/2008

Yes No

- Do machines generate 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed and fragmented ice makers? Performance data is based on ARI Standard 810.
- Is the machine air-cooled (self contained or remote)?
- Are efficiency specifications equivalent to CEE Tier II or CEE Tier III as listed below? Visit www.ari.org for product information and testing procedures.
- Will the entire ARI tested Ice Making system be purchased?
- If proposed equipment is a remote machine, will the qualifying compressor unit be purchased with the remote machine?

Product Type	Ice Harvest Rate (lbs per 24 hrs.)*	Incentive Level kWh/100 lbs ice CEE Tier II	Incentive Level kWh/100 lbs ice CEE Tier III
Air-Cooled	101-200	8.5	8.0
Air-Cooled	201-300	7.7	7.3
Air-Cooled	301-400	6.5	6.1
Air-Cooled	401-500	5.5	5.2
Air-Cooled	501-1000	5.2	5.0
Air-Cooled	1001-1500	4.9	4.7
Air-Cooled	> 1500	4.6	4.4

* Ice harvest rate (capacity in lbs) is the amount of ice produced in 24 hours.

FS-J1. Commercial Kitchen Ventilation Control- Retrofit (Electric)

Yes No

- Was the purchase or installation made after 10/1/2007?
- Is a new commercial kitchen exhaust hood control system being installed in an existing dedicated commercial kitchen exhaust hood and make-up air system? **Indicate make-up air unit (MAU) hp on invoice.**

- Will the control system be used in conjunction with variable speed fan motor controls?
- Has the control system been pre-approved? Only pre-approved control systems will qualify for an incentive.

Product Code	Description	Rebate/Exhaust Fan HP
FS-J1	Ventilation Control Retrofit (Electric)	\$350.00

FS-J2. Commercial Kitchen Ventilation Control- New Hood (Electric)

Yes No

- Was the purchase or installation made after 10/1/2007?
- Is a new commercial kitchen exhaust hood control system being installed in a new dedicated commercial kitchen exhaust hood and make-up air system? **Indicate make-up air unit (MAU) hp on invoice.**
- Will the control system be used in conjunction with variable speed fan motor controls?
- Has the control system been pre-approved? Only pre-approved control systems will qualify for an incentive.

Product Code	Description	Rebate/Exhaust Fan HP
FS-J2	Ventilation Control New Hood (Electric)	\$300.00

Air Conditioning

AC-A. Reflective Window Film

Yes No

- Does the film have a minimum five-year manufacturer's warranty?
- Do windows have a southern, eastern, or western exposure? Rebates are not available for windows with northern exposure.
- Is the space cooled by vapor-compression air conditioner? Evaporative-cooled space is not eligible.
- Does the film have either a solar heat gain coefficient (SHGC) ≤ 0.39 and will be applied to clear, single-pane glass, or have an SHGC ≤ 0.47 and visible transmittance/solar heat gain coefficient (VT/SHGC) ratio > 1.3 ? Specification must be documented on the invoice, as well as square footage installed. To convert shading coefficient (SC) to SHGC, use the following equation:
 - $SHGC = SC \times .87$

AC-B. Variable Frequency Drives (VFDs)

Yes No

- Does the retrofit involve VFD installations for fan applications on HVAC distribution systems?
- Is the fan equal to or less than 100 hp?
- Will throttling devices, such as inlet vanes, bypass dampers, and throttling valves be removed or permanently disabled?
- Will there be a 3% impedance choke (This is recommended; however, it is not required)

AC-C. Package Terminal Air Conditioners and Package Heat Pumps

Yes No

- Are Package terminal air conditioners (PTAC) and Package terminal heat pumps (PTHP) through-the-wall, self-contained units and are 2 tons (24,000 Btu/hr) or less?
- Do units have an EER that is 20% higher than the minimum are eligible? Minimum EER is

calculated from the following equations:

- PTAC Min EER = $10.9 - (0.213 \times \frac{\text{capacity}}{1,000})$ (capacity in Btu/hr*)
- PTHP Min EER = $10.8 - (0.213 \times \frac{\text{capacity}}{1,000})$ (capacity in Btu/hr*)

*If the capacity is less than 7,000 Btu/hr, use 7,000. If the capacity is > 15,000 Btu/hr, use 15,000.

AC-D. Advanced Evaporative Coolers

Yes No

- Is an existing, vapor-compression air conditioning system being replaced? If not, will the existing compressor be made inoperative?
- Will retrofitted system not have "constant bleed" option?
- Is project site in a CEC climate zone other than 1 or 3? No rebate is available for CEC climate zones 1 and 3.
- Is tonnage on rebate form based on the capacity of the package unit that is being replaced? For evaporative coolers, one equivalent ton of cooling is defined as 1300 cfm of 0.1" Static Pressure. The invoice should contain information describing what is being replaced.
- Does the advanced evaporative cooler (AEC) have a rigid, manufactured evaporative media with a rated saturation effectiveness of 0.85 or better (a natural fiber pad is not allowed – the rigid media is generally 12" thick), and is equipped with water quality management system that provides positive removal of sump water on a regular interval (a bleed system is not allowed)?

Agriculture

A-A. Sprinkler to Drip Irrigation

Yes No

- Is a micro-irrigation system replacing a high-pressure, impact-type, sprinkler irrigation system (50 psi operating pressure or more at the sprinkler head) Existing drip tape systems are not eligible.
- If planting a new vineyard or orchard, was there a previous vineyard or orchard crop on the field? Not applicable to new plantings of vineyards or orchards unless respectively a vineyard or orchard was the previous crop on the field.
- Can documentation be provided to verify acreage? **Include an Assessor's Parcel Map or other documentation to verify acreage.**

A-B. Low Pressure Sprinkler Nozzles

Yes No

- Is a high-pressure, sprinkler system nozzle (50 psi operating pressure or more at the sprinkler head) being replaced? Portable hand move or solid set systems may apply.
- Will the retrofit be accompanied by a pumping plant analysis to ensure reasonable pumping efficiency (55% overall pumping efficiency or above) after the conversion?

Motors

M. Premium Efficiency Motor

Yes No

- Are motors being replaced for commercial, industrial, and/or agricultural applications?
- Do the motors meet the minimum efficiency requirements for an itemized incentive as listed in the table below? Itemized motor requirements are based on NEMA premium efficiency standards for nominal full load efficiencies, published by the Consortium for Energy Efficiency (CEE).
- Are the motors classified as either three phase induction motors of open drip proof (ODP) or totally enclosed fan cooled (TEFC)? . These motors are also known as "open" and "closed" motors respectively.
- Are the motors general purpose, NEMA Design A and B qualifying motors (TEFC & ODP) ranging in size from 1 hp to 200 hp?
- Does the Nominal Full Load Efficiency of the new motor meet or exceed the qualifying efficiency level for that class enclosure type of motor? NEMA Design C and D are polyphase induction motors that are considered to be special-purpose motors and not eligible for incentives.
- Are the motors listed in the latest version of Motor Master Tables? Motors not listed in the latest version of Motor Master Tables are not eligible for incentives.

- Can the manufacturer's specification sheet be provided for the motor? Please submit a copy of the manufacturer's specification sheet with the application.

Consortium for Energy Efficiency (CEE) Minimum Nominal Efficiency Standards

Motor Size hp	Open Drip Proof			Totally Enclosed Fan Cooled		
	3600 rpm	1800 rpm	1200 rpm	3600 rpm	1800 rpm	1200 rpm
1	0.77	0.855	0.825	0.77	0.855	0.825
1.5	0.84	0.865	0.865	0.84	0.865	0.875
2	0.855	0.865	0.875	0.855	0.865	0.885
3	0.855	0.895	0.885	0.865	0.895	0.895
5	0.865	0.895	0.895	0.885	0.895	0.895
7.5	0.885	0.91	0.902	0.895	0.917	0.91
10	0.895	0.917	0.917	0.902	0.917	0.91
15	0.902	0.93	0.917	0.91	0.924	0.917
20	0.91	0.93	0.924	0.91	0.93	0.917
25	0.917	0.936	0.93	0.917	0.936	0.93
30	0.917	0.941	0.936	0.917	0.936	0.93
40	0.924	0.941	0.941	0.924	0.941	0.941
50	0.93	0.945	0.941	0.93	0.945	0.941
60	0.936	0.95	0.945	0.936	0.95	0.945
75	0.936	0.95	0.945	0.936	0.954	0.945
100	0.936	0.954	0.95	0.941	0.954	0.95
125	0.941	0.954	0.95	0.95	0.954	0.95
150	0.941	0.958	0.954	0.95	0.958	0.958
200	0.95	0.958	0.954	0.954	0.962	0.958

Office

O-A. Plug Load Occupancy Sensor

Yes No

- Does the retrofit involve the installation of passive infrared and/or ultrasonic detectors?
- Will plug load occupancy sensors control electric equipment in offices or cubicles, or control shared copy machines and/or printers?
- Will plug load sensors control a minimum of 50 watts?

O-B. PC Network Software

Yes No

- Will software be installed that automatically controls the power settings of networked personal computers (PC) at the server level? Laptops are not eligible for rebate.
- Will the software be capable of measuring and managing power consumption for each individual PC, and reporting energy savings results?
- Is this measure to be used as part of a system-wide best practices strategy for energy efficiency? (This is recommended; however, it is not required)
- Can the following be provided? Customers must provide the following information in order to qualify.
- A report from the software that verifies number of PCs being controlled by the system and
 - A list of the license numbers serving the system

O-C. High Efficiency Copier

Yes No

- Will new copy machine be ENERGY STAR® qualified and replace a copier without an idle/off control capability? A list of qualifying models can be found at the ENERGY STAR® website, <http://www.energystar.gov/products>. Desktop copiers are not eligible for a rebate.

- Is this the only Itemized Measure Category under which the copier is receiving an incentive? This measure cannot be used in conjunction with measure O-A above.

- If equipment is being leased, can a lease agreement be provided with the following information?
 1. Lease start date
 2. Length of lease (must be for 3+ years)
 3. Payment terms (i.e. Net 30, Net 60, Payment due date)
 4. Itemized list for each equipment type
 - a) Make or brand name & model information
 - b) Cost per unit
 - c) Quantity installed

Express Efficiency Program Guide

*Information on Application Process for Customers &
Vendors*

An Itemized Measure Program for 2009

Welcome to the Express Efficiency Program, a statewide program offering financial incentives to businesses that upgrade a variety of equipment with new, energy-efficient technology. The program offers rebates for Lighting, Food Service, Refrigeration, Air Conditioning, Office, Agricultural, and Motor equipment.

Installing energy-efficient equipment at your business can help you...

- Reduce energy bills and operating expenses,
- Increase profitability and productivity,
- Enjoy energy-efficient improvements and long-term savings, and
- Realize positive bottom-line results while reducing air pollution and preserving natural resources.

This Guide will walk you through the steps to Reserve, Apply & Receive your Express Efficiency rebate. SCE appreciates your participation in the Express Efficiency Program and your efforts to reduce energy use.

All referenced material, including this Program Guide, is available for download on-line at www.sce.com/express

*If you have any questions regarding the Express Efficiency Program,
please contact Southern California Edison at (800) 736-4777*

Contents

Quick Reference Sheets	Page 3
<ul style="list-style-type: none"> • How To Apply 3 • Proof of Payment Requirements 4 • Sample Invoice 5 	
Program Guide	Page 6
Program Overview	6
<ul style="list-style-type: none"> • About the Express Efficiency Program 6 • Key Terms 6-7 • Customer Eligibility 7 • Rebate Limits 7 • Installation Costs 7 • Equipment Requirements 8 • Basecase Requirements 8 • Special Instructions: Applications Containing Both Itemized & Calculated Measures 9 	
Applying for Your Rebate	10
<ol style="list-style-type: none"> 1. Express Application 10 2. Determine Product Eligibility 10 3. Purchase & Install 10 4. Complete the Application 11 5. Sign 12 6. Attach Proof of Payment 12 7. Attach Specification Sheets for Installed Equipment 13 8. Mail to SCE 13 	
Helpful Tips on Payment Arrangements	14
<ul style="list-style-type: none"> • Making the Rebate Payable to Vendors 14 • Landlord & Tenant Rebate Payments 15 	
Processing your Rebate	16
<ul style="list-style-type: none"> • Incomplete Applications 16 • Inspections 16 	
Receiving your Rebate	17
<ul style="list-style-type: none"> • Taxes 17 • Incentive Amount Adjustments after Rebate Issued 17 • Rebate Refunds to SCE 17 	
For Customers: Working with Vendors	18
<ul style="list-style-type: none"> • Role of Vendors 18 • Vendors as Project Sponsors 18 • Locating a Vendor: The SCE Energy Efficiency Vendor List 18 	
For Vendors: Working With SCE & Customers	19
<ul style="list-style-type: none"> • Communicating Your Value: The SCE Energy Efficiency Vendor List 19 • Vendor Participation Agreement 19 • Vendors as Project Sponsors 19 • Important Notes 19 • Guidelines for Vendor Activities 20 • Vendor Participation Agreement 21-22 	

How To Apply

1. Determine Product Eligibility

- Requirements for each of the measures are included in the Program Terms & Conditions section of the application.
- In addition to meeting technical specifications, there may also be requirements based on the old equipment being replaced (referred to as the **Basecase**).

2. Purchase & Install

- Equipment must be purchased and **installed before you submit your application**.
(NOTE: Projects with both Itemized and Calculated Measures are an exception to this requirement. See page 10 for detail.)

3. Complete the Application

- **Form 1:** – **Project Information:** Complete Customer Info, Project Type(s), Project Site Info & Project Sponsor sections.
 - **Project Type(s):** Include a brief description of the project.
 - **Project Sponsor:** Typically a 3rd Party resource such as a Vendor, but can also be the Customer. Project Sponsors serve as the primary point of contact and all communications will be directed to them.
- **Form 2:** – **Payment Information:** Indicate party to make the rebate payable to, or Customers may select a Utility Bill Credit.
- **Form 3:** – **Calculated Measures:** If your Application contains Calculated Measures as well as Itemized Measures, complete the Measure Information and Energy/On-Peak Demand Savings and Incentive Summary sections.
- **Form 4:** – **Itemized Measures:** Select the itemized measures for your equipment, then enter quantity and calculated rebate amount for each. Enter grand total at bottom.

4. Sign

- **Form 2:** – **Payment Information:** If Customer is not Payee (directed to Vendor or other 3rd Party):
 - Payment Release Authorization must be completed
 - Must contain Customer's *original* signature
- **Utility Bill Credit:** If selected, Customer's *original* signature
- **Agreement:** Read the application agreement and sign.
 - Customer Contact: Customer's *original* signature
 - Project Sponsor: Project Sponsor's *original* signature

5. Attach Proof of Payment

- See *Proof of Payment Requirements* for detail. Original documents are required; however, copies can be accepted if reason is noted on the Proof of Payment.
- Additional Signatures may be needed. See *Proof of Payment Requirements* for detail.
- Include description of the **Basecase** (the old equipment being replaced).

6. Attach Specification Sheets for Installed Equipment

- Attach manufacturer specifications for **each equipment model** requested for rebate.

7. Submit to SCE

- **Applications must be postmarked by December 14, 2009 to be eligible.**
Please make and retain a copy of all completed application forms and required documentation for your records.
- **Include:** Application, Proof of Payment, Specifications for Installed Equipment, and any additional supporting documents.
- **Mail to:** Southern California Edison, Business Incentives and Services, P.O. Box 800, Rosemead, CA 91770
- **Or Fax to:** (626)633-4844

Rebate Checklist

Include the following when submitting your Rebate:

- Application**
 - With Signatures
- Proof of Payment**
 - Original (or, if Copy provided, note reason)
 - Existing Equipment Description (Basecase)
- Specification Sheets**
 - For each model of Installed Equipment

Questions? Please Call (800)736-4777

Proof of Payment Requirements

Type of Proof of Payment	Information Required on Proof of Payment
Invoice <ul style="list-style-type: none"> • CUSTOMER is Rebate Payee <hr/> <ul style="list-style-type: none"> • VENDOR is Rebate Payee 	<ol style="list-style-type: none"> 1. Date of Purchase 2. Marked Paid (stamped or show zero balance due) <i>or</i> contain Terms (i.e. Net 30, Net 60, Payment Due Date) 3. Itemized list for each equipment type: <ol style="list-style-type: none"> a. Make/Brand name <i>and</i> model number b. Text description of each type of equipment installed c. Quantity installed d. Cost per unit 4. Basecase description (the old equipment being replaced) <hr/> Same as above, PLUS... If Customer is not Payee (directed to Vendor) <ol style="list-style-type: none"> 5. Total rebate amount deducted from the sales price
Purchase Order	<ol style="list-style-type: none"> 1. Date of Order 2. Date of Delivery 3. Payment Terms (i.e. Net 30, Net 60, Payment Due Date) 4. Itemized list for each equipment type: <ol style="list-style-type: none"> a. Make/Brand name <i>and</i> model number b. Text description of each type of equipment installed c. Quantity installed d. Cost per unit 5. Existing description (the old equipment being replaced)
Store Receipt (Note: If the equipment is not described in full on the receipt, please add the information on a separate sheet)	<ol style="list-style-type: none"> 1. Date of Purchase 2. Itemized list for each equipment type: <ol style="list-style-type: none"> a. Make/Brand name <i>and</i> model number b. Text description of each type of equipment installed c. Quantity (if all listed were not installed, indicate actual quantity installed) d. Cost per unit 3. Existing description (the old equipment being replaced)
Lease Agreement (for 3 or more years)	<ol style="list-style-type: none"> 1. Lease Start Date 2. Length of Lease (must be for 3+ years) 3. Payment Terms (i.e. Net 30, Net 60, Payment Due Date) 4. Itemized list for each equipment type: <ol style="list-style-type: none"> a. Make/Brand name <i>and</i> model number b. Text description of each type of equipment installed c. Quantity installed d. Cost per unit
Network PC Power Management Software (Qualifying software must be purchased and installed on or after JAN. 1, 2009)	<ol style="list-style-type: none"> 1. Software Purchase Date 2. Length of License Agreement (if applicable) 3. Marked Paid (stamped or show zero balance due) <i>or</i> contain Terms (i.e. Net 30, Net 60, Payment Due Date) 4. Itemized list of software: <ol style="list-style-type: none"> a. Make/Brand name <i>and</i> model number b. Text description of each type of software installed c. Quantity installed d. Cost per unit 5. Network Energy Management Software report verifying the # of PCs the system controls 6. List of the license numbers serving the system

- *Original* Proof of Payment documents are required; however, copies can be accepted if the reason the original cannot be provided is noted on the Proof of Payment. Originals can be requested to be returned.
- Information to include in Existing (old equipment) description: See Page 13.
- Additional information to include for Motors & Window Film Measures: See Page 14.

** Sample Invoice provided on next page **

Sample Invoice

Vendor Name & Address	Joe Smith Company 123 East Main Street, Anytown, CA 90000 Tel: 123.456.7898 Fax: 123.456.7899																																																																								
Customer Name & Address	<table style="width: 100%;"> <tr> <td style="width: 50%;">Sold To:</td> <td style="width: 50%;">Invoice:</td> </tr> <tr> <td>Name: Heritage Surplus Center</td> <td>Date: 2/15/09</td> </tr> <tr> <td>Address: 456 West Main Street</td> <td>Invoice #: 12345</td> </tr> <tr> <td>City/State/Zip: Anywhere, CA 99999</td> <td></td> </tr> <tr> <td>Contact: John Brown</td> <td></td> </tr> </table>	Sold To:	Invoice:	Name: Heritage Surplus Center	Date: 2/15/09	Address: 456 West Main Street	Invoice #: 12345	City/State/Zip: Anywhere, CA 99999		Contact: John Brown																																																															
Sold To:	Invoice:																																																																								
Name: Heritage Surplus Center	Date: 2/15/09																																																																								
Address: 456 West Main Street	Invoice #: 12345																																																																								
City/State/Zip: Anywhere, CA 99999																																																																									
Contact: John Brown																																																																									
Itemized list of equipment with Quantity, Model, Make, Text Description & Unit Price	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">Qty</th> <th style="width: 15%;">Model #</th> <th style="width: 15%;">Make</th> <th style="width: 45%;">Description</th> <th style="width: 10%;">Unit Cost</th> <th style="width: 10%;">Total</th> </tr> </thead> <tbody> <tr> <td>20</td> <td>RPJ19876</td> <td>General Inc.</td> <td>8' 4-lamp T5 Int High Bay Fixtures (216W)</td> <td>200.00</td> <td>4,000.00</td> </tr> <tr> <td>80</td> <td>F54T5/841/HO/ALTO</td> <td>General Inc.</td> <td>T5 Lamps for High Bay Fixtures (54W)</td> <td>10.00</td> <td>800.00</td> </tr> <tr> <td>20</td> <td>RJK-2554</td> <td>General Inc.</td> <td>Ballasts for High Bay Fixtures</td> <td>40.00</td> <td>800.00</td> </tr> <tr> <td>5</td> <td>Q345-BB2</td> <td>General Inc.</td> <td>Compact Fluorescent Fixtures (24W)</td> <td>60.00</td> <td>300.00</td> </tr> <tr> <td colspan="6"> Basecases: - Measure L-H6: Replace 8' 2-lamp T12 Very High Output Fluor Fixtures (430 Watt, Model #145645 by General Inc) - Measure L-C2: Replace Incandescent Fixtures (75W) </td> </tr> <tr> <td colspan="5">Materials</td> <td style="text-align: right;">5,900.00</td> </tr> <tr> <td colspan="5">Tax</td> <td style="text-align: right;">486.75</td> </tr> <tr> <td colspan="5">Installation</td> <td style="text-align: right;">3,000.00</td> </tr> <tr> <td colspan="5">Invoice Total</td> <td style="text-align: right;">9,386.75</td> </tr> <tr> <td colspan="5">Less Edison Rebate</td> <td style="text-align: right;">-2,585.00</td> </tr> <tr> <td colspan="5">Total After Rebate</td> <td style="text-align: right;">6,801.75</td> </tr> </tbody> </table>	Qty	Model #	Make	Description	Unit Cost	Total	20	RPJ19876	General Inc.	8' 4-lamp T5 Int High Bay Fixtures (216W)	200.00	4,000.00	80	F54T5/841/HO/ALTO	General Inc.	T5 Lamps for High Bay Fixtures (54W)	10.00	800.00	20	RJK-2554	General Inc.	Ballasts for High Bay Fixtures	40.00	800.00	5	Q345-BB2	General Inc.	Compact Fluorescent Fixtures (24W)	60.00	300.00	Basecases: - Measure L-H6: Replace 8' 2-lamp T12 Very High Output Fluor Fixtures (430 Watt, Model #145645 by General Inc) - Measure L-C2: Replace Incandescent Fixtures (75W)						Materials					5,900.00	Tax					486.75	Installation					3,000.00	Invoice Total					9,386.75	Less Edison Rebate					-2,585.00	Total After Rebate					6,801.75
Qty	Model #	Make	Description	Unit Cost	Total																																																																				
20	RPJ19876	General Inc.	8' 4-lamp T5 Int High Bay Fixtures (216W)	200.00	4,000.00																																																																				
80	F54T5/841/HO/ALTO	General Inc.	T5 Lamps for High Bay Fixtures (54W)	10.00	800.00																																																																				
20	RJK-2554	General Inc.	Ballasts for High Bay Fixtures	40.00	800.00																																																																				
5	Q345-BB2	General Inc.	Compact Fluorescent Fixtures (24W)	60.00	300.00																																																																				
Basecases: - Measure L-H6: Replace 8' 2-lamp T12 Very High Output Fluor Fixtures (430 Watt, Model #145645 by General Inc) - Measure L-C2: Replace Incandescent Fixtures (75W)																																																																									
Materials					5,900.00																																																																				
Tax					486.75																																																																				
Installation					3,000.00																																																																				
Invoice Total					9,386.75																																																																				
Less Edison Rebate					-2,585.00																																																																				
Total After Rebate					6,801.75																																																																				
	<div style="border: 1px solid black; padding: 10px; display: inline-block; font-size: 24px; font-weight: bold;">PAID</div>																																																																								

Important Notes:

- **If Customer is not Payee** (rebate is directed to Vendor or other 3rd Party): Payment Release Authorization on Form 2 of application must be completed & contain Customer's signature.
- **Multiple account/installation locations:** Attach the *Multiple Account Spreadsheet* available for download on-line at www.sce.com/express.
- **Information to include in Existing** (old equipment) description: See Page 13.
- **Additional information to include for Motors & Window Film Measures:** See Page 14.

Program Guide

Program Overview

- **About the Express Efficiency Program**

The Express Efficiency Program is designed to encourage energy efficiency by offering rebates to offset the cost of replacing or upgrading a variety of equipment with new, energy-efficient technology.

Express Efficiency incentives are provided on specific types of equipment, defined as **itemized measures**.

The program offers rebates for Lighting, Food Service, Refrigeration, Air Conditioning (including Window Film), Office, Agricultural, and Motor equipment.

The Express Efficiency Program is a statewide program administered by California's four Investor-Owned Utilities (IOUs) under the auspices of the California Public Utilities Commission (CPUC). The four IOUs are: Pacific Gas and Electric Company, Southern California Edison, San Diego Gas & Electric Company, and Southern California Gas Company.

The program offers rebates to all non-residential customers regardless of size or monthly electric demand.

The 2009 Express Efficiency Program runs from January 1, 2009 until December 31, 2009.

Applications for this program term must be postmarked or received by SCE by December 14, 2009.

The Program's annual incentive budget for 2009 is \$1.8 million per site or service account. Rebates are paid on a first-come, first-served basis until the deadline expires or allocated funds are spent, whichever comes first. Customers are encouraged to submit their applications as early as possible.

- **Key Terms**

- **Customer:** Service account holder for the project.
- **Project Sponsor:** Typically a 3rd Party resource such as a Vendor, but can also be the Customer.
- The Project Sponsor serves as the primary point of contact. All correspondence and communications regarding the project will be directed to the Project Sponsor.
 - **Exceptions to the Project Sponsor communication process:**
 - **Accounts with an assigned SCE Account Representative:** The SCE Account Representative will submit the application for these accounts and serve as the primary contact. Standard communications (such as confirmations, reminder notices) will be sent to the Project Sponsor with a copy to the SCE Account Representative. However, requests that require special handling (such as requests for missing or additional information) will be directed to the SCE Account Representative for follow-up with the appropriate resource.
 - **Inspections:** If a project requires an Inspection, Customers will be contacted directly to make inspection arrangements. (See the *Inspections* section on page 16 for more detail.)
- **Vendor:** A 3rd Party resource who assists the customer in the purchase and installation of qualifying energy efficient equipment, or is listed on the rebate application as the Payee or Project Sponsor. The Vendor category includes vendors, installers, contractors and energy service companies.
- **SCE Customer Account Number:** Located on your SCE bill, and begins with a 2. The Customer Account number associates your business with the individual service account(s) you have with SCE.
- **SCE Service Account Number:** Located on your SCE bill, and begins with a 3. The Service Account number associates your Customer Account with individual SCE electric service location(s).
- **Existing Equipment:** The old equipment being replaced.

- **Proof of Payment:** Proof of Purchase documentations, such as an Invoice, Purchase Order, Store Receipt, or Lease Agreement.

- **Prior Participation:** When you request a rebate for equipment that is similar to equipment you received a rebate for in the past.

An example of Prior Participation is when a customer receives a rebate for upgrading an Interior Induction Fixture one year, then requests a rebate for upgrading a different Interior Induction Fixture the following year.

- **Payee:** The party the rebate will be released to.

- **Customer Eligibility**

The program is available to the following customers with a valid and active SCE electric service account:

- **Non-residential:** Regardless of size, rate schedule, or monthly demand. Nonresidential customers include commercial, non-profit, industrial, and agricultural businesses.

Note: Properties such as single-family homes, condominiums, apartments, and other residential dwellings are not eligible for the Express Efficiency Program. However, common areas in multi-family properties (such as laundry rooms, recreation rooms, and offices) may be on a qualifying nonresidential rate schedule, in which case they are eligible.

- **Self-generation:** Co-generation, wind, solar and other types of self-generation customers are eligible for Express Efficiency rebates on a prorated basis if they purchase electricity from SCE. The amount of the rebate depends upon the percentage of the customer's total energy usage that is provided by SCE.

For example: If you generate 25% of your total monthly kWh usage and SCE provides the remaining 75%, you would be eligible for 75% of the 2009 Express Efficiency rebate amounts.

To ensure proper rebate processing, Self-generation customers are requested to add a note to their application confirming their self-generation status. See the instructions for completing Form 1 of the application on page 12 for more detail.

- **Rebate Limits**

The total rebate limit varies by Program Year. For 2009, customers meeting the eligibility requirements can qualify for rebates up to 15% of the Program's annual incentive budget (approximately \$1.8 million) per site or service account. The \$1.8 million rebate limit:

- Includes participation in any combination of Express Efficiency electric measures. Customers may apply for rebates until the limit is reached, using any combination of the rebate categories.
- Applies to both to customers with single service accounts, as well as customers with corporate or chain accounts.
- Does not apply to rebates secured across statewide Investor-Owned Utilities (IOUs) (i.e. no cumulative cap). For example, if an SCE customer is also a PG&E customer, only SCE's limit applies to rebates the customer receives from SCE, and only PG&E's limit applies to rebates received from PG&E.

- **Installation Costs**

SCE may pay rebates up to 100% of the installed costs on certain measures. Rebates are not paid above the costs listed on the Proof of Payment.

- **Vendor-Installed equipment:** Installed cost includes material cost plus installation labor.
- **Customer-Installed equipment:** Installed cost includes material cost only. Customers who self-install may not charge installation labor.
- **Sales taxes and freight (shipping):** Are not eligible for rebate, and should not be included in equipment costs.

- **Equipment Requirements**

All equipment must be:

- **New (not used or rebuilt)**

- **Replace existing equipment (not incremental purchases or new construction)**

Note: There are several exceptions to the incremental purchase requirement for Refrigeration and Food Service equipment. (For example, adding a night cover for an open display case is eligible for rebate.) Please review the Program Terms & Conditions section of the application for detail.

- **Meet the requirements stated in the Program Terms & Conditions**

- A complete list of qualifying measures and equipment requirements is included in the Program Terms & Conditions section of the application. In addition to meeting technical specifications, there may also be requirements based on the old equipment being replaced (referred to as the **Basecase**). (See section below for additional detail.)
- Please review the Terms & Conditions for each measure before purchasing your equipment.
- If you need assistance determining if the equipment you plan to purchase meets program requirements, contact SCE at (800)736-4777.

- **Be the same fuel source as the replaced equipment**

Fuel switching is not permitted. Electric equipment can only be replaced with qualifying electric equipment, and gas equipment can only be replaced with qualifying gas equipment.

Additional Provisions:

- **To be eligible for rebate, the installed equipment must be used for the life of the product(s) or for 5 years, whichever is less.**

- **Customers may not receive rebates for replacing the same equipment.**

For example, a customer who receives a rebate for installing an Interior Induction Fixture one year cannot receive another rebate the following year to replace the same Interior Induction Fixture.

- **Customers may not receive rebates for incentives paid by another state or local Public Goods Charge (PGC) program.** For example:

- A customer who receives a rebate from SCE for installing a compact fluorescent lamp (CFL) cannot receive another rebate for the same CFL from PG&E.
- A customer who receives an incentive for installing a compact fluorescent lamp (CFL) through a CFL buy-down program cannot receive another rebate for the same CFL from SCE.

- **Existing Equipment- Requirements**

- In addition to meeting technical specifications, there may also be requirements based on the old equipment being replaced (referred to as the **Basecase**).

- Include a description of the Existing Equipment on the Proof of Payment, or attach as a separate sheet.

- **Describing the Existing Equipment for Lighting measures:**

- Rebate requests for lighting measures may be more complex, so providing as much info as possible about the equipment being replaced will help in our review process and speed processing of your rebate.
- When describing the old lighting equipment, please indicate as appropriate:
 - Fixture quantity
 - Fixture type (for example, T12 High Output, 12 Very High Output)
 - Fixture wattage
 - Number of lamps in each fixture
 - If possible, also indicate the model number and manufacturer name for both the lamps and ballasts.

- **Special Instructions:**
Applications Containing Both Itemized & Calculated Measures
 - **Applications containing both Calculated and Itemized measures must be submitted before installing the new equipment.**
 - Rebates containing Calculated (Standard Performance Contract) measures require a Pre-Installation Inspection, which means that the rebate application must be submitted before installing the new equipment.
 - **BUT...** Rebates for Itemized measures require the application to be submitted after installing the new equipment.
 - **To resolve this conflict, applications containing both Calculated and Itemized measures must be submitted before installing the new equipment.** These “Combination Rebate Applications” are processed in two steps. First, a Pre-Installation Inspection will be performed, and when that is successful, you can then install the equipment.
 - **Installing equipment for Itemized measures before a Pre-Installation Inspection is conducted may void your request for a Calculated measure rebate.** Please be sure to submit your application before installing your new equipment.
 - If you have any questions regarding Itemized and Calculated measures or the application process, contact SCE at (800)736-4777.

Applying for Your Rebate

The information below expands on the summary provided in the *How To Apply Quick Reference Sheet* on page 3.

1. Express Application

- Call (800)736-4777 or download an application on-line at www.sce.com/express.

2. Determine Product Eligibility

- Requirements for each of the measures are included in the Program Terms & Conditions section of the application.
- In addition to meeting technical specifications, there may also be requirements based on the old equipment being replaced (referred to as the **Basecase**).
- If you have questions regarding equipment eligibility, contact SCE at (800)736-4777.

3. Purchase & Install

- Equipment must be purchased and **installed before you submit your application**.
Note: Applications containing both Itemized and Calculated Measures are an exception to this requirement. See pages 8-9 for details.
- Equipment that qualifies for Express Efficiency rebates must meet specific terms and conditions.
 - A complete list of qualifying measures and equipment requirements is included in the Program Terms & Conditions section of the application.
 - In addition to meeting technical specifications, there may also be requirements based on the old equipment being replaced (referred to as the **Existing Equipment**).
 - Review the Terms & Conditions for each measure before purchasing your equipment. If you have questions regarding equipment eligibility, contact SCE at (800)736-4777.
- The Project Sponsor is responsible for determining if selected equipment qualifies for the program.
- Installation may be performed by Customers themselves or by a Vendor. Equipment must be installed pursuant to the manufacturer's specifications. There may also be separate state and local building codes and ordinances that need to be observed.

4. Complete the Application

- Please ensure each application includes the correct service account number for the service location in which the equipment is installed.
 - **For Single accounts:** Complete one application per service account number.
 - **For Multiple account locations:** When installing the same measures for multiple service accounts at one or more facilities, attach the *Multiple Account Spreadsheet* available for download on-line at www.sce.com/express. If the spreadsheet was used to make the reservation, verify the information, enter the installation dates, and attach to the application.
- If you receive a Summary Bill for several accounts, do not include the Summary Bill number on your Express Efficiency application. Instead, indicate the specific service account number corresponding to the service location in which the equipment was installed.
 - **Form 1: → Project Information:**
Complete Customer Information, Project Type(s), Project Site Information, and Project Sponsor sections.
 - **Customer Name:** For **Self-Generation customers**, write "Self-Generation Account" following the Customer's name.
 - **Project Type(s):** Include a description of the project.
 - **Project Sponsor:** Typically a 3rd Party resource such as a Vendor, but can also be the Customer.
The Project Sponsor serves as the primary point of contact. All correspondence and communications regarding the project will be directed to them.
Note: See page 6 for Exceptions to the Project Sponsor communication process.
 - **Form 2: → Payment Information:**
Indicate the party to make the rebate payable to, or Customers may select a Utility Bill Credit.
 - If rebate is to be made to a Vendor, indicate the Vendor information here.
 - If a Utility Bill Credit is desired, complete the Utility Bill Credit section:
 - Mark the Utility Bill Credit box
 - Provide the appropriate Service Account Number and Customer Account Number
 - **Form 3: → Calculated Measures:**
If your Application contains Calculated Measures as well as Itemized Measures, complete the Measure Information and Energy/On-Peak Demand Savings and Incentive Summary sections.
Note: Applications containing both Itemized and Calculated Measures must be submitted before installing the new equipment. See page 9 for details.
 - **Form 4: → Itemized Measures:**
Select the itemized measures for your equipment, then enter quantity and calculated rebate amount for each. Enter grand total at bottom.

5. Sign

- **Form 2:**
 - **Payment Information:** If Customer is not Payee (directed to Vendor or other 3rd Party):
 - Payment Release Authorization must be completed
 - Payment Release Authorization must contain Customer's signature
 - **Utility Bill Credit:** If selected, Customer's signature
 - **Agreement:** Read the application agreement and sign.
 - Customer Contact: Customer's signature
 - Project Sponsor: Project Sponsor's *original* signature. If the Customer is also the Project Sponsor, provide Customer's signature here as well.
- Note: Signatures in the Agreement section of the application confirm:
 - Acceptance and agreement to the terms and conditions outlined in the Agreement
 - The equipment was purchased and installed between January 1, 2009 and December 14, 2009.
 - The installed equipment will be used for the life of the product(s) or for 5 years, whichever is less.

6. Attach Proof of Payment

- See *Proof of Payment Requirements* (page 4) and *Sample Invoice* (page 5) for complete detail on information required on each Proof of Payment.
- **Additional Signatures may be required on the Proof of Payment; these requirements are included on the pages noted above.**
- Acceptable Proof of Payments include:
 - Invoices
 - Purchase Orders
 - Store Receipts
 - Lease Agreements (equipment must be leased for 3 or more years)
- Unacceptable Proof of Payments include:
 - Proposals
 - Bids
 - Letters of Intent
 - Order Forms.
- *Original* documents are required; however, copies can be accepted if reason is noted on the Proof of Payment.
- Include a description of the **Existing Equipment** (the old equipment being replaced) on the Proof of Payment, or attach as a separate sheet.
- **Describing the Existing Equipment for Lighting measures:**
 - Rebate requests for lighting measures may be more complex, so providing as much info as possible about the equipment being replaced will help in our review process and speed processing of your rebate.
 - When describing the old lighting equipment, please indicate as appropriate:
 - Fixture quantity
 - Fixture type (for example, T12 High Output, 12 Very High Output)
 - Fixture wattage
 - Number of lamps in each fixture
 - If possible, also indicate the model number and manufacturer name for both the lamps and ballasts.

- **Additional information to include on Proof of Payment for specific measures:**
 - Motors Measures: Indicate rpm, Open Drip Proof (ODP) or Totally Enclosed Fan Cooled (TEFC), and phase.
 - Window Film Measures: Indicate dimensions of each window, exposure direction (for example, north or south), and type of glass the film is applied to (for example, clear single-pane).

7. Attach Specification Sheets for Installed Equipment

- Attach manufacturer specifications for **each equipment model** requested for rebate.
- If the specification sheet contains listings for multiple models, please highlight the appropriate one.

8. Mail to SCE

- **Applications must be postmarked by December 14, 2009 to be eligible for rebate.**
- **Submit:**
 - Application
 - Proof of Payment
 - Specifications for Installed Equipment
 - Any additional supporting documents.

Please make and retain a copy of all completed application forms and required documentation for your records prior to mailing.

- **Mail to:**

Southern California Edison
Business Incentives and Services
P.O. Box 800
Rosemead, CA 91770

- **Or Fax to:** (626) 633-4844

To ensure that your application reaches SCE, consider sending it by certified mail with return receipt.

Helpful Tips on Payment Arrangements

- **Making the Rebate Payable to Vendors**

In facilitating the Express Efficiency project, Vendors may provide the anticipated rebate amount to the customer as a deduction from the project cost. In these cases, the rebate may be issued directly to the Vendor.

To ensure clarity, the information below was assembled from the individual steps included in the *Applying for Your Rebate* section, and summarizes the required information and signatures to ensure payment is appropriately directed to the Vendor.

To have the rebate issued to a Vendor, please provide the following:

- **Application**

- **Form 1: Project Sponsor:** Provide Vendor information.

The Project Sponsor serves as the primary point of contact. All correspondence and communications regarding the project will be directed to them.

Note: See page 6 for Exceptions to the Project Sponsor communication process.

- **Form 2: Payment Information:**

- *Check Should Be Made Payable To* section: Indicate Vendor information.
- *Payment Release Authorization* section: Customer's signature.

Agreement:

- Customer Contact: Customer's signature.
- Project Sponsor: Vendor's signature.

- **Proof of Payment (Invoices)**

- Include on Invoice:

- Marked Paid (stamped or show zero balance due) *or* contain Terms (i.e. Net 30, Net 60, Payment Due Date)
- Total rebate amount deducted from the sales price
- *Original* Proof of Payment documents are required; however, copies can be accepted if the reason the original cannot be provided is noted on the Proof of Payment.

- Note: For complete detail on information required on each Proof of Payment (including the requirements noted above), see *Proof of Payment Requirements* (page 4) and *Sample Invoice* (page 5).

- **Landlord & Tenant Rebate Payments**

Landlords (i.e. building owners, property management companies) and Tenants sometimes work together to facilitate installation of energy-efficient equipment in leased spaces.

These arrangements may involve one party releasing the rebate payment to the other party. Such arrangements between Landlords and Tenants should be agreed upon by both parties prior to installing the equipment. In no case will SCE intervene should a dispute arise between the Landlord and Tenant.

Please provide the following information based on the corresponding situation:

- **If a leasing Tenant is the utility customer of record, but the Landlord purchases and installs qualifying equipment:**

The Tenant may release the rebate payment to the Landlord by completing the Payment Information section on Form 2 of the application as follows:

- *Check Should Be Made Payable To* section: Indicate Landlord information.
- *Payment Release Authorization* section: Tenant's signature.

- **If a Landlord is the customer of record but the Tenant purchases and installs equipment:**

The Landlord may release the rebate payment to the Tenant by completing the Payment Information section on Form 2 of the application as follows:

- *Check Should Be Made Payable To* section: Indicate Tenant information.
- *Payment Release Authorization* section: Landlord's signature.

Processing your Rebate

Upon receipt, SCE will review your application to ensure the necessary information is provided and, if required, make Post-Installation Inspection arrangements.

- **Incomplete Applications**

If an application is incomplete, SCE Processing Center Representatives will try to reconcile information with the Project Sponsor (or the SCE Account Representative, if assigned). This process may include a phone call or email, or the application may be returned with a letter describing the problem. Once the missing information is provided or appropriate adjustments made, the application may be resubmitted.

- **Inspections**

Depending on the application criteria, a project may require either a Post-Installation Inspection.

- **Post-Installation Inspections:** May be mandatory (based on certain project criteria) or random.
 - **Mandatory Post-Installation Inspections:** Are required for all projects...
 - Applying for an rebate of \$7,000 or more
 - That provide the following Proof of Payments: Invoice with Terms, Purchase Orders, or Lease Agmts
 - That have prior participation
 - That had a Pre-Installation Inspection.
 - **Random Post-Installation Inspections:** A certain percentage of projects are selected as a quality assurance measure to maintain the integrity of the program.
 - During the Post-Installation Inspection, the inspector will verify that:
 - The new equipment is installed and operational
 - The new equipment meets the Program Terms and Conditions,
 - The quantity and model numbers of installed equipment matches the information listed in the application.
- **If your project requires an Inspection:**
 - Inspectors will contact the Customer (using the Project Site Contact information provided on Form 1 of the Application) to make inspection arrangements.
 - If the inspector determines that the equipment for the measure(s) applied for rebate:
 - **Is not installed or is not operational:** The application will be declined and returned to the Program Sponsor (or the SCE Account Representative, if assigned). A new application may be submitted after the equipment has been installed and is operational, if funds are still available. A \$200 re-inspection fee will also be assessed to the Customer or Program Sponsor.
 - **Is only partially installed:** A partial rebate will be paid only for the qualifying equipment that is installed and operational. If the non-rebated equipment is later installed and made operational, a separate (new) reservation and application must be submitted for that equipment.
 - Inspectors require access to the equipment for verification purposes during normal business hours: 8am-5pm, Monday thru Friday, excluding holidays.
 - Inspectors will make three attempts to contact the Customer to make inspection arrangements. If the inspector is unable to reach the Customer after three attempts, the application will be declined and returned to the Program Sponsor (or the SCE Account Representative, if assigned).

Receiving your Rebate

After your application has been approved, the rebate will be authorized for payment and a Rebate Check or Utility Bill Credit issued.

Rebates will be issued to the Payee indicated in the Payment Information section on Form 2 of the application.

- **Taxes**

Rebate amounts greater than \$600 paid in any one year must be reported to the Internal Revenue Service on IRS Form 1099 unless you are classified as exempt (e.g. church, other non-profit).

If you designate a Vendor or other 3rd Party as Payee, that party will receive IRS Form 1099.

SCE is not responsible for any taxes that may be imposed as a result of your having received an Express Efficiency rebate.

- **Incentive Amount Adjustments after Rebate Issued**

- Please contact us at (800)736-4777 for assistance with any rebate payment issues below.

- **Stop-Payment and Check Reissues**

- Check was lost, never received, stolen, or misplaced: Contact SCE to arrange for a replacement check.
- Payee name change: Provide updated payee information, including name, mailing address, and phone number. The original check should be returned to SCE, and a new check will be issued to the correct party.
- Stale-dated check: A stale-dated check is one that is no longer valid because it was not cashed within the allotted time period printed on the check. The original check should be returned to SCE, and a new check will be issued.

- **Disputed Amounts**

- The problem will be investigated, and you will be notified of the results. If an adjustment is warranted, the original check should be returned to SCE, and a new check in the correct amount will be issued.
- If you have already cashed your check and the rebate amount should have been higher, you may be required to submit an additional application. If the amount should have been lower, you will be invoiced for the overpaid amount.

- **Rebate Refunds to SCE**

Once you receive your rebate check, you are required to adhere to the conditions of the signed Agreement, which in part requires that you will provide SCE with energy savings for five (5) consecutive years or the life of the product, whichever is less. If conditions at your facility change, you may be liable for refunding part of your rebate to SCE.

For Customers: Working with Vendors

- **Role of Vendors**

Customers may choose to work with a Vendor (3rd Party resource) to purchase and install qualifying equipment. For the purposes of the Express Efficiency Program, the Vendor category includes vendors, installers, contractors and energy service companies.

The typical role of the Vendor is to collaborate with customers to develop energy-efficient solutions, then recommend and install the appropriate equipment.

In respect to the Express Efficiency Program, generally, Vendors will:

- Communicate the value of energy efficiency to the customer
- Explain the Express Efficiency Program and benefits
- Identify energy-efficiency opportunities that would benefit the customer
- Recommend energy-efficiency equipment to capitalize on these opportunities
- Ensure new equipment qualifies for rebate under the Express Efficiency Program
- Ensure new equipment meets the requirements stated in the Terms and Conditions of the application (including Basecase requirements)
- Contract directly with the customer to install the eligible equipment.

- **Vendors as Project Sponsors**

Vendors are typically listed as the Project Sponsor for Express Efficiency projects.

As a Project Sponsor, the Vendor will:

- Serve as the primary point of contact for the project
 - All correspondence and communications regarding the project will be directed to them.
Note: See page 6 for Exceptions to the Project Sponsor communication process.
- Be responsible for ensuring that installed equipment meets the Program Terms & Conditions.
 - A complete list of qualifying measures and equipment requirements is included in the Program Terms & Conditions section of the application.
 - In addition to meeting technical specifications, there may also be requirements based on the old equipment being replaced (referred to as the **Existing Equipment**).

- **Locating a Vendor: The SCE Energy Efficiency Vendor List**

There are many Vendors in California who are familiar with the Express Efficiency Program. In an effort to provide customers with additional information to facilitate the decision making process, SCE publishes an *Energy Efficiency Vendor List*, which is available for download on-line at www.sce.com/express.

- **Energy Efficiency Vendor List:** Provides contact information and area of specialty for Vendors that have signed a *SCE Vendor Participation Agreement* (see page 22). Parties included in the *Energy Efficiency Vendor List* are not affiliated with, contracted by, recommended, or endorsed by SCE. All license requirements, if any, are the sole responsibility of the Vendor.
- **Vendor Participation Agreement:** In this agreement, the Vendor confirms they understand the requirements of the 2009 Express Efficiency Program and will adhere to the guidelines governing vendor activities. Vendors are not required to sign the Agreement in order to participate in the Express Efficiency Program or consult with customers; however, it provides a confirmation from the Vendor that they understand the program and its requirements. A copy of the Agreement is provided on page 22.

Please Note: SCE does not resolve disputes between customers and vendors. If you experience an equipment problem or if you are not satisfied with the quality of work of a vendor you hired, contact the vendor directly to resolve the issue. If the issue cannot be resolved to your satisfaction, consider contacting the *Contractors State License Board* at (800)321-2752 (if your vendor is a licensed contractor) or your local *Better Business Bureau*.

For Vendors: Working With SCE and Customers

- **Communicating Your Value: The SCE Energy Efficiency Vendor List**

In an effort to provide customers with additional information to facilitate the decision making process, SCE publishes an *Energy Efficiency Vendor List*, which is available for download on-line at www.sce.com/express.

The *Energy Efficiency Vendor List* provides contact information and area of specialty for Vendors that have signed the *SCE Vendor Participation Agreement* (see next section, below).

The *Energy Efficiency Vendor List* can be used as an effective marketing tool in communicating your added value to customers. The confirmation that you understand and will observe the Express Efficiency Program requirements, combined with your experience with these projects, may be key selling points.

While parties included in the list are not affiliated with, contracted by, recommended, or endorsed by SCE, it communicates to customers your understanding and commitment to the program.

- **Vendor Participation Agreement**

In this agreement, the Vendor confirms they understand the requirements of the 2009 Express Efficiency Program and will adhere to the guidelines governing vendor activities.

Vendors are not required to sign the Vendor Participation Agreement in order to participate in the Express Efficiency Program or consult with customers; however, it provides a confirmation from the Vendor that they understand the program and its requirements, and makes Vendors eligible to be included in the *Energy Efficiency Vendor List*.

A copy of the Vendor Participation Agreement is provided on pages 21 & 22.

- **Vendors as Project Sponsors**

Vendors are typically listed as the Project Sponsor for Express Efficiency projects. As a Project Sponsor, the Vendor will:

- Serve as the primary point of contact for the project.
 - All correspondence and communications regarding the project will be directed to them.
Note: See page 6 for Exceptions to the Project Sponsor communication process.
- Be responsible for ensuring that installed equipment meets the Program Terms & Conditions.
 - A complete list of qualifying measures and equipment requirements is included in the Program Terms & Conditions section of the application.
 - In addition to meeting technical specifications, there may also be requirements based on the old equipment being replaced (referred to as the Basecase).

- **Important Notes**

- **If the rebate is made payable to the Vendor:**

See the instructions in the *Making the Rebate Payable to Vendors* section (on page 14) to ensure payment is appropriately directed and that the additional Proof of Payment requirements are met.

- **If the rebate is made payable to the Vendor *or* if the Vendor is the Project Sponsor:**

- Vendors must **install** the qualifying equipment.
- All Equipment must be **installed before you submit an application**.
Note: Applications containing both Itemized and Calculated Measures are an exception to this requirement. See page 9 for detail.

- It is the Vendor's primary responsibility when sponsoring a project to ensure that installed equipment meets the terms and conditions of the Express Efficiency Program.

- **Guidelines for Vendor Activities**

- For the purposes of the 2009 Express Efficiency Program, a Vendor is defined as any 3rd Party resource who assists the customer in the purchase and installation of qualifying energy efficient equipment, or who is listed on the rebate application as the Payee or Project Sponsor.
- Vendors must not misrepresent the nature of their role in the 2009 Express Efficiency Program. In particular, Vendors must not state or in any way imply to customers, or any persons, that the Vendor is employed by or working on behalf of any administering utility. Vendors must not represent to customers that SCE endorses their specific products or services. SCE does not endorse specific products, services, or companies; only energy-efficient technologies.
- Vendors must install the qualifying equipment. Equipment must be installed and operating prior to a rebate application being submitted.
- It is the Vendor's primary responsibility when sponsoring a project to ensure that installed equipment meets the terms and conditions of the Express Efficiency Program.
- Vendors may advise customers of the option to have SCE make their rebate check(s) payable to the Vendor if the customer's rebate amount is being deducted from the total sale price in advance.
 - If the rebate is made payable to the Vendor, the instructions in the *Making the Rebate Payable to Vendors* section (on page 14) must be followed.
 - These instructions include Invoice requirements (total rebate amount must deducted from the sales price and customer's original signature on invoice) and Application form requirements (information/signature/payment authorization on Forms 1 and 2).
- Vendors are required to provide to their customers a detailed invoice that includes:
 1. Date of Purchase
 2. Marked Paid (stamped or show zero balance due) or contain Terms (i.e. Net 30, Net 60, Pmt Due Date)
 3. Itemized list for each equipment type:
 - a. Make/Brand name and model number
 - b. Text description of each type of equipment installed
 - c. Quantity installed
 - d. Cost per unit
 - e. Basecase description (the old equipment being replaced)

PLUS... If rebate is directed to Vendor:

 4. Total rebate amount deducted from the sales price
- Vendors must provide customers with an applicable manufacturer's warranty for all equipment installed.
- Installations may be subject to inspection by utility personnel for the purpose of verifying that the equipment is installed and operating. Vendors demonstrating high failure rates will have 100% of subsequent jobs inspected.
- Vendors must comply with all applicable local, state, and federal laws when performing installation and related functions.
- All license requirements, if any, are the sole responsibility of the Vendor.
- Vendors may use the 2009 Express Efficiency Program name in promotional materials or advertisements. Vendors must not, however, use the name or logo of SCE in their promotional literature, advertisements or writing of any kind without the express prior written approval of SCE.
- SCE has the right to limit a Vendor's participation in the 2009 Express Efficiency Program if, in SCE's sole judgment, the Vendor fails to comply with the program's guidelines and requirements.

Technologies

Check all that apply to your business

Your Business Profile

Tax ID Number: _____

- Corp.
 LLC
 Partnership
 Individual/Sole Proprietor
 Other

Company name (Include any former names or aliases) _____

Mailing Address _____

This address is:

- Our main office
 For mailing only
 Our Branch Office

City _____ State _____ Zip _____

Phone _____ Fax _____ Email _____

Sales Contact (if applicable): _____

Please select the category which most closely describes your business:

- Lighting and Controls
 Energy Management Systems
 Wholesale Electrical Supply
 Motors, Pumps and Controls
 HVAC and Controls
 Energy Efficiency Consulting
 General Electrical Contracting
 Other: _____
 Glass
 Refrigeration and Controls
 Demand Response Aggregator

Check here to receive professional information by email.

Licenses/certifications held: _____

Insurance/Bond information: _____

Business owner/CEO Name _____

Number of years in business: _____ Number of Employees: _____

Is your business certified as minority, woman or disabled veteran owned? Yes No

Languages spoken other than English: Spanish Korean Other: _____
 Chinese Vietnamese

List the counties in which the majority of your business is conducted:

The majority of your business's projects are (Check one per line):

- Project Cost Less than \$50k \$50k to \$500K Greater than \$500k
 Square feet Less than 5000 5000 to 30,000 Greater than 30,000

Approximate business annual revenue: less than \$200k \$200 to \$500k
 \$500k to \$1m \$1m to \$2m Greater than \$2m

- Do you provide energy savings analysis to customers (audits)? Yes No
 Are you familiar with Title 24 requirements? Yes No
 Do you provide a recycling program (appliances, lighting, etc)? Yes No
 Do you apply for rebates on behalf of your customers, if desired? Yes No

Anything else you would like your potential customers to know?

Customer Base	
*Enter as a percentage of customers served	
Large Commercial	
Small Commercial	
Retailers	
General Contractors	
Hotels/Hospitality	
Schools	
Warehouses/Distribution	
Hospitals/Medical	
Government/Military	
Recreational Properties	
Heavy industrial	
Light Industrial	
Multifamily/Residential	
Food Retailing	
Food Processing	
Agriculture	
Manufacturers	

HVAC	Product	Install/Service
Advanced Evaporative Cooler	<input type="checkbox"/>	<input type="checkbox"/>
Central Natural Gas Furnace (92 & 94 AFUE)	<input type="checkbox"/>	<input type="checkbox"/>
Package Terminal Air Conditioners	<input type="checkbox"/>	<input type="checkbox"/>
Variable Frequency Drives (VFDS) for HVAC Fans	<input type="checkbox"/>	<input type="checkbox"/>
Variable Speed Motor (VSM) Air Handler System	<input type="checkbox"/>	<input type="checkbox"/>
Reflective Window Film	<input type="checkbox"/>	<input type="checkbox"/>

GENERAL	Product	Install/Service
Attic Insulation	<input type="checkbox"/>	<input type="checkbox"/>
Wall Insulation	<input type="checkbox"/>	<input type="checkbox"/>
Electric Storage Water Heater	<input type="checkbox"/>	<input type="checkbox"/>
High Efficiency Appliances	<input type="checkbox"/>	<input type="checkbox"/>
Demand Response Devices	<input type="checkbox"/>	<input type="checkbox"/>
Self Generation/ Energy Storage	<input type="checkbox"/>	<input type="checkbox"/>
ENERGY STAR [®] Room Air Conditioner	<input type="checkbox"/>	<input type="checkbox"/>

MOTORS	Product	Install/Service
Premium Efficiency 200 HP and Under	<input type="checkbox"/>	<input type="checkbox"/>
Premium Efficiency Over 200 HP	<input type="checkbox"/>	<input type="checkbox"/>
Rewind	<input type="checkbox"/>	<input type="checkbox"/>
Controls and drives	<input type="checkbox"/>	<input type="checkbox"/>

FOOD SERVICE	Product	Install/Service
Commercial Electric Combination Oven	<input type="checkbox"/>	<input type="checkbox"/>
Commercial Electric Convection Oven	<input type="checkbox"/>	<input type="checkbox"/>
Commercial Electric Fryer	<input type="checkbox"/>	<input type="checkbox"/>
Commercial Electric Griddle	<input type="checkbox"/>	<input type="checkbox"/>
Commercial Ice Machines	<input type="checkbox"/>	<input type="checkbox"/>
Commercial Steam Cooker	<input type="checkbox"/>	<input type="checkbox"/>
Commercial Solid Door Freezers	<input type="checkbox"/>	<input type="checkbox"/>
Commercial Solid Door Refrigerators	<input type="checkbox"/>	<input type="checkbox"/>
Demand Control Ventilation	<input type="checkbox"/>	<input type="checkbox"/>
Insulated Holding Cabinets	<input type="checkbox"/>	<input type="checkbox"/>

OFFICE and IT	Product	Install/Service
High efficiency Copiers	<input type="checkbox"/>	<input type="checkbox"/>
Plug Load Occupancy Sensors	<input type="checkbox"/>	<input type="checkbox"/>
Back-up Power	<input type="checkbox"/>	<input type="checkbox"/>
PC Network Software (Power Management)	<input type="checkbox"/>	<input type="checkbox"/>

LIGHTING	Product	Install/Service
Bi-Level Stairwell/Hall/Garage Fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Ceramic Metal Halide (CMH) Fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Channel Signs (LED)	<input type="checkbox"/>	<input type="checkbox"/>
Cold Cathode Lamps	<input type="checkbox"/>	<input type="checkbox"/>
Compact and Linear Fluorescent Fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Exit Signs - Light Emitting Diode (LED)	<input type="checkbox"/>	<input type="checkbox"/>
High-Intensity Discharge (HID) Fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Induction Lamps and Fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Interior High Bay Linear Fluorescent Fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Interior Metal Halide Pulse Start Fixtures	<input type="checkbox"/>	<input type="checkbox"/>
T8 or T5 Linear Fluorescent Lamps with Electronic Ballasts (Installed)	<input type="checkbox"/>	<input type="checkbox"/>
Light tubes (Solar Lighting)	<input type="checkbox"/>	<input type="checkbox"/>
Occupancy Sensors	<input type="checkbox"/>	<input type="checkbox"/>
Photocells	<input type="checkbox"/>	<input type="checkbox"/>
Time Clocks	<input type="checkbox"/>	<input type="checkbox"/>
Screw-in Compact Fluorescent Lamps	<input type="checkbox"/>	<input type="checkbox"/>

AGRICULTURAL PRODUCTS	Product	Install/Service
Greenhouse Heat Curtain	<input type="checkbox"/>	<input type="checkbox"/>
Infrared Film for Greenhouses	<input type="checkbox"/>	<input type="checkbox"/>
Low Pressure Sprinkler Nozzles	<input type="checkbox"/>	<input type="checkbox"/>
Sprinkler to Drip Irrigation	<input type="checkbox"/>	<input type="checkbox"/>
Irrigation Pumps	<input type="checkbox"/>	<input type="checkbox"/>

REFRIGERATION	Product	Install/Service
Anti-Sweat Heater (ASH) Controls	<input type="checkbox"/>	<input type="checkbox"/>
Auto-Closers for Main Cooler/Freezer Doors	<input type="checkbox"/>	<input type="checkbox"/>
Auto-Closers for Reach-In Cooler/Freezer Doors	<input type="checkbox"/>	<input type="checkbox"/>
Door Gaskets on Glass Doors	<input type="checkbox"/>	<input type="checkbox"/>
Door Gaskets on Solid Doors	<input type="checkbox"/>	<input type="checkbox"/>
ECM and PSC Motors	<input type="checkbox"/>	<input type="checkbox"/>
Evaporator Fan Controller for Walk-In Coolers	<input type="checkbox"/>	<input type="checkbox"/>
Insulation for Bare Suction Lines	<input type="checkbox"/>	<input type="checkbox"/>
New High Efficiency Refrigeration Display Cases	<input type="checkbox"/>	<input type="checkbox"/>
New Refrigeration Display Cases with Doors	<input type="checkbox"/>	<input type="checkbox"/>
Night Covers for Open Display Cases	<input type="checkbox"/>	<input type="checkbox"/>
Special Doors with Low/No Anti-Sweat Heat on Low Temp Display Cases	<input type="checkbox"/>	<input type="checkbox"/>
Strip Curtains for Walk-In Boxes	<input type="checkbox"/>	<input type="checkbox"/>

Disclaimer: SCE does not endorse any contractor supplier or vendor listed. SCE encourages customers to obtain more than one bid or quote when seeking energy efficiency services. SCE does not endorse or guarantee the services, work, or financial stability of the vendors listed. Vendors are listed because the vendor elected to provide his name and contact information not because they are recommended or endorsed by SCE. Any agreement between a customer and a vendor is exclusive of SCE and SCE is not a party or guarantor of that agreement.

Mail, email or fax this form to:

Southern California Edison - Customer Experience Attn: Vendor Directory PO Box 800 Rosemead, CA 91770-9934	vendordirectory@sce.com	Fax: (626)633-4892 Attn: Vendor Directory
---	-------------------------	--