# SAFETY DATA SHEET



Version 1 Issuing date 13-Oct-2014 Revision Date 07-May-2015

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### **Product identifier**

**Product Label Name** all Liquid Laundry Detergent - Free Clear 162 oz

Other means of identification

**UPC Code(s)** 72613461394 Product code 197004877 **Synonyms** None

#### Recommended use of the chemical and restrictions on use

Laundry detergent liquid for clothes washing machines. **Recommended Use** 

Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details

**Supplier Address Manufacturer Address** Sun Products Corporate Office Sun Products Corporate Office

60 Danbury Road 60 Danbury Road Wilton, CT 06897 Wilton, CT 06897

USA USA

**Emergency telephone number** 

**Company Phone Number** General - 1-800-776-6702 (Monday - Friday, 8:30AM to 6:00PM EST) **Company Emergency Phone** Prosar: 1-800-565-5597 (24 hours)

Number

Chemtrec (US/CA) 1-800-424-9300 (24 hour) **Emergency telephone** 

Poison Control 1-800-222-1222 (24 hour)

# 2. HAZARDS IDENTIFICATION

# Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

### GHS Label elements, including precautionary statements

#### **Emergency Overview**

### Danger

#### Hazard Statements

Causes severe skin burns and eye damage



Appearance CLEAR LIQUID

Physical state liquid

Odor FREE OF PERFUME

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Specific measures (see section 4 on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

# Other information

May be harmful if swallowed

General Hazards

No information available

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
ALCOHOLS, C10-16, ETHOXYLATED	68002-97-1	5 - 10	*
Sodium carbonate	497-19-8	1 - 5	*
Ethyl alcohol	64-17-5	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

### First aid measures for different exposure routes

General advice

Immediate medical attention is required.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

**Skin contact** Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

**Toxic - Inhalation** Move to fresh air. Call a physician or Poison Control Center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

**Implestion** Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or Poison

Control Center immediately.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

#### 5. FIRE-FIGHTING MEASURES

# Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Hazardous Combustion** 

**Products** 

No information available.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**Advice for emergency responders** For personal protection see section 8.

#### **Environmental precautions**

Environmental precautions Do not allow material to contaminate ground water system. Should not be released into the

environment. Prevent further leakage or spillage if safe to do so. Prevent product from

entering drains. See Section 12 for additional Ecological Information.

#### Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal. Clean contaminated

surface thoroughly. Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. After cleaning, flush away traces

with water.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Handle product only in closed system or provide appropriate exhaust ventilation at

machinery.

### Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Packaging material Keep consumer product in packaging product is initially sold in.

Incompatible products Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Face-shield.

**Skin and body protection** No special protective equipment required.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable

Viscosity 20rpm RV/LV Spindle 2@70F

gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and chemical properties**

Physical state liquid

AppearanceCLEAR LIQUIDOdorFREE OF PERFUMEColorColorlessOdor thresholdNo information available

Property Values Remarks • Method

**pH** 11.900 pH

Melting point

Boiling point/boiling range
Flash Point

Evaporation rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.057 SPECIFIC GRAVITY - 20C

Water solubility Soluble in water

Solubility in other solvents

Partition coefficient: n-octanol/waterNo information available
Autoignition temperature

No information available
No information available
No information available

Viscosity, kinematic 550.000 cps

Viscosity, dynamic
Explosive properties
Oxidizing Properties
No information available
No information available
No information available

Other information

Softening point
Molecular weight
VOC Content(%)
Density VALUE
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

### **Conditions to Avoid**

Exposure to air or moisture over prolonged periods.

### **Incompatible Materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

**Toxic - Inhalation** Harmful by inhalation. Avoid breathing vapors or mists.

Eye contact Causes thermal burns. Corrosive to the eyes and may cause severe damage including

blindness. Avoid contact with eyes. Risk of serious damage to eyes.

Skin contact Prolonged contact may cause redness and irritation. Avoid contact with skin. Prolonged

skin contact may cause skin irritation. Causes burns.

**Ingestion** Ingestion causes burns of the upper digestive and respiratory tracts. Can burn mouth,

throat, and stomach. Harmful if swallowed. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea. Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	2210 mg/kg ( rat )	= 2300 mg/m³ ( Rat ) 2 h
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)		= 124.7 mg/L (Rat) 4 h

### Information on toxicological effects

Symptoms No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.Eye damage/irritationNo information available.SensitizationNo information available.Germ Cell MutagenicityNo information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

<u>caroniogoment</u>			. ageney nae netea any me	,. ca.c ac a ca.cegc
Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	X
64-17-5				

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive toxicity
Developmental Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Avoid repeated exposure. Possible risks of irreversible effects. May cause adverse liver

effects. Contains a known or suspected reproductive toxin.

Target Organ Effects Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,

Skin.

**Aspiration hazard** No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3944 mg/kg ATEmix (dermal) 12920 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium carbonate 497-19-8		300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50
Ethyl alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
ALCOHOLS, C10-16, ETHOXYLATED 68002-97-1	-
Sodium carbonate 497-19-8	-
Ethyl alcohol 64-17-5	-0.32

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

## **Waste treatment**

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ALCOHOLS, C10-16, ETHOXYLATED 68002-97-1	-
Sodium carbonate 497-19-8	Corrosive
Ethyl alcohol 64-17-5	Toxic Ignitable

# 14. TRANSPORT INFORMATION

DOT Not regulated TDG Not regulated MEX Not regulated Not regulated ICAO Not regulated IATA Not regulated **IMDG** RID Not regulated Not regulated <u>ADR</u> ADN Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS ENCS IECSC Complies
KECL Complies

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65	
Ethyl alcohol - 64-17-5	Carcinogen	
	Developmental	

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol	X	X	X
64-17-5			

#### U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION

NFPA Health hazard 3 Flammability 0 Instability 0 Physical and chemical

hazards -

HMIS Health hazard 3 Flammability 0 Physical Hazard 0 Personal protection X

**Prepared By** Sun Products Corporation

Regulatory Affairs 13-Oct-2014

Issuing date **Revision Date** 07-May-2015 **Revision Note** 

No information available

### **Disclaimer**

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Sun Products Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Sun Products Corporation assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**