



ADA STANDARDS FOR ACCESSIBLE DESIGN



What is ADA?

A comprehensive civil rights law enacted by the Department of Justice that prohibits discrimination on the basis of disability.

Title III of the ADA provides people with disabilities a right to “the full and fair enjoyment of the goods, services, facilities, privileges, advantages or accommodations of any place of public accommodation,” including any “restaurant, bar or other establishment serving food and drink.” These establishments are required to provide people with disabilities access that is “equal to that afforded to other individuals,” and services that are not “different or separate” from those provided to other patrons.

Revised regulations for Title III of the ADA sets minimum requirements for newly designed, constructed, and/or altered state and local government facilities, public accommodations, and commercial facilities.

What is BUNN® Doing to Help Customers Achieve Compliant Design?

Our main focus for **self-service** equipment designs will be on accessibility to that equipment with respect to the **new standards** identified in the revised regulations.

We will apply these design standards to new self-service products and are reviewing existing products to make adjustments where necessary.



Ultra Extended Handle



JDF Under Drip Tray
Switch Unit



LIFT Dispense Handle
tea dispensers as noted



Hot Water PUSH
Valve Handle
AXIOM



**BUNN cannot tell any customer if they are ADA compliant.
Each customer must use their own legal counsel.**

Self-Service Models

Model	Product Number	New Model	Model	Product Number	New Model
Pourover Brewers			Dual ThermoFresh		
VP-17/VPR			DUAL TF DBC,120/240V FLK	34600.0000	
VP17-1, SST	13300.0001		DUAL TF DBC,120/240V BLK FLK	34600.0001	
VP17-3, 3L SST	13300.0003		DUAL TF DBC,120/240V	34600.0002	
VP17-1, BLK	13300.0011		DUAL TF DBC,120/240 BLK	34600.0003	
VP17-3, 3L BLK	13300.0013		DUAL TF DBC,120/208V	34600.0004	
VPR-TC	33200.0011		DUAL TF DBC,120/208 BLK	34600.0005	
Automatic Decanter Brewers			DUAL TF DBC,120/208V FLK	34600.0006	
AXIOM - New Design Hot Water PUSH Valve Handle			DUAL TF DBC,120/208 BLK FLK	34600.0007	
AXIOM-15-3,3L RT PF	38700.0002		DUAL TF DBC,120/208V 3 PHASE	34600.0008	
AXIOM-35-3 LOWER RIGHT PF	38700.0003		DUAL TF DBC,120/208V 3PH FLK	34600.0018	
AXIOM-DV-3, 3L RT PF	38700.0009		DUAL TF DBC,240V 2WIRE	34600.0019	
AXIOM-15-3 LOWER LEFT PF	38700.0012		Servers for Satellite Systems		
AXIOM-15-1, 1L	38700.0024	ALL	GPR, Soft Heat, ThermoFresh and Titan Servers are compliant.		
AXIOM-DV-3, 3L LT PF	38700.0068		Serving Stands for GPR Servers		
CWT			RWS1, 120V	12203.0010	
CWT15, 3L PF	12950.0112		RWS1, 120V-SATIN NKL LEGS	12203.0014	
CWT35-TC, SMK FNL	12950.0443		RWS1, BLK 120V RWS1, 120V BLK	12203.0015	
Thermal Coffee Brewers			Serving Stands for Soft Heat Servers		
ICB			1SH STAND, 120V	27825.0000	
ICB-DV, standard height trunk	36600.0014	New	1SH STAND,120V BLK	27825.0003	
ICB-DV Tall	36600.0015	New	1SH STAND, 120V BLK 6" LEGS	27825.0004	
ICB Twin			1SH STAND,120V BLK ON/OFF SW	27825.0010	
ICB Twin, 120/240V standard height trunk	37600.0010	New	1SH STAND,120V	27875.0000	
ICB Twin Tall, 120/240V	37600.0011	New	1SH STAND,120V BLK	27875.0003	
Satellite Coffee Brewers			Liquid Coffee Systems		
Single GPR			LCA/LCR-2 PC		
SINGLE, 120V 3S MECH SF LWR FCT	23050.0088	New	LCA-2, PC 1/8" SCHOLLE KIT	36500.0001	
SINGLE, 120/240V 3S MECH SF LWR FCT	23050.0089	New	LCA-2, PC 3/16" SCHOLLE KIT	36500.0002	
Dual GPR			LCA-2, PC 1/8" LIQUI BOX QCD-2	36500.0003	
DUAL,120/240V 3S MECH SF LWR FCT	20900.0088	New	LCA-2, PC 3/16"LIQUI BOX QCD-2	36500.0004	
Single GPR DBC			LCA-2, PC 1/8" SCHOLLE QC	36500.0025	
SINGLE GPR DBC 120/208 - 240V LWR FCT	36100.0011	New	LCA-2, PC 3/16" SCHOLLE QC	36500.0026	
Dual GPR DBC			LCA-2, PC SCH1910 LGFEED	36500.0031	
DUAL GPR DBC,120/208-240V	35900.0010		LCR-2, PC 1/8" SCHOLLE KIT	36500.0036	
Single SH, SH DBC			LCR-2, PC 3/16" SCHOLLE KIT	36500.0037	
SINGLE SH,120/240V MECH 1.5G LWR FCT	27800.0023	New	LCR-2, PC 1/8" LIQUI BOX QCD-2	36500.0038	
SINGLE SH,120V MECH 1.5G/5.7L LWR FCT	27800.0024	New	LCR-2, PC 3/16" LIQUI BOX QCD-2	36500.0039	
SINGLE SH DBC,120/240V LWR FCT	33600.0028	New	LCR-2, PC 1/8" SCHOLLE QC	36500.0049	
SINGLE SH DBC,120V FLK LWR FCT	33600.0029	New	LCR-2 PC,3/16" SCHOLLE QC	36500.0056	
Dual SH, SH DBC			LCA-1 LP		
DUAL SH,120/240V MECH 1.5G/5. LWR FCT	27900.0042	New	LCA-1, BUNN W/SCH1910	44100.0000	
DUAL SH DBC, 120/240V LWR FCT	33500.0042	New	LCA-1, BUNN W/QCDII	44100.0001	
Single ThermoFresh			LCA-1, BUNN W/SCH Q/C	44100.0002	
SINGLE TF DBC,120/240V FLK	34800.0000		LCA/LCC-2 LP		
SINGLE TF DBC,120/240 BL FLK	34800.0001		LCA-2 LP, W/SCH1910 &1/8" TUBE	38800.0000	
SINGLE TF DBC,120/208V	34800.0002		LCA-2 LP, W/QCDII & 1/8" TUBE	38800.0001	
SINGLE TF DBC,120/208 FLK	34800.0003		LCA-2 LP, W/SCH Q/C&1/8" TUBE	38800.0002	
SINGLE TF DBC,120/240 BLK	34800.0004		LCA-2 LP, W/RAPAK & 1/8" TUBE	38800.0003	
SINGLE TF DBC,120/208 BLK	34800.0005		LCC-2 LP, BUNN W/SCH1910 & 1/8"	38800.0004	
SINGLE TF DBC,120/208 BLK FLK	34800.0006		LCC-2 LP, BUNN W/QCDII & 1/8"	38800.0005	
			LCC-2 LP, BUNN W/SCH Q/C & 1/8"	38800.0006	
			LCC-2 LP. BUNN W/RAPAK & 1/8"	38800.0007	

ADJUSTABLE LEGS MUST BE FULLY RETRACTED OR AT LOWEST POSITION

Self-Service Models

Model	Product Number	New Model	Model	Product Number	New Model
			TDO-4 & 5 - Self Serve on Counter Surface only		
Iced Tea and Coffee Brewers			TDO-4, RESERVOIR	34100.0000	
ITCB			TDO-5, RESERVOIR	34100.0001	
ITCB-DV, 29" trunk w/ flip tray	35700.0050	New	TDO-4, RESERVOIR, BREW THRU	34100.0002	
ITCB High Volume Single	43000.0000		TDO-5, RESERVOIR, BREW THRU	34100.0003	
ITCB High Volume Twin	43100.0000		TDO-4, RSVR OVAL W/LID LOCK	34100.0007	
ITB			TDO-4, RSVR BREW THRU W/O FCT	34100.0009	
ITB,	41400.0000		TDO-5,RSVR CR/PLSTC FCT	34100.0010	
ITB, W/SWTNR	41400.0001		TDO-4, RSVR W/BREW THRU OPT	34100.0011	
ITB, DDIL	41400.0002		TDO-4, RSVR W/PINCH TUBE FCT	34100.0012	
ITB DDIL W/SWTNR	41400.0003		TDO-4 Brew Thru Lid (New Handle)	34100.0020	New
ITB-LP	41400.0004		TDO-3.5 LP		
ITB, DDIL W/SWTNR 7 HOLE SPRAY	41400.0006		TDO-3.5,LP RSVR BREW-THRU	37100.0000	
TB3/TB6			TDO-N- 3.5 & 4.0 - Self Serve on Counter Surface only		
TB3, 120V 1680W 29"	36700.0009		TDO-N-4.0, RESERVOIR BUNN	39600.0002	
TB3Q, 120V 1680W 29"	36700.0013		TDO-N-3.5, RSVR PINCH TB FCT	39600.0008	
TB3, 120V 1680W 25.75	36700.0030		TDO-N, RESERVOIR W/O FAUCET	39600.0009	
TB3Q/TD4T, 120V 1680W 29"	36700.0041		TDO-N-3.5, RESERVOIR W/FEET	39600.0025	
TB3,W/SWTNR 29.0	36700.0043		TDO-N-3.5, RSVR W/ PINCH TUBE FCT-BLACK	39600.0029	
TB3, 120V 1680W RDY LT 29"	36700.0055		TDO-N-3.5 (New Handle)	39600.0031	New
TB3Q, 25.75" 90OZ CON	36700.0059		TDO-N-3.5, RESERVOIR DOUBLE RIB	39600.0101	
TB3Q,120V 1680W QK CONN	36700.0076		TD3T-N - Self Serve on Counter Surface only		
TB3Q/TD4T, 120V 6' CORD 29.0	36700.0080		TD3T-N, RESERVOIR	43900.0000	
TB3, 7H SPHD 29.0	36700.0082		Cold Beverage Systems		
TB3Q, W/SWTNR 120V INDR LT	36700.0087		JDF 2S - Under Drip Tray Box w/switches as kit		
TB3Q/TD4T,W/SWTNR 120V INDR L	36700.0088		JDF-2S,120V LIT DOOR W/LWR DR SWITCHES	37900.0044	New
TB3Q, 120V 1680W 29.0" RDY LT	36700.0093		JDF4S - Under Drip Tray Box w/switches as kit		
TB3Q, 25.75" 76OZ W/LOW SW DE	36700.0098		JDF-4S, 120V LIT W/LWR DOOR SWITCHES	37300.0054	New
TB3Q-LP,120V 1680W-W/ TDO 3.5	36700.0100		Retrofit Kit Kits for Push and Hold Mechanical Button Machines only.		
TB3-LP, 120V 1680W-W/ TDO 3.5	36700.0102		KIT, SWITCH COVER - 2 VALVE	45536.1000	New
TB3Q-LP, 120V 1680W NO DISP	36700.0104		KIT, SWITCH COVER - 4 VALVE	45541.1000	New
TB3-LP, 120V 1680W NO DISP	36700.0106		KIT, SWITCH COVER-4 VLV W/WATER	45541.1001	New
TB6, 120V 1680W 29"	36700.0300		Kits Include Liquid Coffee and Juice Labels Only		
TB6Q, 120V 1680W 29"	36700.0301		Hot Beverage Systems		
TU5Q			All iMIX-3, 4, 5 and 14 and FMD Models are compliant		
TU5Q, 120V 1800W	24400.0000		Frozen Beverage Systems		
IC3			All Ultra Models are compliant		
IC3, 120/208V 4000W	24450.0000		Extended Dispense Handle in All Hopper Kits		
IC3, 120/240V 4000W	24450.0001		Precise Temperature Water Dispensers		
IC3,120/208V SHRT 4000W W/CRD	24450.0003		HW2	02500.0010	
Tea Dispensers			HW2 Oatmeal	02500.0012	
TD4					
TD4, SIGHT GAUGE AND HDL	03250.0003				
TD4, BREW THRU LID	03250.0006		Replacement Parts		
TD4T Solid Lid (New Handle)	03250.0042	New	PUSH handle Kit for AXIOM Brewers	TBA	New
TD4T Brew Thru Lid (New Handle)	03250.0043	New	LIFT Handle for Tea Dispensers	45946.0000	New
TD4, SIGHTGAUGE W/O FB DECAL	03250.0036		Ultra Extended Handle	44614.0000	New
TD4, BREW THRU LID	03250.0506				
TDS - Self Serve on Counter Surface only					
TDS-3, 3 GAL	33000.0000				
TDS-5, 5 GAL DISP RESERVOIR	33000.0001				
ICD-3, 3 GAL IC	33000.0002				
TDS-3.5, 3.5 GAL	33000.0008				

ADJUSTABLE LEGS MUST BE FULLY RETRACTED OR AT LOWEST POSITION

What Must the Operator Do to Achieve Compliance?

The ADA-compliant product designs by BUNN assume the following specs will be met by the customer. *It is strongly recommended customers consult their own legal counsel before implementing final designs.*

- The countertop height on which the equipment is to be placed is a maximum of 34 inches in height to ensure compliance with the ADA's "reach range requirement".
- Self-service equipment is placed within 10 inches from the countertop edge.
- Self-service equipment operable parts are 14 inches maximum over the countertop height.
- It should be noted that all 50 states and the District of Columbia have their own laws to protect the rights of people with disabilities. Operators should consult with their own legal counsel on interpretation of the 2010 ADA Standards for Accessible Design and on any state and municipal laws that may also apply.

For more specific information on Title III highlights, visit www.ada.gov

