



ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE		FLAVOR FUSION / OVERLOAD 255				
	Inches		BLACK		GREEN		ORANGE
	W	D	Part #		Part #		Part #
CORNELIUS							
Nordic CCM 0322, 0522 (+)	22	24	629096679		629096684		629096686
Nordic CCM 0330, 0430, 0530, 0630, 0830, 1030, 1530 (+)	30	24	629096683		629096680		629096578
WCC 500 / 700 Chunklet Series (h)(i)	14.5	25	629088671		629088670		629088669
WCC-1001A (h)(i)	22	24	629096679		629096684		629096686
WCC2000 Chunklet Series/ WCC1000 (h)	30	24.5	629088690		629088689		629088688
WCC1400A Chunklet Series Air Cooled (h)(i)	30	24.5	629088690		629088689		629088688
WCC 500/700/1400R Chunklet Series mounted sideways (h)	14.5	25	629087980		629087980		629087980
WCC 500/700 Using 2 Ice makers (h)(i)	14.5	25	NA		NA		NA
WCC1400R Chunklet Series Remote Cooled (h)	14.5	25	629088671		629088670		629088669
HOSHIZAKI							
KM-280 / 500 / 630 / 650	22	27.5	NA		NA		NA
F-1001M (i) _H-C series, FD-1001M (i) , F-801M_H-C (i)	22	27.375	629088502		629088503		629088656
KM-1300NRF	42	27.5	NA		NA		NA
KM-280 / 500 / 630 / - For side manual ice load only.	22	27.5	NA		NA		NA
KM-900M / 1300M /1600M	30	27.5	NA		NA		NA
KMD-700M / 850M-H / 900MWH / 900MRH / KMS-1300MLH / 1230 F-1500M (AH,WH,RH) (a)(i)	30	24.5	629088505		629088504		629088649
KMD-900MAH	42	24.5	NA		NA		NA
KML-200 / 350 / 450/600	30	27.375	629088505(f)		629088504(f)		629088649(f)
KMS 1300MLH / 1400MLH / 2000MLH	30	24	629088505		629088504		629088649
KMS 1400MLH	30	24	629088502		629088503		629088656
KM-320 / 515MAH-E	22	27.37	NA		NA		NA
F-450MAH (i)	22	27.38	629088502		629088503		629088656
FS-1001 (i)	30	11	629097219				
ICE-O-MATIC							
C & EC 20, 30, 40, 50, 66,106, 200, 300	30	23.5	629088505		629088504		629088649
C & EC 400 / 405 / 500 / 605 / 606	30	23.5	629088505		629088504		629088649
ECP300 / 305 / 400 / 500 / 556	22	24	629088502		629088503		629088656
GC300 / 500 / 550 / 555	22	24	629088502		629088503		629088656
GC650/750/800/1200	30	24	629088505		629088504		629088649
ICE1506HR*	30.28	28.36	629088505		629088504		629088649
ICE1606HR	44.2	26.7	NA		NA		NA
ICE250/400/500/600/800/1000	30	24	629088505		629088504		629088649
ICE320/520	22	24	629088502		629088503		629088656
GEM. 450/ 650 / 900 (h)	22	24	629088681		629088680		629088679

Rev AG Dec 13, 2013

Legend:

N/A = Not Applicable/Available--Ice maker size is larger than the dispenser cabinet.

N/Q = Not Qualified, Extruded Ice Applications

(1) = Consult Factory

(+) = Nordic and X Series adapter kits have bin thermostats included.

(h) = must order 6" bin stat kit 1611110006843 (one kit for the WCC700, two kits for the WCC1400) , 8" bin stat kit 629096849 for the WCC500 or 8" bin stat kit 629096848 (one kit for the WCC1000, two kits for the WCC2000)

(i) = must order ice slide 620920419

(f)= ice maker will hang over the back by 3"

(a)= ice maker will hang over the back by 2"



ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE		FLAVOR FUSION / OVERLOAD 255				
	Inches		* Gun Metal Gray is Discontinued- BLACK		GREEN		ORANGE
	W	D	Part #		Part #		Part #
MANITOWOC (b)							
B450 / 600 / 800 / 1000	30	23.5	629088505		629088504		629088649
IB600 / 800 / 1000C	22	14	629088666		629088665		629088664
Q280 / 450 / 600 / 800 / 1000	30	24.5	629088505		629088504		629088649
Q320 / 420	22	24.5	629088502		629088503		629088656
RN0408A (i), RN1078C (i), RN1278C (i)	22	24.5	629088502		629088503		629088656
QQ1400C	30	24.5	629088505		629088504		629088649
QQ600 / 800 / 1000C IY-0684C ID-0684C	30	24.5	629088505		629088504		629088649
S300 / 450 / 500 / 600 / 850 / 1000	30	24.5	629088505		629088504		629088649
RN1008A (i), RN1009W (i), RN1408A (i), RN1409W (i)	30	24.5	629088505		629088504		629088649
S320 / 420	22	23.5	629088502		629088503		629088656
S322 / 422	22	24.5	629088502		629088503		629088656
SN450	22	24.5	629088502		629088503		629088656
S-1472C ID-1472C, IY1474C	30	24.5	629088505		629088504		629088649
SCOTSMAN							
CME 1056 / 1386 & Prodigy C0830 / C01030 / EH430	30	24	629088505		629088504		629088649
CME 256 / 506 / 656 / 806 & Prodigy C0330 / C0530 / C0630	30	24	629088505		629088504		629088649
CME 306 / 456 & Prodigy C0322 / C0522	22	24	629088502		629088503		629088656
ECLIPSE CME 686/810 & Prodigy EH222- 600 / 1000	22	16.5	629088666		629088665		629088664
NME 1254	30	24	629088676		629088675		629088674
NME 654/954	21	24	629088681		629088680		629088679
N0422 / 0622 / 0922 / 1322	22	24	629088681		629088680		629088679
FOLLETT							
Horizon HCC1000A & W series	26.33	21	629088737		629088736		629088735
Horizon HCC1400A & W series	29.33	21	629088737		629088736		629088735
Horizon HCD1000R & N series	19	21	629088737		629088736		629088735
Horizon HCD1400R & N series	19	21	629088737		629088736		629088735

Rev AG Dec 13, 2013

Legend:
(i) = must order ice slide 620920419
(b) = **Manitowoc Q model series designations:** Q (1)--(2) (3) (4) (5) (6) (7), i.e. QR-1000A3
 (position 1) =R, D, OR Y for cube size or Q for QuietQube (CVD remote condenser)
 (positions 2 & 3) = 02, 03, 04, 06, 08, 10, 14 for ice production capacity / 24 hrs.
 (position 4) = 7 or 9 for remote condenser
 (position 5) = 0 to 5 for cube size
 (position 6) = A, W, N, C for air, water, remote, or CVD condensing units
 (position 7) = 3 for 3-phase electrical power

Manitowoc S model series designations: S (1)--(2) (3) (4) (5) (6) , i.e. SD-0422A
 (position 1) = D or Y for cube size (D for 'dice' and Y for 'half-dice')
 (positions 2 thru 5) = 03xx, 04xx, 05xx, 06xx, 08xx, 10xx for Nominal ice production capacity / 24 hrs.
 (position 6) = A, W, N for air, water or remote

ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE		IDC215/255	
	Inches		BLACK	
	W	D	Part #	
CORNELIUS				
Nordic CCM 0322, 0522 (+)	22	24	629096682	
Nordic CCM 0330, 0430, 0530, 0630, 0830, 1030, 1530 (+)	30	24	629096687	
WCC 500 / 700 Chunklet Series (h)(i)	14.5	25	629088667	
WCC-1001A (h)(i)	22	24	629096682	
WCC2000 Chunklet Series/ WCC1000 (h)	30	24.5	629088686	
WCC1400A Chunklet Series Air Cooled (h)(i)	30	24.5	629088686	
WCC 500/700/1400R Chunklet Series mounted sideways (h)	14.5	25	NA	
WCC 500/700 Using 2 Icemakers (h)(i)	14.5	25	629087942Q1636	
WCC1400R Chunklet Series Remote Cooled (h)	14.5	25	629088667	
HOSHIZAKI				
KM-280 / 500 / 630 / 650	22	27.5	629088756	
F-1001M (i) _H-C series, FD-1001M (i), F-801M_H-C (i)	22	27.375	629088537	
KM-1300NRF	42	27.5	NA	
KM-280 / 500 / 630 / - For side manual ice load only.	22	27.5	NA	
KM-900M / 1300M /1600M	30	27.5	629087001	
KMD-700M / 850M-H / 900MWH / 900MRH / KMS-1300MLH / 1230 F-1500M (AH,WH,RH) (a)(i)	30	24.5	629088536	
KMD-900MAH	42	24.5	NA	
KML-200 / 350 / 450/600	30	27.375	629087001	
KMS 1300MLH / 1400MLH / 2000MLH	30	24	629088536	
KMS 1400MLH	30	24	629088537	
KM-320 / 515MAH-E	22	27.37	629088756	
F-450MAH (i)	22	27.38	629088537	
FS-1001 (i)	30	11		
ICE-O-MATIC				
C & EC 20, 30, 40, 50, 66,106, 200, 300	30	23.5	629088536	
C & EC 400 / 405 / 500 / 605 / 606	30	23.5	629088536	
ECP300 / 305 / 400 / 500 / 556	22	24	629088537	
GC300 / 500 / 550 / 555	22	24	629088537	
GC650/750/800/1200	30	24	629088536	
ICE1506HR*	30.28	28.36	* 629088536, 629087001	
ICE1606HR	44.2	26.7	NA	
ICE250/400/500/600/800/1000	30	24	629088536	
ICE320/520	22	24	629088537	
GEM 450/ 650 / 900 (h)	22	24	629088677	

Rev AG Dec 13, 2013

Legend:
N/A = Not Applicable/Available--Icemaker size is larger than the dispenser cabinet.
N/Q = Not Qualified, Extruded Ice Applications
(1) = Consult Factory
(+) = Nordic and X Series adapter kits have bin thermostats included.
(h) = must order 6" bin stat kit 1611110006843 (one kit for the WCC700, two kits for the WCC1400) , 8" bin stat kit 629096849 for the WCC500 or 8" bin stat kit 629096848 (one kit for the WCC1000, two kits for the WCC2000)
(i) = must order ice slide 620920419
(f)= ice maker will hang over the back by 3"
(a)= ice maker will hang over the back by 2"
 * When installing ICE1506 with adapter 629088536 the ice maker will have a 3-4" overhang at the rear of the unit. When using adapter 629087001 the overhang will be around 1" but the ice maker will be raised up an additional 3"





ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE		IDC215/255	
	Inches		BLACK	
	W	D	Part #	
MANITOWOC (b)				
B450 / 600 / 800 / 1000	30	23.5	629088536	
IB600 / 800 / 1000C	22	14	629088662	
Q280 / 450 / 600 / 800 / 1000	30	24.5	629088536	
Q320 / 420	22	24.5	629088537	
RN0408A (i), RN1078C (i), RN1278C (i)	22	24.5	629088537	
QQ1400C	30	24.5	629088536	
QQ600 / 800 / 1000C IY-0684C ID-0684C	30	24.5	629088536	
S300 / 450 / 500 / 600 / 850 / 1000	30	24.5	629088536	
RN1008A (i), RN1009W (i), RN1408A (i), RN1409W (i)	30	24.5	629088536	
S320 / 420	22	23.5	629088537	
S322 / 422	22	24.5	629088537	
SN450	22	24.5	629088537	
S-1472C ID-1472C, IY1474C	30	24.5	629088536	
SCOTSMAN				
CME 1056 / 1386 & Prodigy C0830 / C01030 / EH430	30	24	629088536	
CME 256 / 506 / 656 / 806 & Prodigy C0330 / C0530 / C0630	30	24	629088536	
CME 306 / 456 & Prodigy C0322 / C0522	22	24	629088537	
ECLIPSE CME 686/810 & Prodigy EH222- 600 / 1000	22	16.5	629088662	
NME 1254	30	24	629088672	
NME 654/954	21	24	629088677	
N0422 / 0622 / 0922 / 1322	22	24	629088677	
FOLLETT				
Horizon HCC1000A & W series	26.33	21	629088733	
Horizon HCC1400A & W series	29.33	21	629088733	
Horizon HCD1000R & N series	19	21	629088733	
Horizon HCD1400R & N series	19	21	629088733	

Rev AG Dec 13, 2013

Legend:
(i) = must order ice slide 620920419
(b) = **Manitowoc Q model series designations:** Q (1)--(2) (3) (4) (5) (6) (7), i.e. QR-1000A3
 (position 1) =R, D, OR Y for cube size or Q for QuietQube (CVD remote condenser)
 (positions 2 & 3) = 02, 03, 04, 06, 08, 10, 14 for ice production capacity / 24 hrs.
 (position 4) = 7 or 9 for remote condenser
 (position 5) = 0 to 5 for cube size
 (position 6) = A, W, N, C for air, water, remote, or CVD condensing units
 (position 7) = 3 for 3-phase electrical power

Manitowoc S model series designations: S (1)--(2) (3) (4) (5) (6) , i.e. SD-0422A
 (position 1) = D or Y for cube size (D for 'dice' and Y for 'half-dice')
 (positions 2 thru 5) = 03xx, 04xx, 05xx, 06xx, 08xx, 10xx for Nominal ice production capacity / 24 hrs.
 (position 6) = A, W, N for air, water or remote



ATTENTION!!! Adapter kits are only approved for the mounting of a single icemaker unless otherwise specified

ICE MAKER/MODEL	ICEMAKER SIZE		ED (BLACK MANUAL FILL LID)							
	Inches		150		175		200/250		300 (e)	
	W	D	Part #		Part #		Part #		Part #	
CORNELIUS										
Nordic CCM330/430/530/630/830/1030 (+)	30	24	NA		NA		629096792		629096793	
Nordic CCM1530 (d)	30.28	28.36	NA		NA		NA		NA	
Nordic CCM322/522 (+)	22	24	629096784		629096782		629096785		629096786	
WCC1400R Chunklet series (g)(h)	14.5	25	NA		NA		629083801		NA	
WCC500/700 Chunklet Series (g)(h)	14.5	25	629083701		629087985		629083801		NA	
WCC500/700 Chunklet Series - sideways mount (g)(h)	14.5	25	NA		NA		NA		NA	
WCC500/700/1400R Chunklet Series - sideways mount (g)(h)	14.5	25	NA		NA		NA		629087982	
WCC1000 (g)(h)	22	24	629096784		629096782		629096785		629096786	
WCC500/700 Chunklet Series (g)(h) using 2 icemakers	14.5	25	NA		NA		NA		NA	
WCC1400A Chucklet series (g)(h)	30	24.5	NA		NA		629083101		629087943	
WCC2001A / WCF2201 (g) (h)	30	24	NA		NA		NA		NA	
WCC1400A Chucklet series (g)(h) using 2 icemakers	30	24.6	NA		NA		NA		NA	
HOSHIZAKI										
F-450M_H-C, F-801M_H-C series (g)	22	27.38	NA		NA		NA		629087965	
FS-1001M_H-C (g) , KMS-830MLH	30	11	NA		NA		629087979		NA	
KM-1300NRF (c)	42	27.5	NA		NA		NA		NA	
KM-280/320/ 500/ 630/650	22	27.5	NA		NA		NA		NA	
KM-280/ 500/ 630/650 - For side manual ice load only.	22	27.5	NA		NA		NA		NA	
KM-600/650M_H series	22	27.38	NA		NA		NA		NA	
KM-900M/1300M/1600M	30	27.5	NA		NA		NA		NA	
KMD-700M/ 850M/900MWH/900MRH / KMD-450MAH (f)	30	24.5	NA		NA		629083101		08027	
ID-0452A	30	24.5	NA		NA		629083101		08027	
KMD-900MAH	42	24.5	NA		NA		NA		NA	
KML-200/350/450/ 600	30	27.38	NA		NA		NA		NA	
KMS-750/1230	30	24	NA		NA		629083101		08027	
KMS-1300MLH / 1400MLH/ 2000MLH	30	24	NA		NA		629083101		08027	
KMD-410M_H/ KMS-822MLH, FD-1001M_H (g)	22.24	24.13	629096784		629096782		629096785		629096786	
F-2000MRH-C (g) , F1500MRC_H-C series, F-1001M_H (g)	30	27.50	NA		NA		NA		NA	
ICE-O-MATIC										
GC650/750/800/1200	30	24	NA		NA		08006		08025	
C & EC 20,30,40,50,66,106, 200, 300	30	23.5	NA		NA		08006		08026	
C & EC 400/405/500/605/ 606	30	23.5	NA		NA		08006		08026	
ECP300/305/400/500/556	22	24	02390		629087907		08034		08025	
GC300/500/550/555	22	24	02390		629087907		08034		08025	
ICE/250/400/500/600/800/1000	30	24	NA		NA		08006		08026	
ICE1506HR (d)	30.28	28.36	NA		NA		NA		NA	
ICE1606HR (d)	44.2	26.7	NA		NA		NA		NA	
ICE320/520	22	24	02390		629087907		08034		08025	
GEM956R and GEM 450 /650's	21	24	02390		629087907		629083801		629087965	

Rev DD-Dec. 11, 2013



ATTENTION!!! Adapter kits are only approved for the mounting of a single icemaker unless otherwise specified

ICE MAKER/MODEL	ICEMAKER SIZE		ED (BLACK MANUAL FILL LID)							
	Inches		150		175		200/250		300 (e)	
	W	D	Part #		Part #		Part #		Part #	
MANITOWOC (b)										
320, 420	22	23.5	02390		629087907		08034		08026	
B450, 600, 800, 1000, 1200	30	23.5	NA		NA		08006		08026	
IB600/800/1000C (a)	22	14	NA		NA		NA		NA	
Q280/450/600/800/1000	30	24.5	NA		NA		629083101		08026	
Q320/420	22	24.5	629083204		629087907		08034		08026	
RN0408A, RN1078C, RN1278C (g) SY0324A	22	24.5	629083204		629087907		08034		NA	
QQ1400C, Q-DUAL, IY1004A, IY0504A ,IY-1204	30	24.5	NA		NA		629083101		08027	
QQ600/800/1000C IY-300 series/450 series/500 series/0684C ID-0684C, IY694N	30	24.5	NA		NA		629083101		08026	
S300/450/500/600/850/1000/1200, SY2170C	30	24.5	NA		NA		629083101		08027	
RN1008A, RN1009W, RN1408A, RN1409W (g)	30	24.5	NA		NA		629083101		08027	
S322/422 IY (Y or D)-0524A/522/0604A	22	24.5	629083204		629087907		08034		08026	
KMS1122MLH (a)	22	18	NA		NA		NA		NA	
SN450/650/950 (g)	22	24.5	629083204		629087907		08034		629087965	
KOLD-DRAFT										
GB1254AK	42.13	25.25	NA		NA		NA		629084004	
GT350	28.38	25.25	NA		NA		08006		08025	
Kold Draft- GT361AHK	30	24.5	NA		NA		629083101		08027	
SCOTSMAN										
CME 1056/ 1386	30	24	NA		NA		08006		08027	
CME 256/ 506/ 656/ 806	30	24	NA		NA		08006		08026	
CME 306/ 456	22	24	02390		629087907		08034		08025	
Eclipse CME 686 / 810 (a) EH222-600/ 1000	22	16.5	NA		NA		NA		NA	
NME 1254 (g)	30	24	NA		NA		08006		629087965	
NME 654/ 954 (g)	21	24	02390		629087907		629083801		629087965	
CME 2086 Eclipse	30	24	NA		NA		08006		08026	
Prodigy CO322, C0522, (NO622(g))	22	24	02390		629087907		08034		08025	
Prodigy CO330, CO530, CO630, CO830, C1030	30	24	NA		NA		08006		629096862	
Prodigy EH222	22	16.5	NA		NA		NA		NA	
Prodigy EH430	30	24	NA		NA		08006		629096862	
N0422 / 0622 / 0922 / 1322 (g)	20	24	02390		629087907		08034		629097085	
N0922	22	24	NA		NA		NA		629097216	
FOLLETT										
Horizon HCC1000A & W series (g) (c for DE150)	26.33	21	629087974		629087975		629087976		629087977	
Horizon HCC1400A & W series (g) (d for ED150)	29.33	21	629087974		629087975		629087976		629087977	
Horizon HCD1000R & N series (g)	19	21	629087974		629087975		629087976		629087977	
Horizon HCD1400R & N series (g)	19	21	629087974		629087975		629087976		629087977	
MCD400AH series (g)	18.63	20.75	NA		NA		NA		629087977	

Rev DD-Dec. 11, 2013

Effective January 1, 2014

ATTENTION!!! Adapter kits are only approved for the mounting of a single icemaker unless otherwise specified

ICE MAKER/MODEL	ICEMAKER SIZE		ED/DF (S.S. MANUAL FILL LID)							
	Inches		150		175		200/250		300 (e)	
	W	D	Part #		Part #		Part #		Part #	
CORNELIUS										
Nordic CCM330/430/530/630/830/1030 (+)	30	24	NA		NA		NA		NA	
Nordic CCM1530 (d)	30.28	28.36	NA		NA		629096780		629096781	
Nordic CCM322/522 (+)	22	24	NA		NA		NA		NA	
WCC1400R Chunklet series (g)(h)	14.5	25	NA		NA		NA		NA	
WCC500/700 Chunklet Series (g)(h)	14.5	25	NA		NA		NA		NA	
WCC500/700 Chunklet Series - sideways mount (g)(h)	14.5	25	NA		NA		NA		629088703	
WCC500/700/1400R Chunklet Series - sideways mount (g)(h)	14.5	25	NA		629087571		NA		629088759	
WCC1000 (g)(h)	22	24	NA		NA		NA		NA	
WCC500/700 Chunklet Series (g)(h) using 2 icemakers	14.5	25	NA		NA		NA		NA	
WCC1400A Chucklet series (g)(h)	30	24.5	NA		NA		NA		NA	
WCC2001A / WCF2201 (g) (h)	30	24	NA		NA		NA		629083001	
WCC1400A Chucklet series (g)(h) using 2 icemakers	30	24.6	NA		NA		NA		629096841	
HOSHIZAKI										
F-450M_H-C, F-801M_H-C series (g)	22	27.38	629087002		629087908		NA		NA	
FS-1001M_H-C (g) , KMS-830MLH	30	11	NA		NA		629087572		629097090	
KM-1300NRF (c)	42	27.5	NA		NA		NA		629087960	
KM-280/320/ 500/ 630/650	22	27.5	629087002		629087908		NA		629087004	
KM-280/ 500/ 630/650 - For side manual ice load only.	22	27.5	NA		NA		NA		NA	
KM-600/650M_H series	22	27.38	629087002		NA		NA		NA	
KM-900M/1300M/1600M	30	27.5	NA		NA		NA		629087004	
KMD-700M/ 850M/900MWH/900MRH / KMD-450MAH (f)	30	24.5	NA		NA		NA		NA	
ID-0452A	30	24.5	NA		NA		NA		NA	
KMD-900MAH	42	24.5	NA		NA		NA		629087952	
KML-200/350/450/ 600	30	27.38	NA		NA		NA		629087004	
KMS-750/1230	30	24	NA		NA		NA		NA	
KMS-1300MLH / 1400MLH/ 2000MLH	30	24	NA		NA		NA		NA	
KMD-410M_H/ KMS-822MLH, FD-1001M_H (g)	22.24	24.13	NA		NA		NA		NA	
F-2000MRH-C (g) , F1500MRC_H-C series, F-1001M_H (g)	30	27.50	NA		NA		NA		NA	
ICE-O-MATIC										
GC650/750/800/1200	30	24	NA		NA		NA		NA	
C & EC 20,30,40,50,66,106, 200, 300	30	23.5	NA		NA		NA		NA	
C & EC 400/405/500/605/ 606	30	23.5	NA		NA		NA		NA	
ECP300/305/400/500/556	22	24	NA		NA		NA		NA	
GC300/500/550/555	22	24	NA		NA		NA		NA	
ICE/250/400/500/600/800/1000	30	24	NA		NA		NA		NA	
ICE1506HR (d)	30.28	28.36	NA		NA		629087962		629096781	
ICE1606HR (d)	44.2	26.7	NA		NA		NA		629087957	
ICE320/520	22	24	NA		NA		NA		NA	
GEM956R and GEM 450 /650's	21	24	NA		NA		NA		NA	

Rev DD-Dec. 11, 2013





ATTENTION!!! Adapter kits are only approved for the mounting of a single icemaker unless otherwise specified

ICE MAKER/MODEL	ICEMAKER SIZE		ED/DF (S.S. MANUAL FILL LID)							
	Inches		150		175		200/250		300 (e)	
	W	D	Part #		Part #		Part #		Part #	
MANITOWOC (b)										
320, 420	22	23.5	NA		NA		NA		NA	
B450, 600, 800, 1000, 1200	30	23.5	NA		NA		NA		NA	
IB600/800/1000C (a)	22	14	629087959		629087571		629087572 (Canada: 629097025)		629087463 (Canada: 629097026)	
Q280/450/600/800/1000	30	24.5	NA		NA		NA		NA	
Q320/420	22	24.5	NA		NA		NA		NA	
RN0408A, RN1078C, RN1278C (g) SY0324A	22	24.5	NA		NA		NA		NA	
QQ1400C, Q-DUAL, IY1004A, IY0504A ,IY-1204	30	24.5	NA		NA		NA		NA	
QQ600/800/1000C IY-300 series/450 series/500 series/0684C										
ID-0684C, IY694N	30	24.5	NA		NA		NA		NA	
S300/450/500/600/850/1000/1200, SY2170C	30	24.5	NA		NA		NA		NA	
RN1008A, RN1009W, RN1408A, RN1409W (g)	30	24.5	NA		NA		NA		NA	
S322/422 IY (Y or D)-0524A/522/0604A	22	24.5	NA		NA		NA		NA	
KMS1122MLH (a)	22	18	NA		NA		NA		NA	
SN450/650/950 (g)	22	24.5	NA		NA		NA		NA	
KOLD-DRAFT										
GB1254AK	42.13	25.25	NA		NA		NA		NA	
GT350	28.38	25.25	NA		NA		NA		NA	
Kold Draft- GT361AHK	30	24.5	NA		NA		NA		NA	
SCOTSMAN										
CME 1056/ 1386	30	24	NA		NA		NA		NA	
CME 256/ 506/ 656/ 806	30	24	NA		NA		NA		NA	
CME 306/ 456	22	24	NA		NA		NA		NA	
Eclipse CME 686 / 810 (a) EH222-600/ 1000	22	16.5	629087959		629087571		629087572 (Canada: 629097025)		629087463 (Canada: 629097026)	
NME 1254 (g)	30	24	NA		NA		NA		NA	
NME 654/ 954 (g)	21	24	NA		NA		NA		NA	
CME 2086 Eclipse	30	24	NA		NA		NA		NA	
Prodigy CO322, CO522, (NO622(g))	22	24	NA		NA		NA		NA	
Prodigy CO330, CO530, CO630, CO830, C1030	30	24	NA		NA		NA		NA	
Prodigy EH222	22	16.5	629087959		629087571		629087572 (Canada: 629097025)		629087463 (Canada: 629097026)	
Prodigy EH430	30	24	NA		NA		NA		NA	
N0422 / 0622 / 0922 / 1322 (g)	20	24	NA		NA		NA		NA	
N0922	22	24	NA		NA		NA		NA	
FOLLETT										
Horizon HCC1000A & W series (g) (c for DE150)	26.33	21	NA		NA		NA		NA	
Horizon HCC1400A & W series (g) (d for ED150)	29.33	21	NA		NA		NA		NA	
Horizon HCD1000R & N series (g)	19	21	NA		NA		NA		NA	
Horizon HCD1400R & N series (g)	19	21	NA		NA		NA		NA	
MCD400AH series (g)	18.63	20.75	NA		NA		NA		NA	

Rev DD-Dec. 11, 2013

Effective January 1, 2014

Legend:

NA = Not Applicable/Available--Icemaker size is larger than the dispenser cabinet OR has not been qualified for use on that particular unit

(1) = Consult Factory

(+) = Nordic and X Series adapter kits have bin thermostats & baffles included.

(a) = For ABS150, order kit 629087570, Use kit 629097205 for Hoshizaki -KMS-1122MLH

(b) = **Manitowoc Q model series designations: Q (1)--(2) (3) (4) (5) (6) (7), i.e. QR-1000A3**

(position 1) =R, D, OR Y for cube size or Q for QuietQube (CVD remote condenser)

(positions 2 & 3) = 02, 03, 04, 06, 08, 10, 14 for ice production capacity / 24 hrs.

(position 4) = 7 or 9 for remote condenser

(position 5) = 0 to 5 for cube size

(position 6) = A, W, N, C for air, water, remote, or CVD condensing units

(position 7) = 3 for 3-phase electrical power

Manitowoc S model series designations: S (1)--(2) (3) (4) (5) (6) , i.e. SD-0422A

(position 1) = D or Y for cube size (D for 'dice' and Y for 'half-dice')

(positions 2 thru 5) = 03xx, 04xx, 05xx, 06xx, 08xx, 10xx for Nominal ice production capacity / 24 hrs.

(position 6) = A, W, N for air, water or remote

(c) = Icemaker overhangs rear of dispenser by 3 in.

(d) = Icemaker overhangs rear of dispenser by 2 in.

(e) = 08017 Leg Kit cannot be used. See adapter kit instructions for securing the dispenser to the counter.

(f) = Can also use kits 629087001 (200/250), and 629087004 (300). Keep in mind that these kits are 3-3/4" taller

(g) = Must order 'new' Ice Slide kits and/or agitator kit for appropriate unit (see below) (some kits include the slide as standard)

629088514 kit for ED/DF 150 & 175 units

629088508 kit for ED/DF 200 units

629088507 kit for ED/DF 250 units

629088644 kit for ED/DF 300 units

(h) = must order 6" bin stat kit 1611110006843 (one kit for the WCC700, two kits for the WCC1400) , 8" bin stat kit 629096849 for the WCC500 or 8" bin stat kit 629096848 (one kit for the WCC1000, two kits for the WCC2000)

(k) = if needed, order bin thermostat kit 630000408

