

GDC Series

Glass Door Countertop Merchandisers

The GDC Series of merchandising refrigerators and freezers provides unlimited merchandising opportunities that boost impulse sales. Self closing, anti-fogging glass doors and high density polyurethane insulation are just a few of the features that make the GDC Series the best value on the market.



- Foamed-in-place high density polyurethane cell insulation (Except 360FSG3)
- ETL Safety approved
- Anti-fogging, self-closing glass doors



This Avantco FSG-3 glass countertop display refrigerator is the perfect way to increase impulse sales at your convenience store, market, diner, or deli. The Avantco FSG-3 merchandiser's clear glass sides draws attention to tempting grab and go items like canned or bottled drinks, pre-wrapped sandwiches, or take out items like prepackaged salads. It has a temperature range of 40 to 50 degrees Fahrenheit.

Three adjustable, plastic coated shelves are included to give you complete control over the merchandiser's shelving configuration and accommodate a variety of different sized products.

The Avantco FSG-3 merchandiser's bottom mounted, 1/5 hp compressor uses R134a refrigerant. Heat reflective glass helps maintain interior temperatures, while its cooling fan circulates air quickly throughout the merchandiser to regulate the internal temperature even when the refrigerator's self closing door is opened.

The Avantco FSG-3 countertop display refrigerator with glass door has a 115V, 60 Hz. electrical rating, and is ETL Listed. A NEMA 5-15P plug and 5' 8" cord are included.

Features

- Self closing door
- 3 plastic coated steel shelves included
- 4 glass sides
- Heat reflective glass
- Available in white
- ETL Listed

Technical Data

Dimensions

Exterior Dimensions (W x D x H)	16 1/2" x 15 1/4" x 32 3/8"
Interior Dimensions (W x D x H)	15 5/8" x 13 1/2" x 19 3/8"
Net Volume (cu. ft.)	3 cu. ft.
Net Weight	77 lbs.
Packaging Dimensions (W x D x H)	19 1/4" x 17 3/4" x 34 1/2"

Cooling

Temperature Range	40° - 50°F
Refrigerant	R134a
Maximum Ambient Temperature Rating	90°F
Temperature Display	No
Temperature Controller	Mechanical
Horsepower	1/5



Construction

Housing Material	Rust-proof plastic superstructure
Door/Lid Material	Glass Door
Insulation Material	Foamed in Place Polyurethane
Shelf Material	Plastic Coated Steel
Shelf Load Capacity	6.5 lbs.

Electrical

Voltage	115V
Amps	1.1
Hz	60
Phase	1
Electrical Cord Length	68"

Plan View



NEMA 5-15P



Parts & Labor

All Avantco Refrigerators and Freezers are backed by a 1 year parts and labor warranty. For warranty inquiries or service, locate the serial number plate on the front of the unit, or inside the door jamb. Be sure to have the serial and model numbers available when contacting service technicians.