

GDC Series

Glass Door Merchandisers

The GDC Series of merchandising refrigerators and freezers provides unlimited merchandising opportunities that boost impulse sales. Self closing, anti-fogging glass doors and high density polyurethane insulation are just a few of the features that make the GDC Series the best value on the market.



- Foamed-in-place high density polyurethane cell insulation
- ETL Safety & Sanitation Approved
- Anti-fogging, self-closing glass doors

Features

- Self closing doors
- 8 plastic coated steel shelves with shelf tags included
- Automatic defrosting
- Foamed in place polyurethane insulation
- Removable door gasket for easy cleaning
- (4) 5" casters (two locking)
- Heated glass to prevent fogging
- ETL Sanitation Listed



Technical Data

Dimensions

| | |
|----------------------------------|-------------------------|
| Exterior Dimensions (W x D x H) | 49.25" x 26.25" x 80.3" |
| Interior Dimensions (W x D x H) | 43.25" x 19.25" x 55" |
| Net Volume (cu. ft.) | 40 cu. ft. |
| Net Weight | 396 lbs. |
| Packaging Dimensions (W x D x H) | 52" x 30" x 87" |

Cooling

| | |
|------------------------------------|-----------|
| Temperature Range | 0° - 5° F |
| Refrigerant | R404a |
| Maximum Ambient Temperature Rating | 100.4° F |
| Defrosting | Automatic |
| Temperature Display | Yes |
| Temperature Controller | Digital |
| Horsepower | 1 |

Construction

| | |
|---------------------|------------------------------|
| Housing Material | Painted Steel |
| Door/Lid Material | Glass Door |
| Insulation Material | Foamed in Place Polyurethane |
| Shelf Material | Plastic Coated Steel |
| Shelf Load Capacity | 90 lbs. |

Electrical

| | |
|------------------------|------|
| Voltage | 120 |
| Amps | 12.8 |
| Hz | 60 |
| Phase | 1 |
| Electrical Cord Length | 96" |


This two door, white glass door merchandiser is the perfect way to increase impulse sales at your convenience store, market, or deli. The merchandiser's clear glass doors draw attention to tempting grab and go frozen products like ice cream, frozen pizzas, or popsicles. It has a temperature range of 0° to 5° Fahrenheit.

Eight plastic coated steel shelves are included. Adjustable mounting brackets give you complete control over the merchandiser's shelving configuration, to accommodate a variety of different sized products.

The merchandiser's bottom mounted, 1 hp compressor uses R404a refrigerant. Foamed in place polyurethane cell insulation helps maintain interior temperatures. A top mounted cooling fan circulates air quickly throughout the merchandiser, regulating the internal temperature even when the freezer's self-closing doors are opened.

The double door white glass door merchandising freezer has a 120V, 12.8 amp, 60 Hz, electrical rating, and is ETL Sanitation Listed and NSF Compliant.

Plan View





1 year
WARRANTY

Parts & Labor



5 year
WARRANTY

Compressor

All Avantco Refrigerators and Freezers are backed by a 1 year parts and labor warranty, with a 5 year warranty on the compressor. For warranty inquiries or service, first locate the serial number plate on the front of the unit, or inside the door jamb. Next, call 1-800-678-5517. Be sure to have the serial and model numbers available when contacting service technicians.