



# Material Handling

## HEAVY-DUTY CARTS & TRUCKS





# Smart.

Introducing a new standard of excellence in heavy-duty platform trucks and carts. We've significantly redesigned and expanded our material handling line with new categories, new products, and new innovations that help you work smarter, faster, and safer.

### APPLICATION-SPECIFIC DESIGNS

From our redesigned **Platform Trucks** and **Utility Carts**, and new **5<sup>th</sup> Wheel Wagon Truck** and **Work-Height Platform Truck**, to our patent-pending **Convertible A-Frame** and **Convertible Platform Trucks**, we're your source for material handling products that meet your needs in almost every environment and application.



5<sup>TH</sup> WHEEL WAGON TRUCK



HEAVY-DUTY UTILITY CART




WORK-HEIGHT PLATFORM TRUCK


### MOVE LOADS SAFELY AND EFFICIENTLY

The variable grip-height handle on our carts and trucks improves maneuverability and reduces muscle strain for most every user, regardless of height.

Angled handle helps keep wrist and bones in forearm aligned for optimum leverage while turning.



TRADITIONAL CART HANDLE DESIGN



IMPROVED VARIABLE GRIP-HEIGHT HANDLE

### CASTERS TO MEET YOUR NEEDS

We rigorously tested and selected the optimal casters for each of our products—creating the most efficient and durable material handling solutions for your specific requirements. (See caster options on page 16.)



**POLYOLEFIN**  
Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.



**PNEUMATIC**  
Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



**THERMOPLASTIC RUBBER (TPR)**  
TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

# Rugged.

## DURAMOLD™ REAL WORLD RUGGED — TESTED TOUGH

Rubbermaid's exclusive Duramold™ technology exceeds the highest performance standards in the industry. We test and retest our products to meet rigorous durability standards, and our new material handling products are no exception. Real-world rugged durability, innovative technology, and best-in-class features combine to create longer lasting products that carry heavy loads—and make your work easier.



40 buckets of sheetrock compound weighs over 2,400 lbs—that's a load!

DURAMOLD™ precision engineered resin & steel composite decks  
**HOLD & TRANSPORT UP TO 2500 lbs.**  
of weight load capacity

### WILL NOT WARP, DENT, SPLINTER, RUST, OR ROT

Tough, resilient surface absorbs impact and provides quiet operation. Virtually maintenance-free: resistant to most chemicals, impervious to water damage, and is easily cleaned.



Metal—dents and rusts



Wood—splinters and rots



Duramold™ decks are formed from a precision engineered resin and metal composite structure that is lighter than typical steel/wood products without sacrificing strength, which enables weight reduction and improved ergonomics.

**PUT YOUR EFFORT INTO MOVING YOUR PAYLOAD, NOT YOUR TRUCK**

**DURAMOLD™ HAS THE HIGHEST STRENGTH TO WEIGHT RATIO**

when compared to metal, wood, and solid plastic decks.

**35%**  
lighter weight construction to transport the same payload

Duramold™ resin and metal composite structure is recyclable.

# Trusted.



As your partner in Material Handling for more than 30 years, you can count on our breakthrough innovations and long-lasting products to meet your most demanding heavy-duty material handling needs.

See it in ACTION  
[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)

# Smarter Innovations

## CONVERTIBLE A-FRAME TRUCK

Unique patent-pending design combines the bulk load capacity of standard panel trucks and bar stock trucks with the functionality of a heavy-duty two-shelf cart. Saves time and money by transporting oversized, heavy loads of sheet goods, pipe, lumber, bar stock, tools, and supplies to your work site in one trip.

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)

**DURAMOLD**

DECK SIZE:

27 1/4" X 56 3/4"

MAX. CAPACITY (lbs.)

**2000**

TWO FIXED & TWO LOCKING SWIVEL CASTERS



Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.

Two locking polyolefin casters allow for added stability when loading and unloading.

**KEEP TOOLS & SUPPLIES ORGANIZED**

Independent fold-down top shelves hold small items, tools, and supplies; 100 lb capacity per side.

**KEEPS LOADS SECURE**

A-frame configuration holds sheet goods securely in place.

**EASY CONVERTIBILITY**

Spring-loaded release latches safely allow one or both top shelves to be folded down.

**HANDLES OVERSIZED LOADS**

Four independent articulating outrigger arms fold down to cradle lumber, pipe, and bar stock; 100 lb capacity per arm.

**IMPROVE PRODUCTIVITY**

Large deck surface holds up to 12" depth of sheet goods, 6" on either side.

**RUGGED CONSTRUCTION**

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



4465  
CONVERTIBLE A-FRAME TRUCK

## CONVERTIBLE PLATFORM TRUCK

Patent-pending three-in-one convertible design quickly transforms from a standard platform truck or U-boat configuration into a two-shelf cart. Work more efficiently by transporting heavy loads, tools, and supplies with a single product. It's like getting three trucks/carts in one!

**DURAMOLD**

DECK SIZE:

CART  
24" X 44"  
TRUCK  
24" X 52"

Max. Capacity: 750 lbs cart;  
1000 lbs truck

CAPACITY RANGE (lbs.)

**750-1000**

**QUICK CONVERSION**

Push-button release latch makes conversion from heavy-duty cart to platform truck effortless.

**CART CONFIGURATION**

Two-shelf heavy-duty cart holds up to 750 lbs.



**U-BOAT CONFIGURATION**

U-boat configuration helps keep stacked or bulky goods in place; 1,000 lb capacity.

4497  
CONVERTIBLE  
PLATFORM TRUCK

**RUGGED CONSTRUCTION**

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

**BUILT-IN SAFETY FEATURES**

Unique slide-locking latches prevent unintended handle removal.



**PLATFORM TRUCK CONFIGURATION**

Removable handle can be repositioned to create a heavy-duty platform truck.



MULTIPLE CART & TRUCK CONFIGURATIONS IN ONE PRODUCT!

MULTIPLE CONFIGURATIONS TO HANDLE ANY JOB



**CASTER OPTIONS**



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.

See page 16 for caster options.



# Smarter Trucks

## HEAVY-DUTY PLATFORM TRUCK

Ideal for moving large, heavy, oversized loads in a variety of environments from retail to construction.

**DURAMOLD**

DECK SIZES:

- 24" x 36"
- 24" x 48"
- 30" x 60"

CAPACITY RANGE (lb.)

**1000-2500**

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)



**IMPROVED MANEUVERABILITY**  
Variable grip-height handle improves control and worker safety.

**VIRTUALLY MAINTENANCE FREE**  
Powder-coated steel creates a hard finish that is far tougher than conventional paint.

**SECURE SMALL ITEMS**  
Perimeter deck channel retains small items.

**KEEP LOADS IN PLACE**  
Textured deck surface reduces load slippage.



**BUILT-IN SAFETY FEATURES**  
Retainer clips prevent unintended handle removal.



**BETTER LOAD RETENTION**  
Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

### CASTER OPTIONS



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.

4403  
HEAVY-DUTY PLATFORM TRUCK

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

See page 16 for caster options.

## SHEET & PANEL TRUCK AND A-FRAME PANEL TRUCK

Transport large, bulky sheet goods and hard-to-handle loads such as doors, lumber, sheet rock, tables, and cubicle walls.

**DURAMOLD**

DECK SIZES:

- 24" x 36"
- 24" x 48"
- 30" x 60"

MAX. CAPACITY (lb.)

**2000**



4468  
SHEET & PANEL TRUCK

**BUILT-IN SAFETY FEATURES**  
Retainer clips lock frames securely in place and prevent unintended removal. Four tie-down points, two on each side, help with load retention.

**MOVE HARD-TO-HANDLE LOADS**  
Three removable powder-coated steel vertical frames provide support for bulky loads. Frames can be removed as needed based on load requirements.

**HOLDS SHEET GOODS SECURELY**  
High-side inclined frame and side rail holds load firmly in place during transit.



4463  
A-FRAME PANEL TRUCK

**KEEP LOADS IN PLACE**  
Textured deck surface reduces load slippage.

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



**SMOOTH MANEUVERABILITY**  
Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.



# Smarter Trucks

## WORK-HEIGHT PLATFORM TRUCK

Unique, adjustable design allows platform deck to be placed at one of three work heights.

**DURAMOLD**

DECK SIZES:

- 24" x 36"
- 24" x 48"
- 30" x 60"

MAX. CAPACITY (lbs)  
**2000**

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)



**REDUCE LIFTING & BENDING**  
Easily moveable platform adjusts to three work heights, helping to safeguard user well-being and improve productivity.



**CHEMICAL & WATER RESISTANT CASTERS**  
TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

**KEEP LOADS IN PLACE**  
Textured deck surface reduces load slippage.

**BETTER LOAD RETENTION**  
Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

**BUILT-IN SAFETY FEATURES**  
Retainer clips prevent unintended handle removal.

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



4473  
**WORK-HEIGHT PLATFORM TRUCK**



Adjustable platform deck reduces the strain of bending and lifting. SKUs 4473-00 and 4474-00 (shown) adjust from 29" to 35" high in 3" increments. SKU 4472-00 adjusts from 27" to 33" high in 3" increments.

See page 16 for caster options.

## 5<sup>TH</sup> WHEEL WAGON TRUCK

Move heavy loads across rough surfaces, indoors and out.

**DURAMOLD**

DECK SIZES:

- 24" x 36"
- 24" x 48"
- 30" x 60"

CAPACITY RANGE (lbs)  
**1200-2000**

**MOVE LOADS SAFELY**  
Turn stop prevents tipping/dumping of load.

**EASY TO USE**  
Vinyl grip handle stays upright when not in use.



**KEEP LOADS SECURE**  
Four tie-down points, two on each side, help with load retention.



4477  
**5<sup>TH</sup> WHEEL WAGON TRUCK**

### WHEEL OPTIONS



MOR wheels absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



Pneumatic wheels provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

**BETTER CONTROL**  
The pivoting 5<sup>th</sup> wheel design provides a tight turning radius for maximum maneuverability.



## TOWABLE & TRAINABLE

- T-bar is removable for towing by a single truck up to 5 mph
- Tow Hitch Kit available (9T10, sold separately) with pintle style and clevis pin mount tow hitches
- Rear tow hitch allows training with other trucks



T-Handle    Pintle



Clevis Pin    Rear Tow Hitch

# Smarter Trucks

## SIDE PANEL PLATFORM TRUCK

Ideal for transporting small packages and materials.

**DURAMOLD**

DECK SIZES:

24" x 36"  
24" x 48"  
30" x 60"

CAPACITY RANGE (lbs)  
**1000-2000**

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)



**ENHANCE USER COMFORT**  
Side panel cut-outs allow easy access to load.



4486  
SIDE PANEL  
PLATFORM TRUCK

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

CASTER OPTIONS



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.

**3 X 3" GRID SIDE PANELS**  
Heavy-duty wire side panels retain small packages and items.

**BETTER LOAD RETENTION**  
Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

**BUILT-IN SAFETY FEATURES**  
Retainer clips prevent unintended handle removal.

**CUSTOMIZABLE**

Remove one, two, three, or all four side panels to accommodate any size load.



See page 16 for caster options.

## STANCHION PLATFORM TRUCK

Safely transport long, bulky loads such as roll goods, pipe, lumber, carpet, and linoleum.

**DURAMOLD**

DECK SIZES:

24" x 36"  
24" x 48"  
30" x 60"

MAX. CAPACITY (lbs)  
**2500**



**EASY LOADING AND UNLOADING**  
Removable heavy-duty steel corner posts allow access to load. Corner post retainer clips prevent unintended removal.



**REDUCE LOAD SLIPPAGE**  
Textured deck surface reduces load slippage.

**KEEP LOADS SECURE**  
Four molded-in tie-down points provide additional load security.

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

4482  
STANCHION  
PLATFORM TRUCK



**PROTECT FLOORS**

Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.



# Smarter Storage

## SEMI-LIVE SKIDS

Ideal for temporary transport and storage of materials and supplies.

**DURAMOLD**

DECK SIZES:

24" x 36"  
24" x 48"  
30" x 60"

CAPACITY RANGE (lbs)  
**1500-2000**

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)

### RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

### REMOVABLE JACK HANDLE

Provides tight turning radius for easy maneuverability in confined spaces (jack handle sold separately).



### EASY OPERATION

Heavy-duty tow plate engages and disengages jack handle.

### CASTER

TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



### BETTER LOAD RETENTION

Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

4494 SEMI-LIVE SKID



## DUNNAGE RACKS

Perfect for storing frozen, cold, or dry goods off of the floor.

**NSF**

### MEETS NSF FOOD SAFETY GUIDELINES

12" high deck meets food safety guidelines; NSF approved.

### FREEZER SAFE

Withstands temperatures from -20° to 120° F.

### RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

4490 DUNNAGE RACK



### HELPS ENSURE PRODUCT QUALITY

Slotted deck allows maximum air circulation for perishable or dry goods.

See page 16 for caster options.

# Smarter Carts

## HEAVY-DUTY UTILITY CARTS

Transport materials, supplies, and heavy loads in almost any environment.

CART SIZES:

17 1/2" x 38 1/2"  
25 1/2" x 44"  
25 1/2" x 54"

CAPACITY RANGE (lbs)  
**500-750**



### STAY ORGANIZED

Easy-reach tool/accessory hooks provide additional storage. (4500 and 4500-88 have storage caddies only.)



### WORK MORE EFFICIENTLY

Built-in tool holster and caddy keep items at hand and in place during transport.

### LARGE WORK SURFACE

Flat top shelf for oversized loads and smarter work surface.

### MANEUVER SAFELY

Variable grip-height handle improves control and worker safety.



### CUSTOMIZABLE

Molded-in fittings allow you to add pipe or rods to hold wire spools and other roll type goods.

OVER **30%** more storage than previous Rubbermaid Utility Carts

4525 HEAVY-DUTY FLAT SHELF UTILITY CART

### BUILT-IN PRODUCTIVITY

V-notch holds pipe securely for safe cutting.



4520-88 HEAVY-DUTY UTILITY CART

### KEEP LOADS SECURE

Deep pocket shelves keep contents in place.



Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

CASTER OPTIONS ARE AVAILABLE ON MEDIUM AND LARGE CARTS

## ACCESSORIZE AND CUSTOMIZE FOR YOUR NEEDS



4590 3-OUTLET POWER STRIP



3353-88 8 GAL REFUSE BIN



4593 SINGLE FULL EXTENSION DRAWER

# More Material Handling Solutions



1021



4533-88



9T57



1315-24



1054-43



4612 / 4613



9T54 / 9T55



9T56

## MOTORIZED TILT TRUCKS

No.	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	Color
1020	Motorized Tilt Truck	57.4" l x 26.8" w x 35.8" h	½ cu yd	500 lbs	BLA
1021	Motorized Tilt Truck	70.8" l x 33.6" w x 43.3" h	1 cu yd	500 lbs	BLA
1022	Motorized Tilt Truck	70.8" l x 33.6" w x 43.3" h	1 cu yd	1,000 lb	BLA
1023	Lid for 1020	52" l x 27.9" w x 9" h			BLA
1024	Lid for 1021, 1022	66.9" l x 34.5" w x 9" h			BLA
1017	24v Battery Charger*	7.1" l x 3.3" w x 2.1" h			BLA
1019	12v Battery*	7.7" l x 5.1" w x 6.8" h			BLA

\* Batteries and Battery Charger included with Motorized Tilt Trucks.

## STRUCTURAL FOAM TILT TRUCKS

No.	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	Color
9T13	Structural Foam Tilt Truck, Utility Duty	57.38" l x 26.88" w x 33.88" h	½ cu yd	450 lb	BLA
9T14	Structural Foam Tilt Truck, Standard Duty	57.38" l x 26.88" w x 33.88" h	½ cu yd	850 lb	BLA
1011	Structural Foam Tilt Truck, Utility Duty	64.5" l x 30.25" w x 38" h	¾ cu yd	600 lb	BLA
1013	Structural Foam Tilt Truck, Standard Duty	64.5" l x 30.25" w x 38" h	¾ cu yd	1,000 lb	BLA
9T15	Structural Foam Tilt Truck, Standard Duty	70.75" l x 33.5" w x 42.25" h	1 cu yd	1,250 lb	BLA
9T16	Structural Foam Tilt Truck, Heavy-Duty	70.75" l x 33.5" w x 42.25" h	1 cu yd	2,100 lb	BLA

## LADDER CARTS

No.	Description	U.S. Dimensions	U.S. Capacity	Color
9T57	Ladder Cart	31.5" l x 27" w x 42" h	500 lb	BLA
9T58	Ladder Cart with Cabinet	31.5" l x 27" w x 42" h	500 lb	BLA
4592	8" (20.3 cm) Pneumatic Caster Kit	56.88" l x 19.2" w x 33.3" h	N/A	0000

## TRADEMASTER® CARTS

No.	Description	U.S. Dimensions	U.S. Capacity	Color
4512-88	TradeMaster® Cart with 2 Door Cabinet, Small	41.63" l x 18.25" w x 38.38" h	500 lb	BLA
4513-88	TradeMaster® Cart with 4 Drawer Cabinet	40.63" l x 18.38" w x 33.38" h	500 lb	BLA
4532-88	TradeMaster® Cart with 2-Door Cabinet, Large	49" l x 26.25" w x 38.25" h	750 lb	BLA
4533-88	TradeMaster® Cart with 4-Drawer and Cabinet, Small	49" l x 26.25" w x 38" h	750 lb	BLA
4548-88	TradeMaster® Cart with 4-Drawer and Cabinet, Large	58.63" l x 26.38" w x 33.25" h	750 lb	BLA
4535-88	TradeMaster® Professional Contractor's Cart	52.5" l x 38.63" w x 37.88" h	500 lb	BLA
7734-88	5-Drawer Mobile Work Center	32.63" l x 19.9" w x 33.5" h	250 lb	BLA

## ROTATIONAL MOLDED TILT TRUCKS

No.	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	Color
9T17	Tilt Truck (RM)	56.75" l x 28" w x 38.63" h	½ cu yd	300 lb	BLA
1304	Tilt Truck, Utility Duty (RM)	56.75" l x 28" w x 38.63" h	½ cu yd	450 lb	BLA
1305	Tilt Truck, Standard Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	YEL, RED, DBLUE, BLA
1305-73	Recycling Tilt Truck, Standard Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	BLUE
1306 <sup>a</sup>	Tilt Truck, Heavy-Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	1,400 lb	BLA
9T18	Tilt Truck	72.25" l x 33.5" w x 43.75" h	1 cu yd	600 lb	BLA
1314	Tilt Truck, Utility Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	850 lb	BLA
1315	Tilt Truck, Standard Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	1,250 lb	YEL, RED, DBLUE, BLA
1316	Tilt Truck, Heavy-Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	2,100 lb	BLA
1025 <sup>a</sup>	Tilt Truck, Standard Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	1,200 lb	BLA
1026 <sup>a</sup>	Tilt Truck, Heavy-Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	2,100 lb	BLA
1035 <sup>a</sup>	Tilt Truck, Standard Duty (RM)	81.25" l x 46.75" w x 50" h	2 cu yd	1,900 lb	BLA
1036 <sup>a</sup>	Tilt Truck, Heavy-Duty (RM)	81.25" l x 46.75" w x 50" h	2 cu yd	2,300 lb	BLA
1045 <sup>a</sup>	Tilt Truck, Standard Duty (RM)	81.5" l x 55.5" w x 50" h	2½ cu yd	1,900 lb	BLA
1046 <sup>a</sup>	Tilt Truck, Heavy-Duty (RM)	81.5" l x 55.5" w x 50" h	2½ cu yd	2,300 lb	BLA

<sup>a</sup> Requires 3 week lead time and is not returnable.

<sup>b</sup> Custom colors available; contact Rubbermaid Customer Service at (800) 347-9800 for details.

\* Pneumatic Wheels RM = Rotational Molded

## TOWABLE TILT TRUCKS

No.	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	Color
1306-41 <sup>a</sup>	Towable Trainable Tilt Truck, Heavy-Duty (RM)	64" l x 29" w x 40" h	½ cu yd	1,400 lb	BLA
1316-41 <sup>a</sup>	Towable Trainable Tilt Truck, Heavy-Duty (RM)	72.5" l x 33.5" w x 42.25" h	1 cu yd	2,100 lb	BLA
1026-41 <sup>a</sup>	Towable Trainable Tilt Truck, Heavy-Duty (RM)	91.25" l x 45" w x 51.75" h	1½ cu yd	2,100 lb	BLA

<sup>a</sup> Requires 3 week lead time and is not returnable.

\* Pneumatic Wheels RM = Rotational Molded

## FORKLIFTABLE TILT TRUCKS

No.	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	Color
1305-42	Forkliftable Tilt Truck, Standard Duty (RM)	60.5" l x 28" w x 38.63" h	½ cu yd	850 lb	BLA
1315-42	Forkliftable Tilt Truck, Standard Duty (RM)	72.25" l x 33.5" w x 43.75" h	1 cu yd	1,250 lb	BLA
1025-42 <sup>a</sup>	Forkliftable Tilt Truck, Standard Duty (RM)	80.5" l x 43" w x 49.5" h	1½ cu yd	1,200 lb	BLA

<sup>a</sup> Requires 3 week lead time and is not returnable.

RM = Rotational Molded

## TILT TRUCK LIDS

No.	Description	U.S. Dimensions	U.S. Size	Color
1027	Lid for 1025, 1025-42, 1026, 1026-41 and 1064	82.88" l x 44.5" w x 3" h	32.8 lb	BLA
1028	Domed Lid for 1011, 1013	61" l x 31.75" w x 8.75" h	24.8 lb	BLA
1307 <sup>a</sup>	Lid for 1304, 1305, 1305-06, 1305-42, 1306, 1306-41, 9T17	56.5" l x 28.5" w x 9" h	22.3 lb	BLA
1317 <sup>a</sup>	Lid for 1314, 1315, 1315-42, 1316, 1316-41, 9T18	69.5" l x 34" w x 8.5" h	24.0 lb	BLA
9T22	Lid for 9T13 and 9T14 Tilt Trucks	52" l x 27.88" w x 9" h	25.3 lb	BLA
9T23	Lid for 9T15 and 9T16	66.88" l x 34.5" w x 9" h	36.6 lb	BLA

<sup>a</sup> Custom colors available; contact Rubbermaid Customer Service at (800) 347-9800 for details.

## SELF-DUMPING HOPPERS

No.	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	Color
1054	Self-Dumping Hopper	55" l x 26.25" w x 40" h	½ cu yd	750 lb	BLA
1054-43	Self-Dumping Hopper with four 6" dia Polyolefin Casters	55" l x 26.25" w x 47.63" h	½ cu yd	750 lb	BLA
1059	Self-Dumping Hopper	71.5" l x 31.25" w x 44.88" h	1 cu yd	1,000 lb	BLA
1059-43	Self-Dumping Hopper with four 6" dia Polyolefin Casters	71.5" l x 31.25" w x 52.5" h	1 cu yd	1,000 lb	BLA
1064 <sup>a</sup>	Self-Dumping Hopper	83.63" l x 42.88" w x 49.13" h	1½ cu yd	1,000 lb	BLA
1064-43 <sup>a</sup>	Self-Dumping Hopper with four 6" dia Polyolefin Casters	83.63" l x 42.88" w x 56.25" h	1½ cu yd	1,000 lb	BLA
1069 <sup>a</sup>	Self-Dumping Hopper	83.88" l x 46" w x 49.5" h	2 cu yd	1,000 lb	BLA
1069-43 <sup>a</sup>	Self-Dumping Hopper with four 6" dia Polyolefin Casters	83.88" l x 46" w x 57.63" h	2 cu yd	1,000 lb	BLA
1074 <sup>a</sup>	Self-Dumping Hopper	83.5" l x 55" w x 49.5" h	2½ cu yd	1,000 lb	BLA
1074-43 <sup>a</sup>	Self-Dumping Hopper with four 6" dia Polyolefin Casters	83.5" l x 55" w x 56.63" h	2½ cu yd	1,000 lb	BLA
1027	Lid for 1025, 1025-42, 1026, 1026-41 and 1064	82.88" l x 44.5" w x 3" h		BLA	

<sup>a</sup> Requires 3 weeks lead time and are non-returnable.

## STOCKMATE® RESTOCKING TRUCKS

No.	Description	U.S. Dimensions	U.S. Capacity	Color
9T45	StockMate® ES Restocking Truck with Hinging Deck	63" l x 19.25" w x 19.25" h	1,800 lb	BLA
9T50	StockMate® Restocking Truck, Standard Deck	63" l x 19.13" w x 33.63" h	1,800 lb	BLA
9T52	StockMate® Restocking Truck, Standard Deck with Cardboard Management System, Polyurethane Wheel and Casters	63" l x 18" w x 64.25" h	1,800 lb	BLA
9T56	StockMate® Restocking Truck, Utility Deck, Olefin Wheels and Casters	63" l x 18" w x 64.25" h	1,500 lb	BLA

## CUBE TRUCKS

No.	Description	U.S. Dimensions	U.S. Size/ Bushel (BU)	U.S. Capacity	Color
4608	Cube Truck	38" l x 26" w x 28.13" h	8 cu ft 6.4 BU	300 lb	WHT, DBLUE, BLA
4708	Utility Truck, Heavy-Duty with 4" dia Casters	38.38" l x 26" w x 28.25" h	8 cu ft 6.4 BU	700 lb	BLA
4612	Cube Truck	42.75" l x 28" w x 33" h	12 cu ft 9.6 BU	400 lb	WHT, DBLUE, BLA
4712	Utility Truck, Heavy-Duty with 4" dia Casters	43.25" l x 28" w x 33.88" h	12 cu ft 9.6 BU	800 lb	BLA
4611	Spring Platform Truck	44.13" l x 31" w x 32.5" h	14 cu ft 11.3 BU	500 lb	BLA
4614	Cube Truck	44.13" l x 31" w x 32.5" h	14 cu ft 11.3 BU	500 lb	WHT, BLA
4616-73	Recycling Cube Truck	43.75" l x 31" w x 37" h	16 cu ft 12.9 BU	500 lb	BLUE
4716	Utility Truck, Heavy-Duty with 5" dia Casters	44.38" l x 31" w x 38.25" h	16 cu ft 12.9 BU	1,000 lb	BLA
4619	Cube Truck	48" l x 34.13" w x 36.5" h	20 cu ft 16.1 BU	600 lb	BLA
4618	Spring Platform Truck	48" l x 34.13" w x 36.5" h	20 cu ft 16.1 BU	600 lb	BLA
4720	Utility Truck, Heavy-Duty with 5" dia Casters	48.25" l x 34.13" w x 37.88" h	20 cu ft 16.1 BU	1,200 lb	BLA
4727	Utility Truck, Heavy-Duty with 5" dia Corner Casters	59" l x 34" w x 42.88" h	27 cu ft 21.7 BU	1,200 lb	BLA
4727-41 <sup>a</sup>	Towable Utility Truck, Heavy-Duty	59" l x 34" w x 42.88" h	27 cu ft 21.7 BU	1,200 lb	BLA
4610	Spring Kit for 4611, 4614 Trucks	34.2" l x 21.2" w x 0.5" h		0000	
4625	Spring Kit for 4618, 4619 Trucks	37.7" l x 24" w x 0.5" h		0000	
4609 <sup>a</sup>	Lid for 4608 Cube Truck and 4708 Heavy-Duty Utility Truck	38.38" l x 25.75" w x 8.5" h		BLA	
4613 <sup>a</sup>	Lid for 4612 Cube Truck and 4712 Heavy-Duty Utility Truck	43.13" l x 27.5" w x 8.5" h		BLA	
4615 <sup>a</sup>	Lid for 4614 and 4616 Cube Trucks and 4716 Heavy-Duty Utility Truck	44.13" l x 31" w x 8.5" h		BLA	
4617 <sup>a</sup>	Lid for 4619 Cube Truck and 4720 Heavy-Duty Utility Truck	48.5" l x 34" w x 8.5" h		BLA	
4726	Lid for 4727, 4727-41 Heavy-Duty Utility Truck	59.88" l x 34.5" w x 5" h		BLA	

<sup>a</sup> Requires 2 weeks lead time and are non-returnable.

<sup>b</sup> Custom colors available; contact Customer Service at (800) 347-9800 for details.

## HEAVY-DUTY DOLLIES

No.	Description	U.S. Dimensions	U.S. Capacity	Color
9T54	Polyethylene Dolly, Flush Deck	30" l x 18" w	1,000 lb	RED
9T55	Polyethylene Dolly, Padded Deck	30" l x 18" w	1,000 lb	RED

# Smarter Material Handling

## CONVERTIBLE A-FRAME TRUCK

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4465	27" x 44 1/4"	2,000 lb	27" x 56 3/4" x 49 1/2"	8" Polyolefin

## CONVERTIBLE PLATFORM TRUCKS

Item #	Overall Dimensions (Cart)	Overall Dimensions (Truck)	Load Capacity	Caster Type
4496	24 1/4" x 44 1/8" x 36 3/4"	24 1/4" x 65 1/8" x 42"	750 lb as cart, 1,000 lb as platform	6" TPR
4497	24 1/4" x 44 1/8" x 36 3/4"	24 1/4" x 65 1/8" x 45"	750 lb as cart, 2,000 lb as platform	8" Pneumatic

## HEAVY-DUTY PLATFORM TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4403	24" x 36"	1,000 lb	40 1/4" x 24 1/4" x 39 3/4"	6" TPR
4406	24" x 36"	2,000 lb	40 1/4" x 24 1/4" x 39 3/4"	6" Polyolefin
4436	24" x 48"	2,000 lb	52 1/4" x 24 1/4" x 41 1/4"	8" TPR
4436-10	24" x 48"	1,200 lb	52 1/4" x 24 1/4" x 42 1/2"	8" Pneumatic
4441	24" x 48"	2,500 lb	52 1/4" x 24 1/4" x 41 1/2"	8" Polyolefin
4466	30" x 60"	2,000 lb	64 1/4" x 30 1/4" x 41 1/4"	8" TPR
4466-10	30" x 60"	1,200 lb	64 1/4" x 30 1/4" x 42 1/2"	8" Pneumatic
4471	30" x 60"	2,500 lb	64 1/4" x 30 1/4" x 41 1/2"	8" Polyolefin
9T11	40" x 70"	1,000 lb	70" x 40" x 11 1/2"	6" TPR
9T12	40" x 70"	1,000 lb	70" x 40" x 13 1/2"	8" Pneumatic
9T21	40" x 70"	1,000 lb	70" x 40" x 13 1/2"	8" Polyolefin
9T09	Side Panel Package for 9T11, 9T12, 9T21			NA

## SHEET & PANEL TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4467	24" x 36"	2,000 lb	38 3/4" x 24 1/4" x 38"	6" Polyolefin
4468	24" x 48"	2,000 lb	50 3/4" x 24 1/4" x 39 3/4"	8" Polyolefin
4469	30" x 60"	2,000 lb	62 3/4" x 30 1/4" x 39 3/4"	8" Polyolefin

## A-FRAME PANEL TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4462	24" x 36"	2,000 lb	38 3/4" x 24 1/4" x 43"	6" Polyolefin
4463	24" x 48"	2,000 lb	50 3/4" x 24 1/4" x 44 1/4"	8" Polyolefin
4464	30" x 60"	2,000 lb	62 3/4" x 30 1/4" x 44"	8" Polyolefin

## WORK-HEIGHT PLATFORM TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4472	24" x 36"	2,000 lb	38 3/4" x 24 1/4" x 44 1/4"	6" TPR
4473	24" x 48"	2,000 lb	50 3/4" x 24 1/4" x 46 1/4"	8" TPR
4474	30" x 60"	2,000 lb	62 3/4" x 30 1/4" x 46 1/4"	8" TPR

## 5<sup>TH</sup> WHEEL WAGON TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4475	24" x 36"	1,200 lb	45" x 24 1/4" x 16 3/4"	10" Pneumatic
4476	24" x 36"	2,000 lb	45" x 24 1/4" x 16 1/2"	10" TPR
4477	24" x 48"	2,000 lb	56 1/4" x 24 1/4" x 17 1/2"	12" Pneumatic
4478	24" x 48"	2,000 lb	56 1/4" x 24 1/4" x 17 1/2"	12" TPR
4479	30" x 60"	2,000 lb	70 1/4" x 30 1/4" x 17 1/2"	12" Pneumatic
4480	30" x 60"	2,000 lb	70 1/4" x 30 1/4" x 17 1/2"	12" TPR
9T06	40" x 70"	3,500 lb	70" x 40" x 21"	16" Pneumatic
9T07	40" x 70"	2,000 lb	70" x 40" x 18 3/4"	12" Pneumatic
9T09	Side Panel Package for 9T06, 9T07			
9T10	Tow Package			

## SIDE PANEL PLATFORM TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4484	24" x 36"	1,000 lb	44" x 24 1/4" x 39 1/4"	6" TPR
4485	24" x 48"	1,200 lb	56" x 24 1/4" x 41 1/2"	8" Pneumatic
4486	24" x 48"	2,000 lb	56" x 24 1/4" x 41 1/4"	8" TPR
4487	30" x 60"	1,200 lb	68 1/4" x 30 1/4" x 41 1/4"	8" Pneumatic
4488	30" x 60"	2,000 lb	68 1/4" x 30 1/4" x 41 1/4"	8" TPR

## STANCHION PLATFORM TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4481	24" x 36"	2,500 lb	38 3/4" x 24 1/4" x 40 3/4"	6" Polyolefin
4482	24" x 48"	2,500 lb	50 3/4" x 24 1/4" x 42 1/2"	8" Polyolefin
4483	30" x 60"	2,500 lb	62 3/4" x 30 1/4" x 42 1/2"	8" Polyolefin

## SEMI-LIVE SKIDS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4493	24" x 36"	2,000 lb	38" x 24" x 12"	8" x 2" TPR
4494	24" x 48"	2,000 lb	50" x 24" x 12"	8" x 2" TPR
4495	30" x 60"	2,000 lb	62" x 30" x 12"	8" x 2" TPR
4492	Jack Handle		49 1/2" x 11"	

## DUNNAGE RACKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4489	24" x 36"	1,500 lb	36" x 24" x 12"	N/A
4490	24" x 48"	2,000 lb	48" x 24" x 12"	N/A
4491	30" x 60"	2,000 lb	60" x 30" x 12"	N/A

## HEAVY-DUTY UTILITY CARTS

Item #	Product Dimensions (assembled L x W x H)	Load Capacity	Caster Type
4500-88*	38 1/2" x 17 1/4" x 38 3/4"	500 lb	5" TPR
4520-88*	44" x 25 1/4" x 38 3/4"	500 lb	5" TPR
4520-10	44" x 25 1/4" x 43 1/2"	500 lb	8" Pneumatic
4546*	54" x 25 1/4" x 39 1/4"	750 lb	5" TPR
4546-10	54" x 25 1/4" x 43 1/2"	750 lb	8" Pneumatic

\*Available in Black and Beige.

## HEAVY-DUTY FLAT SHELF UTILITY CARTS

Item #	Product Dimensions (assembled L x W x H)	Load Capacity	Caster Type
4505-00	38 1/2" x 17 1/4" x 38 3/4"	500 lb	5" TPR
4525-00	44" x 25 1/4" x 38 3/4"	500 lb	5" TPR
4545-00	54" x 25 1/4" x 38 3/4"	750 lb	5" TPR

\*Available in Black and Beige.

## ACCESSORIES

Item #	Description	Color
3353-88	8 Gal Refuse Bin	BLA
3354-88	4 Gal Utility Bin	BLA
4590	3-Outlet, Surge Protected Power Strip with 10' Cord	BLA
4591	Hook Kit (Set of 4)	BLA
4592	8" Pneumatic Caster Kit	GRAY
4593	Single Full Extension Drawer	RED



LOOKING FOR A CUSTOM SOLUTION?  
CONTACT RCP CUSTOMER SERVICE  
FOR SPECIAL ORDER INFORMATION.

A **Newell Rubbermaid** Company

©2009 by Rubbermaid Commercial Products LLC  
3124 Valley Avenue, Winchester, VA 22601  
08/09 MP 20M SM751

Printed on Recycled Paper

Customer Service: 1-800-347-9800  
www.rcpmaterialhandling.com

**Work Smarter.**

