ADVANTAGE CHEMICALSTM FOR THE VALUE-MINDED BUYER

LOW TEMP SANI

Chlorinated Sanitizer for Low Temp Dish Machines

DANGER! KEEP OUT OF REACH OF CHILDREN

FIRST AID		ACTIVE INGREDIENTS:
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. 	SODIUM HYPOCHLORITE 6.5% INERT INGREDIENTS 93.5% TOTAL 100% UN 1791, CAS# 7681-52-9 9
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. 	HOTLINE NUMBER Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-922-4626 for emergency medical treatment information. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. See SDS for additional precautions. For Industrial and Food Service Use Only
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably, mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. 	
IF SWALLOWED:	 Call a poison control center or doctor for further treatment advice. Have the person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. DO NOT give anything by mouth to an unconscious person. 	
		1×1 2.5 GALLON

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **CHEMICAL SANITIZING WAREWASHING:** Remove gross food particles and soil by pre-flush, or by pre-scrape and when

necessary, pre-soak treatment. Then place wares in dishwasher. Be sure dishwasher is dispensing proper type and amount of detergent. Dispense **Low Temp Sani** into the final rinse water at a concentration of 100 ppm of available chlorine. Only a qualified service representative should set or adjust dispenser on the machine. Do not use on sterling silver or silver plate. Dispenser must be set to deliver 6.5 cc of sanitizing solution per gallon of water to give 100 ppm of available chlorine. To insure the chlorine concentration does not fall below 50 ppm, periodically test the rinse solution with a suitable test kit and adjust the dispensing rate accordingly. Maintain contact time with sanitizer for at least 2 minutes. Minimum final rinse temperature of 140°F is required.

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Keep material dry and in a dry place. Store in original container, where temperatures do not exceed 125°F (52°C) for 24 hours.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

SPILL OR LEAK PROCEDURE: Small spills may be mopped up, flushed away with water or absorbed on some absorbent material and incinerated. Large spills should be contained; the material then moved into containers and disposed of by approved methods for hazardous wastes.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. D0 N0T get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Irritating to nose and throat. Wear goggles, face shield or safety glasses and chemically resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse. Vacate poorly ventilated areas as soon as possible. D0 N0T return until odors have dissipated.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. MIX ONLY WITH WATER. Mixing this product with gross filth such as feces, urine, etc., or ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs, and mucous membranes.

NOTE: This product degrades with age. Use chlorine test kit and increase dosage as necessary to obtain required level of chlorine.



146LOTSAN2HG

MANUFACTURED FOR: Clark Core Services, LLC

2205 Old Philadelphia Pike, Lancaster, PA 17602

E.P.A. EST. NO. 39189-NJ-01

LOT NUMBER:

EXPIRATION DATE:

E.P.A. REG. NO. 39189-15-65239