



TABLES & CHAIRS

MODEL N° 80193

OWNER'S MANUAL

copy

Keep this Identification Number in case you must contact our Customer Service Department.

REGISTER YOUR PRODUCT ONLINE AT WWW.LIFETIME.COM

At Lifetime, we are committed to providing innovative and quality products. While registering, you will have the opportunity to give us your feedback. Your input is valuable to us.

- You can also opt in to receive new product notifications or promotions.
- In the unlikely event of a product recall or safety modification, your registration provides the information we need to notify you directly.
- Registration is fast, easy, and completely voluntary.

LIFETIME'S PROMISE TO YOU:

Maintaining your privacy is our long-standing policy at Lifetime. And you can rest assured that Lifetime will not sell or provide your personal data to other third parties, or allow them to use your personal data for their own purposes.

We invite you to read our privacy policy at www.lifetime.com

REGISTER today!

****U.S. and Canada customers ONLY****

IF ASSISTANCE IS NEEDED,

DO NOT CONTACT THE STORE!

CALL OUR CUSTOMER SERVICE DEPARTMENT at 1 (800) 225-3865

HOURS: 7:00 a.m. to 5:00 p.m. Monday through Friday (Mountain Standard Time)

Call, or visit our Web site for Saturday hours

For customers outside the U.S. or Canada, please contact the store for assistance.



SAFETY INSTRUCTIONS



FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE AND WILL VOID WARRANTY.

To ensure safety, do not attempt to assemble this product without following the instructions carefully. Check entire box and inside all packing material for parts and/or additional instruction material. Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this document. Proper and complete assembly, use, and supervision are essential to reduce the risk of accident or injury. A high probability of serious injury exists if this system is not installed, maintained, and/or operated properly.

- Two capable adults are recommended for assembly.
- Follow any and all warnings and cautions carefully.
- Assemble on level ground.
- Check all nuts and screws for tightness before and during the usage season.

Most injuries are caused by misuse and/or not following instructions. Use caution when using this system.


STOP!

BEFORE BEGINNING ASSEMBLY

STOP!



Keep the hardware bags and their contents separate. If any parts are missing, call our Customer Service Department.



****TWO ADULTS RECOMMENDED TO
COMPLETE ASSEMBLY****

**TOOLS REQUIRED FOR THIS ASSEMBLY****7/16" Wrench**

(1)

1/2" Wrench

(1)

Rubber Mallet

(1)

Safety Glasses

(1 pair for each person)

ASSEMBLY GUIDE

Refer to the following areas throughout the instructions to assist in the assembly process:

This area is located at the top, left-hand corner of the page and indicates which tools and hardware are needed to complete the assembly steps on a page.



TOOLS AND HARDWARE REQUIRED FOR THIS PAGE



This area is located at the top, right-hand corner of the page and shows an image of the product with shaded parts indicating which section is being assembled.



This area is usually located in the bottom, left-hand corner of a step and indicates that special attention is needed to perform a particular part of a step.



Note:

These areas are usually located in the bottom, right-hand corner of a step and indicate that damage to the product or serious injury may occur if the caution or warning is not heeded.




CAUTION



WARNING

Throughout the Parts & Hardware List, Part & Hardware Identifiers, and instructions are three-letter IDs. These IDs are below the images of the parts and hardware to help you locate and identify the parts and hardware during assembly. These IDs are not necessarily on the parts themselves.



ADZ (x10)
1/4" x 5/8" Pan-Head Screw


PARTS LIST

ID	Item Description	Qty	✓	ID	Item Description	Qty	✓
DAV	Rear Left Vertical Support	1	<input type="checkbox"/>	DAZ	80193 Table Cart Hardware Bag		
DAW	Rear Right Vertical Support	1	<input type="checkbox"/>	DAA	5/16" x 2 1/4" Button-Head Screw	6	<input type="checkbox"/>
DAO	Front Left Vertical Support	1	<input type="checkbox"/>	DAB	5/16" x 2" Button-Head Screw	18	<input type="checkbox"/>
DAN	Front Right Vertical Support	1	<input type="checkbox"/>	DAC	1/4" x 1" Button-Head Screw	8	<input type="checkbox"/>
DAR	Left Horizontal Support	1	<input type="checkbox"/>	DAF	1/4" x 2" Button-Head Screw	2	<input type="checkbox"/>
DAS	Right Horizontal Support	1	<input type="checkbox"/>	DAE	1/4" x 1 1/2" Button-Head Screw	4	<input type="checkbox"/>
DAP	Horizontal Tube	2	<input type="checkbox"/>	DAD	1/4" x 1/2" Button-Head Screw	16	<input type="checkbox"/>
DAQ	Center Vertical Support	2	<input type="checkbox"/>	DAG	5/16" Nylock Nut	24	<input type="checkbox"/>
DAT	Short Horizontal Support	2	<input type="checkbox"/>	DAH	1/4" Nylock Nut	4	<input type="checkbox"/>
DAI	Center Table Support	2	<input type="checkbox"/>	DBA	1/4" Standard Washer	6	<input type="checkbox"/>
DAU	Cart Handle	1	<input type="checkbox"/>	DBD	5/32" Allen Wrench	1	<input type="checkbox"/>
DAL	Front Table Support	1	<input type="checkbox"/>	CCL	3/16" Allen Wrench	1	<input type="checkbox"/>
DAX	Rear Table Support	1	<input type="checkbox"/>				
DAK	Front Castor	2	<input type="checkbox"/>				
DAJ	Rear Castor	2	<input type="checkbox"/>				
DBB	End Cap	4	<input type="checkbox"/>				


PARTS IDENTIFIER

PART ILLUSTRATIONS


Parts illustrated at 8% of actual size




DAV (x1)
Rear Left Vertical Support




DAW (x1)
Rear Right Vertical Support




DAO (x1)
Front Left Vertical Support



DAN (x1)
Front Right Vertical Support




DAR (x1)
Left Horizontal Support



DAS (x1)
Right Horizontal Support



DAP (x2)
Horizontal Tube




DBB (x4)
Plastic End Cap


PARTS IDENTIFIER

PART ILLUSTRATIONS (CONT.)


Parts illustrated at 8% of actual size




DAQ (x2)
Center Vertical Support



DAT (x2)
Short Horizontal Support




DAI (x2)
Center Table Support




DAU (x1)
Cart Handle



DAJ (x2)
Rear Castor



DAL (x1)
Front Table Support



DAX (x1)
Rear Table Support




DAK (x2)
Front Castor


HARDWARE IDENTIFIER

80193 TABLE CART HARDWARE BAG [DAZ]


Hardware illustrated at actual size




DAA (x6)
5/16" x 2 1/4" Button-Head Screw




DAB (x18)
5/16" x 2" Button-Head Screw



DAC (x8)
1/4" x 1" Button-Head Screw




DAF (x2)
1/4" x 2" Button-Head Screw



DAE (x4)
1/4" x 1 1/2" Button-Head Screw



DAD (x16)
1/4" x 1/2" Button-Head Screw




DAG (x24)
5/16" Nylock Nut




DAH (x4)
1/4" Nylock Nut



DBA (x6)
1/4" Standard Washer



DBD (x1)
5/32" Allen Wrench




CCL (x1)
3/16" Allen Wrench




TOOLS AND HARDWARE REQUIRED FOR THIS PAGE

5/32"




DAC (x4)



DBA (x2)

SEC


1



SEC

1.1


Connect a **Short Horizontal Support (DAT)** and **Cart Handle (DAU)** to the **Left** and **Right Rear Vertical Supports (DAV and DAW)** as shown using the required hardware. **Do not completely tighten Screws.**






TOOLS AND HARDWARE REQUIRED FOR THIS PAGE

3/16"




DAB (x2)



DAG (x2)



SEC 1



SEC

1.2

Connect the second **Short Horizontal Support (DAT)** to the **Left and Right Front Vertical Supports (DAO and DAN)** as shown using the required hardware. **Do not completely tighten Nuts until instructed.**





TOOLS AND HARDWARE REQUIRED FOR THIS PAGE


3/16"

1/2"




DAB (x8)

DAA (x2)



DAG (x10)



SEC 1



SEC

1.3

Connect the Front and Rear Assemblies to the **Left and Right Side Horizontal Supports (DAR and DAS)** using the required hardware. **Completely tighten these Nuts only after visually aligning the four holes indicated below.**



To avoid complications later on in the assembly, visually align these four holes before tightening Screws (DAB & DAA) and Nuts (DAG).

DAB

DAG

DAB

DAG

DAA

DAA


DAB

DAB




TOOLS AND HARDWARE REQUIRED FOR THIS PAGE

5/32"



DAF (x2)


SEC 1



SEC

1.4


Lay the Assembly on its side and connect the two **Center Vertical Supports (DAQ)** to the Left and Right Side Horizontal Supports using the required hardware. **Do not completely tighten Nuts until instructed.**






TOOLS AND HARDWARE REQUIRED FOR THIS PAGE

5/32"



DAC (x4)



DBA (x4)




DAE (x4)



DAH (x4)


SEC 1




SEC

1.5

Connect the two (2) **Horizontal Support Tubes (DAP)** to the Front and Rear Vertical Supports using the required hardware. Then, connect the Horizontal Support Tubes to the Center Vertical Supports using the required hardware. **Do not completely tighten Nuts until instructed.**



Note: You will need to gently pull out on the Left and Right Front Vertical Supports to insert the Horizontal Support Tubes (DAP).







TOOLS AND HARDWARE REQUIRED FOR THIS PAGE



3/16"




DAA (x2)



DAG (x2)



SEC 1



SEC


1.6

Carefully turn the Frame upside down. Slide a **Center Table Support (DAI)** up into place as shown. Secure the Center Table Support to the Frame using the required hardware. **Do not completely tighten Nuts until instructed.**



DAG (x2)


DAA



DAA



Note: For 5' round tables, attach the Center Table Supports using these holes.



Note: For 6' round tables, attach the Center Table Supports using these holes.





TOOLS AND HARDWARE REQUIRED FOR THIS PAGE

3/16"




DAA (x2)



DAG (x2)

SEC


1



SEC

1.7

Slide the second **Center Table Support (DAI)** up into place as shown. Secure the Center Table Support to the Frame using the required hardware. **Do not completely tighten Nuts until instructed.**




DAA

DAG

DAA



Note: For 5' round tables, attach the Center Table Supports using these holes.



Front

Rear




Note: For 6' round tables, attach the Center Table Supports using these holes.



TOOLS AND HARDWARE REQUIRED FOR THIS PAGE

3/16"




DAB (x4)



DAG (x4)



SEC 1



SEC

1.8

Slide the **Front Table Support (DAL)** up into place as shown. Secure the Front Table Support to the Frame using the required hardware. **Do not completely tighten Nuts until instructed.**






TOOLS AND HARDWARE REQUIRED FOR THIS PAGE

3/16"

1/2"

7/16"




DAB (x4)



DAG (x4)



SEC 1



SEC

1.9


Slide the **Rear Table Support (DAX)** up into place as shown. Secure the Rear Table Support to the Frame using the required hardware. **Completely tighten all hardware.**






TOOLS AND HARDWARE REQUIRED FOR THIS PAGE

5/32"



DAD (x16)


SEC 1



SEC

1.10


Connect the **Front** and **Rear Castors (DAK and DAJ)** to the frame as shown using the required hardware. **Completely tighten these Screws.**



SEC

1.11

Turn the Table Cart right side up, and insert the four (4) **End Caps (DBB)** into the four Front and Rear Vertical Supports as shown.



Note: The Table Cart will hold eight (8) 5' or 6' round tables or approximately twelve (12) rectangular tables.

CLEANING & CARE

Congratulations on your Lifetime® product purchase. By following the instructions below, your new Lifetime product should provide you with years of service and enjoyment.

Cleaning and Care

Clean with a non-abrasive cleaning solution and soft bristled brush. Abrasive cleaning materials may scratch the powder coating and are not recommended. Repair scratches or rust spots on the metal by sanding the affected area lightly; using a rust preventative spray primer; and finally, spraying with a matching high-gloss spray enamel paint.

LIFETIME® 1-YEAR LIMITED FACTORY WARRANTY

LIFETIME® PRODUCTS, INC. RESERVES THE RIGHT TO MAKE SUBSTITUTIONS TO WARRANTY CLAIMS IF PARTS ARE UNAVAILABLE OR OBSOLETE.

1. Lifetime® Table Carts are warranted to the original purchaser to be free from defects in material or workmanship for a period of one year from the date of original retail purchase. The word “defects” is defined as imperfections that impair the use of the product. Defects resulting from misuse, abuse or customer negligence will void this warranty. This warranty does not cover defects due to alteration of accident. This warranty does not cover damage caused by vandalism, rusting, “acts of nature” or any other event beyond the control of the manufacturer.
2. This warranty is nontransferable and is expressly limited to the repair or replacement of defective product. If the product is defective within the terms of this warranty, Lifetime® Products, Inc. will repair or replace defective parts at no cost to the purchaser. Shipping charges are not covered and are the responsibility of the purchaser.
3. This warranty does not cover scratching, scuffing or other cosmetic damage that may result from normal use of the product. In addition, defects resulting from intentional damage, customer negligence or unreasonable use will void this warranty.
4. Liability for incidental or consequential damages is excluded to the extent permitted by law. While every attempt is made to embody the highest degree of safety in all products, freedom from injury cannot be guaranteed. The user assumes all risk of injury resulting from the use of this product. All merchandise is sold on this condition, and no representative of the company may waive or change this policy.
5. This warranty is in lieu of all other warranties expressed or implied, including warranties of merchantability or fitness for use to the extent permitted by Federal and state law. Neither Lifetime® Products, Inc. nor any representative assumes any other liability in connection with this product. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

PLEASE INCLUDE YOUR DATED SALES RECEIPT AND PHOTOGRAPHS OF DAMAGED PARTS.

REPORT PRODUCT DEFECTS IN WRITING TO:

Lifetime Products, Inc., PO Box 160010 Clearfield, UT 84016-0010
or call 1-800-225-3865 M-F 7 a.m. to 5 p.m. MST.

REGISTER YOUR PRODUCT FOR QUICKER CUSTOMER SERVICE.

Visit www.lifetime.com or call 1-800-225-3865 to register your product today

FOR INTERNATIONAL WARRANTY CLAIMS:

All warranty claims must be accompanied by a sales receipt. Report all warranty claims in writing to your regional sales support representative. Please include your dated sales receipt and photographs of damaged parts.

To Identify the representative for your region — Please visit: www.lifetime.com/international



Lifetime® Products, Inc.