



Tork 2-Roll Side-by-Side CBT Dispenser:
 T24 System: 59TR (smoke)




Conventional Bath Tissue Product Options:

- 2465120 Tork Premium, 2-Ply, 450 Sheets
- 2465110 Tork Premium, 2 Ply, 450 Sheets
- 2465100 Tork Premium, 2-Ply, 450 Sheets
- 246325 Tork Premium, 2-Plt, 625 sheets
- 2461200 Tork Advanced, 2 Ply, 500 Sheets
- TM6130S Tork Advanced, 2 Ply, 500 sheets
- TM1616S Tork Universal, 2 Ply, 500 sheets
- TM1616 Tork Universal, 2-Ply, 500 sheets
- TM1601A Tork Universal, 2-Ply, 500 sheets
- TS1636S Tork Universal, 1 Ply, 1,000 sheets
- TS1639S Tork Universal, 1 Ply, 1,000 sheets
- 240123 Tork Universal, 1 Ply, 1,232 sheets
- 240616 Tork Universal, 2-Ply, 616 sheets

Dispenser Specifications:

Dispenser Size	Outer Case Size	SCC Code	Case Weight	Case Cube	Pallet Configuration (ti x hi)
12.75" x 5.75" x 8.25"	12.75 x 6.75 x 8.75	10073286622447	2.19	0.36	21 x 9 = 189 units

Spare Parts



Part Description	Replacement SKU
LOCK FINGERS	LOCKINSERT
LEFT MANDREL	
RIGHT MANDREL	
ACCESS DOOR	
59TR HOOD	59TR HOOD
SCA #14 DISP KEY	#14 KEY



Part Description with Replacement Instructions (for 59TR)

Parts with SKUs listed are available for order as of the revision date on the manual. Contact an Essity Sales Rep or the Essity Quality Coordinator to order these parts.

If no SKU is listed, the availability of the part is unknown. Please contact the Essity Quality Coordinator for more information (see Contacting Essity section).

Replacement SKU Description & Replacement Instructions

LOCKINSERT	<p>LOCK FINGERS Unmounting the dispenser is required to remove the lock fingers. Locate the tabs that secure the lock fingers on the back of the dispenser. Bend the tabs to a position in which the fingers can be removed.</p>
	<p>LEFT MANDREL Supports the left bath tissue roll. Not replaceable.</p>
	<p>RIGHT MANDREL Supports the right bath tissue roll. Not replaceable.</p>
	<p>59TR HOOD To remove, align long pivot on back with long hole on cover. Press cover outward, door will come off pivot.</p>
	<p>ACCESS DOOR The access door on the 59TR is part of the backplate assembly. When the left tissue roll completely dispenses, the access door unlocks and the user can slide the door (which locks into place) to access to the right bath tissue roll. Not replaceable.</p>
#14 KEY	#14 DISP KEY

INSTALLATION INSTRUCTIONS

The user is responsible for the proper installation and use of this dispenser. **NOTE:** Hardware is not included with your product.

Equipment needed:


- Measuring tape
- Level
- Drill
- Drill bit suitable for appropriate wall mounting hardware.
- Screwdriver
- Pencil
- Eye protection
- Assemble appropriate fasteners (screws, bolts, anchors, washers, etc.) for mounting.

1. Determine position on wall/surface with unit open. Through the holes at the back of the unit, use pencil to mark the spots where the drilling will be necessary. Try to mark spots as close as possible to the outer edges.
2. Drill the marked spots on the wall/surface with drill bit.
3. Complete the installation. Be sure to use fasteners (and anchors) in all mounting holes that are appropriate for the wall/surface to which the dispenser will be mounted. Use hardware included with the unit if it was factory supplied. The installation should be done with a flat washer between the head of the fastener and the inside back of the dispenser.

Mounting height

The lower part of the dispenser should be 27.5 inches 70 cm from the floor.

27.5 inches
70 cm



59TR

59TR Loading Instructions

1. To fill dispenser after mounting: Insert key in slot on top of unit and push down. Cover will open forward. Insert right roll of tissue. Ensure access door covers right side roll. Insert left roll of tissue. Full roll of tissue will hold access door in place. Close cover.
2. When left roll is empty, slide access door in direction of arrow to access the right tissue roll.
3. To replenish rolls: Open cover. If there is still paper on the right roll, slide access door to the right side. Relocate partial roll to left side. Place new roll on right mandrel. Close cover.

Preventive Maintenance

The 59TR should be cleaned any time there is heavy paper dust build-up inside the dispenser. If paper dust is not a problem, approximately every year is a good frequency for cleanings. The following is the recommended procedure to cleaning:

- 1) Open the dispenser and remove the rolls of paper.
- 2) Clean out any paper dust. This can be done in several ways, such as, vacuuming, blowing out with a can of compressed air (wear safety glasses), wiping out with a damp cloth, etc.
- 3) Clean the cover with a general all-purpose cleaner that is safe for plastics.

Troubleshooting


Problem: Any paper-related problem.

- Take note of the date code on the outside of the case of paper product. Then contact the Essity Quality Coordinator and explain the problem.

Problem: Any other problem not stated above.

- Contact the SCA Tissue Quality Coordinator.

Product Code Date Location: Open dispenser, take out any paper. Look on back wall of dispenser for circles (like shown on the right) molded into unit. The circle on the right shows an arrow pointing to the month, with the year in the center of circle. The left circle shows the day of month. Some dispensers may not have the day circle, but should have the month and year circle.



Contacting Essity

To contact the Essity Quality Coordinator, dial 1-866-722-8675 and press option 6. If asked for the date code on the dispenser, see instructions above.

