


56935

Lid for Bucket 5692, 5.28 Gallon(s), White



Lid for bucket 5692x. Useful for preventing spills and contamination. Features a special stacking rim.

Technical Data

Item Number	56935
Material	Polypropylene
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA-compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	560 Pcs.
Quantity Per Layer (Pallet)	30 Pcs.
Length	16.9 "
Width	14.8 "
Height	1.6 "
Net Weight	0.8818 lbs
Tare Cardboard	0.15 lbs
Tare Total	0.15 lbs
Gross Weight	1.0362 lbs
Cubic Feet	0.2279 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	212 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	248 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Recycling Symbol "5", Polypropylene (PP)	Yes
GTIN-12 Number	5705020569357
GTIN-12 Number (Box quantity)	15705020569354
Customs Tariff No.	39241000
Country of Origin	Denmark
Content Gallon	5.28 Gallon(s)

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.