

704777

High-Low Brush, 10.4", Medium, Lime



Effectively clean and scrub floor-wall junctions and under machines and equipment with this High-Low Brush, featuring an angled thread that lets you use the brush with the handle positioned parallel to the floor. Also ideal for cleaning drains and gulleys.

Technical Data

Item Number	704777
Visible bristle length	1.6 "
Material	Polypropylene Polyester Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA-compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Design Registration No.	EU 002533729-1-5, GB 90025337290001-5
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	320 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Length	10.4 "
Width	5.9 "
Height	3.9 "
Net Weight	1.1023 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.02 lbs
Tare Cardboard	0.12 lbs
Tare Total	0.13 lbs
Gross Weight	1.2346 lbs
Cubic Feet	0.1405 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022014640
GTIN-14 Number (Box quantity)	15705028014672

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.