

Vulcan CHEF'sCombi:Vulcan Model ART # = **BOLD**

s = Standard

o = Option

_ = not available

Shaded in Dark Gray - Not used by Vulcan at this time



= not available Shaded in Dark Gray - Not used by Vulcan at this time				61 = 6 levels Half Size 1/1	62 = 6 levels Full Size 2/1	101 = 10 levels Half Size 1/1	102 = 10 levels Full Size 2/1	
ELECTRIC Units - CHEF'sCombi				CHEF-61E	CHEF-62E	CHEF-101E	CHEF-102E	
Connected load : Power (kW) / Imax (A)								
Vulcan (North America)		3AC 208V	s	10.5 kW/ 31.6 A	21.6 kW/ 63.0 A	18.2 kW/ 53.0 A	35.9 kW/ 101.8 A	
		3AC 240V	o	11.4 kW/ 29.9 A	23.5 kW/ 59.5 A	19.8 kW/ 50.1 A	39.0 kW/ 96.1 A	
		3AC 480V	o	10.7 kW/ 15.4 A	21.6 kW/ 29.0 A	18.4 kW/ 24.7 A	35.9 kW/ 45.8 A	
Weight lbs. (kg)				309 lbs (140kg)	375 lbs. (170kg)	342 lbs. (155kg)	419 lbs (190kg)	
GAS Units - CHEF'sCombi				CHEF-61G	CHEF-61G	CHEF-101G	CHEF-102G	
Connected load : BTU				Natural Gas BTU	51,182 BTU	85,303 BTU	102,364 BTU	143,310 BTU
Vulcan (North America) - Elec Power (kW) / Imax (A)		NatGas /1AC 115V**	s	0.6 kW / 5.8 A	0.6 kW / 5.8 A	0.6 kW / 5.8 A	0.6 kW / 5.8 A	
		** Nat Gas A, switchable on site to Gas E / delivered with a 8 feet cable with plug NEMA 5-15P, switchable to 208/240V 1NAC (cable has to be changed on site with a 8 feet cable with plug NEMA 6-15P)						
Weight lbs. (kg)				397 lbs. (180kg)	483 lbs. (219kg)	441 lbs. (200kg)	540 lbs. (245kg)	

Meals per service		30/100	60/200	80/150	150/300
Capacity	Levels & Pans	6 GN1/1 - Half size 12x20"	6 GN2/1 - Full size 18x26" or 12x20"	10 GN1/1 - Half size 12x20"	10 GN2/1 - Full size 18x26" or 12x20"
	Pitch " (mm)	3.27" (83mm)	3.27" (83mm)	2.64" (67mm)	2.64" (67mm)
Width " (mm) x Depth " (mm)		33.54"(852mm) x 32.52"(826mm)	41.02"(1042mm) x 38.43"(976mm)	33.54"(852mm) x 32.52"(826mm)	41.02"(1042mm) x 38.43"(976mm)
Height "(mm): Unit Alone / Unit on Stand (Vent Included)		35.35"(898mm) / 69.57"(1767mm)	35.35"(898mm) / 69.57"(1767mm)	42.32"(1075mm) / 69.57"(1767mm)	42.32"(1075mm) / 69.57"(1767mm)

Basic units and setup variations					
Reversed door - Left Hinges	Option	Vulcan Model # adds letter "L" example "CHEF-102E-208-L"			
Double Door Latch (Safety door lock)	KIT	CHEF-DLATCH			
Grease Removal System (auto Grease collection)	Option	Vulcan Model # adds letters "GR" example "CHEF-102E-208-GR"			
Condensation Hood (for single or stacked ELEC oven)	KIT	CHEF-HOOD1	CHEF-HOOD2	CHEF-HOOD1	CHEF-HOOD2
Carbon Filter (Fumes) for Condensation Hood	KIT (add on)	CHEF-HOODCF1	CHEF-HOODCF2	CHEF-HOODCF1	CHEF-HOODCF2



		61 = 6 levels Half Size 1/1	62 = 6 levels Full Size 2/1	101 = 10 levels Half Size 1/1	102 = 10 levels Full Size 2/1
HEPA Filter (Smells) for Condensation Hood	KIT (add on)	CHEF-HOODHEPA1	CHEF-HOODHEPA2	CHEF-HOODHEPA1	CHEF-HOODHEPA2
Connection Kit on external energy management device	KIT	Not a Vulcan item			
Banqueting / Mobile rack run-in Rail for 61 / 101	KIT	Item # for 61 / 101	Item # for 62 / 102	Item # for 61 / 101	Item # for 62 / 102
Marine Option (For single Elec oven)	Option	TBD (Option #1)			

Equipment / Options					
FastPADIII Smart Interface 10" high quality / reactivity		S	S	S	S
Multilevels cooking, 170 Protocols, Wizzard		S	S	S	S
Ethernet interface (for LAN wire connection)		S	S	S	S
WiFi module (Standard Dongle to plug)		CHEF-WIFI			
Boiler (Steam Generator)		S	S	S	S
Permanent Core Food Probe		S	S	S	S
USB Interface		S	S	S	S
Automatic Cleaning		S	S	S	S
Automatic Descaling		S	S	S	S
Extractable Hand-Shower		S	S	S	S

KITS & ACCESSORIES , designed for		61	62	101	102
Stand for 6 and 10 levels		CHEF-STAND61	CHEF-STAND62	CHEF-STAND101	CHEF-STAND102
Mobile kit for stands 6 & 10 levels		CHEF-CAST1	CHEF-CAST2	CHEF-CAST1	CHEF-CAST2
Door kit for stands 6 & 10 levels Includes Left Door + Left Side (to close as a technical compartment)		CHEF-DOOR61	CHEF-DOOR62	CHEF-DOOR101	CHEF-DOOR102
Floor Anchoring kit for Stands		CHEF-FLKIT			
Anti slip Hyginic Feet Extension 1"(26mm) for countertop installation (set of 4). (Also part of Stacking Kits)		CHEF-ANTISLIP			





61 = 6 levels
Half Size 1/1




62 = 6 levels
Full Size 2/1

101 = 10 levels
Half Size 1/1



102 = 10 levels
Full Size 2/1

Reversed door - Left Hinges (factory built)		Vulcan Model # adds letter "L" example "CHEF-102E-208-L"			
Safety door lock (field installation)		CHEF-DLATCH			
Low product 8 levels for 6 level unit w/pitch 2.44" High product 8 levels for 10 level unit w/ pitch 3.27"		CHEF-8GUIDE61	CHEF-8GUIDE62	CHEF-8GUIDE101	CHEF-8GUIDE102
Condensation Hood (for single or stacked ELEC oven)		CHEF-HOOD1	CHEF-HOOD2	CHEF-HOOD1	CHEF-HOOD2
Carbon Filter (Fumes) for Condensation Hood (Additional Kit)		CHEF-HOODCF1	CHEF-HOODCF2	CHEF-HOODCF1	CHEF-HOODCF2
HEPA Filter (Smells) for Condensation Hood (Additional Kit on top of condensation hood)		CHEF-HOODHEPA1	CHEF-HOODHEPA2	CHEF-HOODHEPA1	CHEF-HOODHEPA2
Connection Kit for external Venting of condensation - Diam 7.87"x118.11"(200mm x 3m)		CHEF-CVENTKIT			
USB Core Probe 3pts - Diameter .13" (3.2 mm)		CHEF-USBPROBE			
USB "Sous vide" Core Probe 1pt Diameter .10"(2.5mm)		CHEF-SVPROBE			
Grease collection Option for Oven (Includes the pump and circuit for Grease separation)		Vulcan Model # adds letters "GR" example "CHEF-102E-208-GR"			



		61 = 6 levels Half Size 1/1	62 = 6 levels Full Size 2/1	101 = 10 levels Half Size 1/1	102 = 10 levels Full Size 2/1
Grease collection : Stand for Grease collection trolley Includes right door + right side		CHEF-STAND1GR	CHEF-STAND2GR	CHEF-STAND1GR	CHEF-STAND2GR
Grease collection : Trolley for two containers (not included)		CHEF-GRT			
Grease collection: Container extension Kit for stand 6 levels (position the Grease container at the right position in high stands)		Not a Vulcan item	Not a Vulcan item	—	—
Grease collection : Grease container 10L		Not a Vulcan item			
Grease collection : Grease container 20L		CHEF-GR20L			
Grease Collection : Manual kit		CHEF-GPAN1	CHEF-GPAN2	CHEF-GPAN1	CHEF-GPAN2
Banqueting / Mobile rack run-in Rail for 6/ 10 (Includes docking parts for the stand)		CHEF-INSERTKIT1	CHEF-INSERTKIT2	CHEF-INSERTKIT1	CHEF-INSERTKIT2
Mobile rack for GN accessories		CHEF-INSERT61	CHEF-INSERT62	CHEF-INSERT101	CHEF-INSERT102
Banqueting Table for Mobile Racks 6 & 10 levels		CHEF-INSCART61	CHEF-INSCART62	CHEF-INSCART101	CHEF-INSCART102
Mobile Plate racks		CHEF-PLATE61 Item # 61 (~20 plates)	CHEF-PLATE62 Item # 62 (~34 plates)	CHEF-PLATE101 Item # 101 (~32 plates)	CHEF-PLATE102 Item # 102 (~52 plates)



		61 = 6 levels Half Size 1/1	62 = 6 levels Full Size 2/1	101 = 10 levels Half Size 1/1	102 = 10 levels Full Size 2/1
Blankets for Mobile Plate Racks		CHEF-BLANKET61	CHEF-BLANKET62	CHEF-BLANKET101	CHEF-BLANKET102
Steam deflector		CHEF-DVENT1	CHEF-DVENT2	CHEF-DVENT1	CHEF-DVENT2
Wifi dongle		CHEF-WIFI			
Chef'sCombi Cleaner Tabs (Bucket 120 Tabs)		CHEF-TAB			
Chef'sCombi Care Sticks (Bucket 100 Sticks)		CHEF-STICK			
Eggs tray 8 holes		EGGTRAY			
Tray granite enameled depth 40mm		ENAMEL40			
Tray granite enameled depth 60mm		ENAMEL60			
Pizza and baking tray		PIZZATRAY			
Cross grill & pizza DURAQUARZ coated reversible		GRILL-PIZZATRAY			
Baking and grill tray diamond shape		DIAMONDGRILL			
Perforated baking tray		PERFTRAY1.1			
Perforated baking tray		PERFTRAY2.1			
Roasting and baking tray		ROAST-BAKETRAY			
8 Chicken Rack		CHICKRACK8			
Ribs rack		RIBRACK			
Frying baskets coated with DURAPEK		FRYBASKET			

Vulcan CHEF'sCombi: Stacking

Choices to Make:

o = Option
s = Standard
_ = not available

Upper Combi

Stacking Kit






Lower Combi

Stacking
Support



61/61E 61/101E	62/62E 62/102E	61/61G 61/101G	62/62G 62/102G
---------------------------------	---------------------------------	---------------------------------	---------------------------------

Meals per service		6 on 6 = 60/200 6 on 10 = 110/250	6 on 6 = 120/400 6 on 10 = 210/500	6 on 6 = 60/200 6 on 10 = 110/250	6 on 6 = 120/400 6 on 10 = 210/500
Capacity	Levels	6 GN1/1 - Half size	6 GN2/1 - Full size	10 GN1/1 - Half size	10 GN2/1 - Full size
Total Height (mm) : Stacked 6 on 6	Stand 6"(150mm) Fix or Mobile	71.93"(1827mm)	71.93"(1827mm)	73.9"(1877mm)	73.9"(1877mm)
	Stand 10"(250mm) (High drain)	75.87"(1927mm)	75.87"(1927mm)	77.83"(1977mm)	77.83"(1977mm)
Total Height (mm) : Stacked 6 on 10	Stand 6"(150mm) Fix or Mobile	78.9"(2004mm)	78.9"(2004mm)	80.87"(2054mm)	80.87"(2054mm)
	Stand 10"(250mm) (High drain)	82.83"(2104mm)	82.83"(2104mm)	84.8"(2154mm)	84.8"(2154mm)






		61/61E 61/101E	62/62E 62/102E	61/61G 61/101G	62/62G 62/102G	
STACKING KITS	Stacking Kit for combis : Elec : Includes Specific reinforced Top for lower oven, Chimney to pass thru upper oven, drain to pass thru lower oven, Anti Slip & Hygienic Extension Kit (26mm), Structure reinforcement for Full Sizes + additional protection against Steam/water penetration. Gas : Same list (but lower top is 50mm high to cover Gas Chimneys) + Back Gas Chimneys for lower oven.	Lower oven with standard right hinges	CHEF-STACK1E	CHEF-STACK2E	CHEF-STACK1G	CHEF-STACK2G
		Lower oven with reversed door/ left hinges	CHEF-STACK1EL	CHEF-STACK2EL	CHEF-STACK1GL	CHEF-STACK2GL
STACKING SUPPORTS	Stand 6"(150mm) for Stacked ovens (Recommanded)		CHEF-6NLEG1	CHEF-6NLEG2	CHEF-6NLEG1	CHEF-6NLEG2
	Stand 10"(250mm) for stacked ovens (Easier Drain connection)		CHEF-10NLEG1	CHEF-10NLEG2	CHEF-10NLEG1	CHEF-10NLEG2
	Mobile Stand 6"(150mm) for Stacked ovens		CHEF-6NCAST1	CHEF-6NCAST2	CHEF-6NCAST1	CHEF-6NCAST2
	HOODS	Condensation Hood (for single or stacked ELEC oven)		CHEF-HOOD1	CHEF-HOOD2	–
Carbon Filter (Fumes) for Condensation Hood (Additional Kit)			CHEF-HOODCF1	CHEF-HOODCF2	–	–
HEPA Filter (Smells) for Condensation Hood (Additional Kit on top of condensation hood)			CHEF-HOODHEPA1	CHEF-HOODHEPA2	–	–
Diam 200mm x 3m Connexion Hose Kit for Condensation Hood			CHEF-CVENTKIT		–	–
GREASE COLLECTION	Grease collection Option for UPPER oven (Includes the pump and circuit for Grease separation)		Code to be defined			
	Grease collection Option for LOWER oven (Includes pump/circuit for Grease separation to upper oven)		Code to be defined			
	Grease collection : Trolley for two barels Don't include the barels.		CHEF-GRT			
	Grease collection : Grease container 10L		NA			
	Grease collection : Grease container 20L		CHEF-GR20L			

Vulcan CHEF'sCombi: Dimensional Data

Machine Info	SINGLE COMBIS (not Stacked)								
	61 & 62 (E & G)					101 & 102 (E & G)			
	Single (6 level)	On Table (+ Anti Slipping Kit)	Tall Stand (6 level)	Tall Stand w/Casters	Low Stand w/Casters	Single (10 level)	On Table (+ Anti Slipping Kit)	Low Stand (10 level)	Low Stand w/Casters
Pitch - space between each level (")	3.27	3.27	3.27	3.27	3.27	2.64	2.64	2.64	2.64
Highest Level Height - top rack (")	27.13	28.15	61.34	66.14	59.13	34.53	35.55	61.73	66.54
Drain Height (")	2.13	3.15	36.14	40.94	33.94	2.13	3.15	29.13	33.94
Feet/ Stand / Mobile stand height (")	3.94	4.96	38.15	42.95	35.94	3.94	4.96	31.14	35.94
Total Height (with Chimneys) (")	35.35	36.38	69.57	74.37	67.36	42.32	43.35	69.57	74.37
Total Height (body without chimney) (")	33.58	33.58	67.80	72.60	65.59	40.55	40.55	67.80	72.60
Total Height with Condensation Hood (")	44.80	45.83	79.02	83.82	76.81	51.77	52.80	79.02	83.82
Total Height with Hood & HEPA filter (")	50.31	51.34	84.53	89.33	82.32	57.28	58.31	84.53	89.33

Foot Print (Width & Depth)	61 & 101 Units	62 & 102 Units
Width	33.54" (852mm)	41.02" (1042mm)
Depth	32.52" (826mm)	38.43" (976mm)

		mm	Inch
Condensation Hood	Additional Height	285	11.22"
Premium Hood (with HEPA Filter kit)	Additional Height	425	16.73"
Mobile Kit	Additional Height	122	4.8"
NSF Extensions Anti-Slipping kit	Additional Height	26	1.02"

STACKED COMBIS							
61/101 & 62/102				61/61 & 62/62			
Stack Stand 6"(150mm) Leg or Caster		Stack Stand 10"(250mm) Leg for higher distance from ground (Drain)		Stack Stand 6"(150mm) Leg or Caster		Stack Stand 10"(250mm) Leg for higher distance from ground (Drain)	
Elec	Gas	Elec	Gas	Elec	Gas	Elec	Gas
							
3.27 / 2.64		3.27 / 2.64		3.27 / 3.27		3.27 / 3.27	
70.75	72.72	74.69	76.65	63.74	65.71	67.68	69.65
4.06	4.06	4.06	4.06	4.06	4.06	7.99	7.99
5.91	5.91	9.84	9.84	5.91	5.91	9.84	9.84
78.90	80.87	82.83	84.80	71.93	73.90	75.87	77.83
77.13	79.09	81.06	83.03	70.16	72.13	74.09	76.06
88.35	90.31	92.28	94.25	81.38	83.35	85.31	87.28
93.86	95.83	97.80	99.76	86.89	88.86	90.83	92.80

Foot Print	61 & 101 Electric	62 & 102 Electric	61 & 101 Gas	62 & 102 Gas
Width	33.54" (852mm)	41.02" (1042mm)	33.54" (852mm)	41.02" (1042mm)
Depth	32.52" (826mm)	38.43" (976mm)	35.67" (906mm)	41.57" (1056mm)

			mm	Inch
Stacked Gas Combis	Additional Height vs Elec		50	1.97"
Stacked Gas Combis	Additional Depth vs Elec		80	3.15"

Note: External chimneys on back of gas stacked units