## LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of ce	ll / battery						
2. Manufacturer of cell / battery							
Name							
Address							
Phone							
Email							
Website							
3. Test laborat	ory of cell / baltery						
Name							
Address							
Phone							
Email							
Website							
4. ID-number and date							
Unique test report identification number Date of tes			Date of test report				
DESCRIPTION OF CELL / BATTERY							
5. Mark the ty	pe of cell/battery with an '	"•"					
Lithium	Lithium ion cell			Lithiu	Lithium metal cell		
Lithium ion battery			Lithium r	Lithium metal battery			
Lithium	hybrid battery						
6. Parameters	3			Cell	Batte	ery	
Mass in gram (	g):						
Lithium ion: Indicate watt-hour rating (Wh):							
Lithium metal: Indicate lithium metal content in gram (g):							
<b>Lithium hybrid:</b> Indicate lithium metal content in gram (g) and watt-hour rating (Wh):						g \\/b	



## LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery	(taken from field 1)

7. Physical description of cell / battery					
8. Model numbers					
FECTO AND DECLUTO					
TESTS AND RESULTS					
9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail		
T1 - Altitude simulation					
T2 - Thermal Test					
T3 - Vibration					
T4 - Shock					
T5 - External Short Circuit					
T6 - Impact / Crush					
T7 - Overcharge					
T8 - Forced Discharge					
10. Reference to assembled battery testing requirements					
			N/A		
11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto					

# LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery	(taken from field 1)

### ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?		YES	NO	
13. Are the following parameters exceeded?  Lithium ion cell: more than 20 Wh  Lithium ion battery: more than 100 Wh  Lithium metal cell: more than 1 g Lithium  Lithium metal battery: more than 2 g Lithium  Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh		YES	NO	
Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?			NO	
<b>15.</b> Is each cell / battery equipped with an effective means of preventing external short circuits?		YES	NO	
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?		YES	NO	
<ol> <li>Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries</li> </ol>				
State of Charge (SoC) max. 30 %		YES	NO	

#### CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:										
18.a) Only button cells enclosed?						YES	NO			
18.b) Number	of enclosed	cells (other than button cells)/batte	eries per equip	ment						
	Enclosed cells per equipment			Enclosed batteries per equipment						
When the equipment is intentionally active/switched on during transport e.g. data loggers:										
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment				YES	NO					
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160					YES	NO				
19. Place, Da	ite	20. Title, Surname, First name		21. Company stamp and signature						