


Clean Dishtables

see spec sheets **EG50.00** **EG50.01**



clean dishtable straight design
— right-hand model with optional undershelf

clean dishtable corner design
— left-hand model

SPEC-MASTER®
FEATURES:

- 14/304 dishtables.
- Stainless steel crossbraced legs.
- Stainless steel gussets and stainless steel feet.

FEATURES:

- 30" (762mm) width.
- Polished stainless steel work surface.
- 20 1/2" (521mm) opening to accept dishwasher.
- Crossbraced legs.
- Rolled edges.
- 8" (203mm) backsplash.
- Left or right operation.
- L or R in model numbers indicate left- or right-hand models.

Note: For accessories, see pages 328-329.

(•) MTS (made to stock) / () MTO (made to order)

Straight Design **EG50.00**

length in. mm	weight lb. kg	cu ft	16 gauge type 430 model #	16 gauge type 304 model #	14 gauge type 304 model #
24" 610	36 16.3	8.3	CDTL-24-16/4 •	CDTL-24-16/3 •	CDTL-24-14/3
24" 610	36 16.3	8.3	CDTR-24-16/4 •	CDTR-24-16/3 •	CDTR-24-14/3
30" 762	42 19.1	10.1	CDTL-30-16/4	CDTL-30-16/3 •	CDTL-30-14/3
30" 762	42 19.1	10.1	CDTR-30-16/4	CDTR-30-16/3 •	CDTR-30-14/3 •
36" 914	49 22.2	12.4	CDTL-36-16/4 •	CDTL-36-16/3 •	CDTL-36-14/3
36" 914	49 22.2	12.4	CDTR-36-16/4 •	CDTR-36-16/3 •	CDTR-36-14/3
48" 1219	63 28.6	15.3	CDTL-48-16/4 •	CDTL-48-16/3 •	CDTL-48-14/3
48" 1219	63 28.6	15.3	CDTR-48-16/4 •	CDTR-48-16/3 •	CDTR-48-14/3 •
60" 1524	77 34.9	18.9	CDTL-60-16/4 •	CDTL-60-16/3 •	CDTL-60-14/3
60" 1524	77 34.9	18.9	CDTR-60-16/4 •	CDTR-60-16/3 •	CDTR-60-14/3
72" 1829	91 41.3	22.4	CDTL-72-16/4	CDTL-72-16/3 •	CDTL-72-14/3
72" 1829	91 41.3	22.4	CDTR-72-16/4	CDTR-72-16/3 •	CDTR-72-14/3
84" 2134	105 47.6	25.9	CDTL-84-16/4	CDTL-84-16/3	CDTL-84-14/3
84" 2134	105 47.6	25.9	CDTR-84-16/4	CDTR-84-16/3	CDTR-84-14/3
96" 2438	119 54.0	29.4	CDTL-96-16/4	CDTL-96-16/3	CDTL-96-14/3
96" 2438	119 54.0	29.4	CDTR-96-16/4	CDTR-96-16/3	CDTR-96-14/3
108" 2743	134 60.8	32.7	CDTL-108-16/4	CDTL-108-16/3	CDTL-108-14/3
108" 2743	134 60.8	32.7	CDTR-108-16/4	CDTR-108-16/3	CDTR-108-14/3
120" 3048	147 66.7	33.2	CDTL-120-16/4	CDTL-120-16/3	CDTL-120-14/3
120" 3048	147 66.7	33.2	CDTR-120-16/4	CDTR-120-16/3	CDTR-120-14/3

Stainless Steel Options

Consult factory for pricing.

description	add suffix #
stainless steel legs	-SL
stainless steel legs and gussets	-SLG
stainless steel legs, gussets, and feet	-SLGF

Corner Design **EG50.01**

length in. mm	weight lb. kg	cu ft	16 gauge type 430 model #	16 gauge type 304 model #	14 gauge type 304 model #
48" 1219	120 54.4	29.8	CDTCL-48-16/4	CDTCL-48-16/3	CDTCL-48-14/3
48" 1219	120 54.4	29.8	CDTCR-48-16/4	CDTCR-48-16/3	CDTCR-48-14/3
60" 1524	130 59.0	36.8	CDTCL-60-16/4	CDTCL-60-16/3	CDTCL-60-14/3
60" 1524	130 59.0	36.8	CDTCR-60-16/4	CDTCR-60-16/3	CDTCR-60-14/3
72" 1829	140 63.5	43.8	CDTCL-72-16/4	CDTCL-72-16/3	CDTCL-72-14/3
72" 1829	140 63.5	43.8	CDTCR-72-16/4	CDTCR-72-16/3	CDTCR-72-14/3
84" 2134	150 68.0	50.8	CDTCL-84-16/4	CDTCL-84-16/3	CDTCL-84-14/3
84" 2134	150 68.0	50.8	CDTCR-84-16/4	CDTCR-84-16/3	CDTCR-84-14/3
96" 2438	160 72.6	57.8	CDTCL-96-16/4	CDTCL-96-16/3	CDTCL-96-14/3
96" 2438	160 72.6	57.8	CDTCR-96-16/4	CDTCR-96-16/3	CDTCR-96-14/3
108" 2754	170 77.1	64.8	CDTCL-108-16/4	CDTCL-108-16/3	CDTCL-108-14/3
108" 2754	170 77.1	64.8	CDTCR-108-16/4	CDTCR-108-16/3	CDTCR-108-14/3
120" 3048	180 81.6	73.8	CDTCL-120-16/4	CDTCL-120-16/3	CDTCL-120-14/3
120" 3048	180 81.6	73.8	CDTCR-120-16/4	CDTCR-120-16/3	CDTCR-120-14/3

Stainless Steel Options

Consult factory for pricing.

description	add suffix #
stainless steel legs	-SL
stainless steel legs and gussets	-SLG
stainless steel legs, gussets, and feet	-SLGF

Catalog Section 50

Clean Dishtables - Island Design

see spec sheet **EG50.08**



clean dishtable island design
— right-hand model

SPEC-MASTER®

FEATURES:

- 14/304 dishtables.
- Stainless steel crossbraced legs.
- Stainless steel gussets and stainless steel feet.

FEATURES:

- 30" (762mm) width.
- Polished stainless steel work surface.
- 20½" (521mm) opening to accept dishwasher.
- Crossbraced legs.
- Rolled edges.
- 8" (203mm) backsplash.
- Left or right operation.
- L or R in model numbers indicate left- or right-hand models.

Note: For accessories, see pages 328-329.

length		weight		cu	16 gauge type 430	16 gauge type 304	14 gauge type 304
in.	mm	lb.	kg	ft	model #	model #	model #
48"	1219	118	53.5	29.8	CDTCIL-48-16/4	CDTCIL-48-16/3	CDTCIL-48-14/3
48"	1219	118	53.5	29.8	CDTCIR-48-16/4	CDTCIR-48-16/3	CDTCIR-48-14/3
60"	1524	128	58.1	36.8	CDTCIL-60-16/4	CDTCIL-60-16/3	CDTCIL-60-14/3
60"	1524	128	58.1	36.8	CDTCIR-60-16/4	CDTCIR-60-16/3	CDTCIR-60-14/3
72"	1829	138	62.6	43.0	CDTCIL-72-16/4	CDTCIL-72-16/3	CDTCIL-72-14/3
72"	1829	138	62.6	43.0	CDTCIR-72-16/4	CDTCIR-72-16/3	CDTCIR-72-14/3
96"	2438	157	71.2	57.0	CDTCIL-96-16/4	CDTCIL-96-16/3	CDTCIL-96-14/3
96"	2438	157	71.2	57.0	CDTCIR-96-16/4	CDTCIR-96-16/3	CDTCIR-96-14/3
108"	2743	172	78.0	64.0	CDTCIL-108-16/4	CDTCIL-108-16/3	CDTCIL-108-14/3
108"	2743	172	78.0	64.0	CDTCIR-108-16/4	CDTCIR-108-16/3	CDTCIR-108-14/3
120"	3048	184	83.4	71.0	CDTCIL-120-16/4	CDTCIL-120-16/3	CDTCIL-120-14/3
120"	3048	184	83.4	71.0	CDTCIR-120-16/4	CDTCIR-120-16/3	CDTCIR-120-14/3

Stainless Steel Options

Consult factory for pricing.

description	add suffix #
stainless steel legs	-SL
stainless steel legs and gussets	-SLG
stainless steel legs, gussets, and feet	-SLGF

Dishtable Package Special

see spec sheet **EG50.13**

Clean dishtable and soiled dishtable, both 48" (1219mm) 16 gauge 304 stainless steel.
Rubber scrap block; prerinse faucet #300718; prerinse basket & slide bar; and 42" (1067mm)
KD tubular rack shelf. (Dishwasher not included.)

model #
DTC-48LR-16/3
DTC-48RL-16/3

Note: DTC-48RL-16/3 does not
come with scrap block.



#DTC-48LR-16/3 left-to-right operation shown

Soiled Dishtables - Straight Design

see spec sheet **EG50.02**



soiled dishtable straight design
— left-hand model with optional accessories

SPEC-MASTER®

FEATURES:

- 14/304 dishtables.
- Stainless steel crossbraced legs.
- Stainless steel gussets and stainless steel feet.

FEATURES:

- 30" (762mm) width.
- Polished stainless steel work surface.
- 20½" (521mm) opening to accept dishwasher.
- Crossbraced legs.
- Rolled edges.
- 8" (203mm) backsplash.
- Pre-rinse sink, and left or right operation.
- L or R in model numbers indicate left- or right-hand models.
- Scrap block hole and rubber scrap block are included on all models except 30", 36" L and R, and 48" R*.

Note: For accessories, see pages 328-329.

(•) MTS (made to stock) / () MTO (made to order)

length		weight		cu	16 gauge type 430	16 gauge type 304	14 gauge type 304
in.	mm	lb.	kg	ft	model #	model #	model #
30"	762	42	19.1	10.1	SDTL-30-16/4	SDTL-30-16/3	SDTL-30-14/3
30"	762	42	19.1	10.1	SDTR-30-16/4	SDTR-30-16/3	SDTR-30-14/3
36"	914	49	22.2	12.4	SDTL-36-16/4 •	SDTL-36-16/3 •	SDTL-36-14/3
36"	914	49	22.2	12.4	SDTR-36-16/4 •	SDTR-36-16/3	SDTR-36-14/3
48"	1219	63	28.6	15.3	SDTL-48-16/4 *•	SDTL-48-16/3 *•	SDTL-48-14/3 *
48"	1219	63	28.6	15.3	SDTR-48-16/4 •	SDTR-48-16/3 •	SDTR-48-14/3
60"	1524	77	34.9	18.9	SDTL-60-16/4 *•	SDTL-60-16/3 *•	SDTL-60-14/3 *
60"	1524	77	34.9	18.9	SDTR-60-16/4 *•	SDTR-60-16/3 *•	SDTR-60-14/3 *
72"	1829	91	41.3	22.4	SDTL-72-16/4 *	SDTL-72-16/3 *•	SDTL-72-14/3 *
72"	1829	91	41.3	22.4	SDTR-72-16/4 *	SDTR-72-16/3 *•	SDTR-72-14/3 *
84"	2134	105	47.6	25.9	SDTL-84-16/4 *	SDTL-84-16/3 *	SDTL-84-14/3 *
84"	2134	105	47.6	25.9	SDTR-84-16/4 *	SDTR-84-16/3 *	SDTR-84-14/3 *
96"	2438	119	54.0	29.6	SDTL-96-16/4 *	SDTL-96-16/3 *	SDTL-96-14/3 *
96"	2438	119	54.0	29.6	SDTR-96-16/4 *	SDTR-96-16/3 *	SDTR-96-14/3 *
108"	2743	129	58.5	30.3	SDTL-108-16/4 *	SDTL-108-16/3 *	SDTL-108-14/3 *
108"	2743	129	58.5	30.3	SDTR-108-16/4 *	SDTR-108-16/3 *	SDTR-108-14/3 *
120"	3048	147	66.7	33.6	SDTL-120-16/4 *	SDTL-120-16/3 *	SDTL-120-14/3 *
120"	3048	147	66.7	33.6	SDTR-120-16/4 *	SDTR-120-16/3 *	SDTR-120-14/3 *

* Scrap block provided with these models. To order without scrap block, add suffix "-NSB" to model number. **Example:** SDTL-48-16/3-NSB. Consult factory for pricing.

Stainless Steel Options for 16 Gauge Soiled Dishtables

Consult factory for pricing.

description	add suffix # *
stainless steel legs	-SL
stainless steel legs and gussets	-SLG
stainless steel legs, gussets, and feet	-SLGF

* Example: SDTL-30-16/4-SL

Soiled Dishtable Kit

see spec sheet **EG50.07**


For all soiled dishtables listed above.

- Scrap basket.
- Rack slide.
- T&S pre-rinse faucet #313295.

Add suffix "-SRP" to model #. **Example:** SDTL-30-16/4-SRP
Consult factory for pricing.

Soiled Dishtables - Corner Design

see spec sheet **EG50.03**



soiled dishtable corner design
— right-hand model with optional accessories

SPEC-MASTER®
FEATURES:

- 14/304 dishtables.
- Stainless steel crossbraced legs.
- Stainless steel gussets and stainless steel feet.

FEATURES:

- 30" (762mm) width.
- Polished stainless steel work surface.
- 20½" (521mm) opening to accept dishwasher.
- Crossbraced legs.
- Rolled edges.
- 8" (203mm) backsplash.
- Prerinse sink, and left or right operation.
- L or R in model numbers indicate left- or right-hand models.

Note: For accessories, see pages 328-329.

length in. mm	weight lb. kg	cu ft	16 gauge type 430 model #	16 gauge type 304 model #	14 gauge type 304 model #
60" 1524	170 77.1	36.8	SDTCL-60-16/4	SDTCL-60-16/3	SDTCL-60-14/3
60" 1524	170 77.1	36.8	SDTCR-60-16/4	SDTCR-60-16/3	SDTCR-60-14/3
72" 1829	180 81.6	43.8	SDTCL-72-16/4	SDTCL-72-16/3	SDTCL-72-14/3
72" 1829	180 81.6	43.8	SDTCR-72-16/4	SDTCR-72-16/3	SDTCR-72-14/3
84" 2134	190 86.2	50.8	SDTCL-84-16/4	SDTCL-84-16/3	SDTCL-84-14/3
84" 2134	190 86.2	50.8	SDTCR-84-16/4	SDTCR-84-16/3	SDTCR-84-14/3
96" 2438	200 90.7	57.8	SDTCL-96-16/4	SDTCL-96-16/3	SDTCL-96-14/3
96" 2438	200 90.7	57.8	SDTCR-96-16/4	SDTCR-96-16/3	SDTCR-96-14/3
108" 2743	210 95.3	64.3	SDTCL-108-16/4	SDTCL-108-16/3	SDTCL-108-14/3
108" 2743	210 95.3	64.3	SDTCR-108-16/4	SDTCR-108-16/3	SDTCR-108-14/3
120" 3048	220 99.8	71.8	SDTCL-120-16/4	SDTCL-120-16/3	SDTCL-120-14/3
120" 3048	220 99.8	71.8	SDTCR-120-16/4	SDTCR-120-16/3	SDTCR-120-14/3

Stainless Steel Options for 16 Gauge Soiled Dishtables

Consult factory for pricing.

description	add suffix # *
stainless steel legs	-SL
stainless steel legs and gussets	-SLG
stainless steel legs, gussets, and feet	-SLGF

* Example: SDTCL-60-16/4-SL

Soiled Dishtable Kit

see spec sheet **EG50.07**


For all soiled dishtables listed above.

- Scrap basket.
- Rack slide.
- T&S prerinse faucet (313295).

Add suffix **"-SRP"** to model #. **Example: SDTCL-60-16/4-SRP.**
Consult factory for pricing.

Soiled Dishtables - Island Design

see spec sheet **EG50.09**



soiled dishtable island design
—right-hand model shown

SPEC-MASTER®
FEATURES:

- 14/304 dishtables.
- Stainless steel crossbraced legs.
- Stainless steel gussets and stainless steel feet.

FEATURES:

- 30" (762mm) width.
- Polished stainless steel work surface.
- 20½" (521mm) opening to accept dishwasher.
- Crossbraced legs.
- Rolled edges.
- 8" (203mm) backsplash.
- Prerinse sink, and left or right operation.
- L or R in model numbers indicate left- or right-hand models.

Note: For accessories, see pages 328-329.

length		weight		cu	16 gauge type 430	16 gauge type 304	14 gauge type 304
in.	mm	lb.	kg	ft	model #	model #	model #
60"	1524	168	76.2	36.6	SDTCIL-60-16/4	SDTCIL-60-16/3	SDTCIL-60-14/3
60"	1524	168	76.2	36.6	SDTCIR-60-16/4	SDTCIR-60-16/3	SDTCIR-60-14/3
72"	1829	178	80.7	43.6	SDTCIL-72-16/4	SDTCIL-72-16/3	SDTCIL-72-14/3
72"	1829	178	80.7	43.6	SDTCIR-72-16/4	SDTCIR-72-16/3	SDTCIR-72-14/3
84"	2134	188	85.3	50.8	SDTCIL-84-16/4	SDTCIL-84-16/3	SDTCIL-84-14/3
84"	2134	188	85.3	50.8	SDTCIR-84-16/4	SDTCIR-84-16/3	SDTCIR-84-14/3
96"	2438	198	89.9	57.6	SDTCIL-96-16/4	SDTCIL-96-16/3	SDTCIL-96-14/3
96"	2438	198	89.9	57.6	SDTCIR-96-16/4	SDTCIR-96-16/3	SDTCIR-96-14/3
108"	2743	208	94.3	64.6	SDTCIL-108-16/4	SDTCIL-108-16/3	SDTCIL-108-14/3
108"	2743	208	94.3	64.6	SDTCIR-108-16/4	SDTCIR-108-16/3	SDTCIR-108-14/3
120"	3048	218	98.9	71.6	SDTCIL-120-16/4	SDTCIL-120-16/3	SDTCIL-120-14/3
120"	3048	218	98.9	71.6	SDTCIR-120-16/4	SDTCIR-120-16/3	SDTCIR-120-14/3

Stainless Steel Options for 16 Gauge Soiled Dishtables

Consult factory for pricing.

description	add suffix # *
stainless steel legs	-SL
stainless steel legs and gussets	-SLG
stainless steel legs, gussets, and feet	-SLGF

* Example: SDTCIL-60-16/4-SL

Soiled Dishtable Kit

see spec sheet **EG50.07**

For all soiled dishtables listed above.

- Scrap basket.
- Rack slide.
- T&S prerinse faucet (313295).

Add suffix **"-SRP"** to model #. **Example: SDTCIL-60-16/4-SRP**
Consult factory for pricing.

Stainless Steel Cleaner & Polish

weight		model #
oz.	kg	
15	0.4	004026



FEATURES:

- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Catalog Section 50

Soiled Dishtables with Landing Shelf

see spec sheet **EG50.10**



soiled dishtable with landing shelf
— left-hand model with optional accessories shown

SPEC-MASTER®

FEATURES:

- 14/304 dishtables.
- Stainless steel crossbraced legs.
- Stainless steel gussets and stainless steel feet.

FEATURES:

- 20½" (521mm) opening to accept dishwasher.
- 12" (305mm) wide landing shelf on a 40½" (1029mm) landing area.
- L or R in model numbers indicate left- or right-hand models.

Note: For accessories, see pages 328-329.

Predrilled double rack shelf or double-sided sorting rack now available. To order double rack shelf, add suffix "-DRS" to model number. To order **double-sided sorting rack**, add suffix "-DSS" to model number.

Example: SDTLR-72-16/4-DSS

Consult factory for pricing.

length in. mm	weight lb. kg	cu ft	16 gauge type 430 model #	16 gauge type 304 model #	14 gauge type 304 model #
66" 1676	165 74.8	40.2	SDTLL-66-16/4	SDTLL-66-16/3	SDTLL-66-14/3
66" 1676	165 74.8	40.2	SDTLR-66-16/4	SDTLR-66-16/3	SDTLR-66-14/3
72" 1829	175 79.4	43.8	SDTLL-72-16/4	SDTLL-72-16/3	SDTLL-72-14/3
72" 1829	175 79.4	43.8	SDTLR-72-16/4	SDTLR-72-16/3	SDTLR-72-14/3
78" 1981	185 83.9	48.8	SDTLL-78-16/4	SDTLL-78-16/3	SDTLL-78-14/3
78" 1981	185 83.9	48.8	SDTLR-78-16/4	SDTLR-78-16/3	SDTLR-78-14/3
84" 2134	195 88.5	50.8	SDTLL-84-16/4	SDTLL-84-16/3	SDTLL-84-14/3
84" 2134	195 88.5	50.8	SDTLR-84-16/4	SDTLR-84-16/3	SDTLR-84-14/3
96" 2438	210 95.3	57.8	SDTLL-96-16/4	SDTLL-96-16/3	SDTLL-96-14/3
96" 2438	210 95.3	57.8	SDTLR-96-16/4	SDTLR-96-16/3	SDTLR-96-14/3
108" 2743	220 99.8	61.8	SDTLL-108-16/4	SDTLL-108-16/3	SDTLL-108-14/3
108" 2743	220 99.8	61.8	SDTLR-108-16/4	SDTLR-108-16/3	SDTLR-108-14/3
120" 3048	230 107.3	65.2	SDTLL-120-16/4	SDTLL-120-16/3	SDTLL-120-14/3
120" 3048	230 107.3	65.2	SDTLR-120-16/4	SDTLR-120-16/3	SDTLR-120-14/3

Stainless Steel Options for 16 Gauge Soiled Dishtables

Consult factory for pricing.

description	add suffix # *
stainless steel legs	-SL
stainless steel legs and gussets	-SLG
stainless steel legs, gussets, and feet	-SLGF

* Example: SDTLL-66-16/4-SL

Soiled Dishtable Kit

see spec sheet **EG50.07**

For all soiled dishtables listed above.

- Scrap basket.
- Rack slide.
- T&S prerinse faucet (313295).

Add suffix "-SRP" to model #. **Example:** SDTLL-60-16/4-SRP
Consult factory for pricing.

Soiled Dishtables with 3-Compartment Pot Sink

see spec sheet **EG50.11**



soiled dishtable with 3-compartment pot
sink—right-hand model

length		weight		cu	16 gauge type 430	16 gauge type 304	14 gauge type 304
in.	mm	lb.	kg	ft	model #	model #	model #
124"	3150	190	86.2	60.4	SDTPL-124-16/4	SDTPL-124-16/3	SDTPL-124-14/3
124"	3150	190	86.2	60.4	SDTPR-124-16/4	SDTPR-124-16/3	SDTPR-124-14/3

SPEC-MASTER®
FEATURES:

- 14/304 dishtables.
- Stainless steel crossbraced legs.
- Stainless steel gussets and stainless steel feet.

FEATURES:

- 20½" (521mm) opening to accept dishwasher.
- L or R in model numbers indicate left- or right-hand models.

Note: For accessories, see pages 328-329.

Stainless Steel Options for 16 Gauge Soiled Dishtables

Consult factory for pricing.

description	add suffix # *
stainless steel legs	-SL
stainless steel legs and gussets	-SLG
stainless steel legs, gussets, and feet	-SLGF

* Example: SDTPL-124-16/4-SL

Soiled Dishtable Kit

see spec sheet **EG50.07**

For all soiled dishtables listed above.

- Scrap basket.
- Rack slide.
- T&S prerinse faucet (313295).

Add suffix **"-SRP"** to model #. **Example: SDTPL-60-16/4-SRP**
Consult factory for pricing.

Undercounter Dishtables

see spec sheet **EG50.05**



undercounter dishtable with optional
accessories shown
—right-hand model

FEATURES:

- Sized to accept all 24" (620mm) wide undercounter dishwashers.
- L or R in model numbers indicate left or right placement of dishwasher.

Note: To order stainless steel crossbrace legs, order part #316660. See page 329.

(•) MTS (made to stock) / () MTO (made to order)

length		weight		cu	16 gauge type 430	16 gauge type 304	14 gauge type 304
in.	mm	lb.	kg	ft	model #	model #	model #
48"	1219	95	43.1	15.3	UDT-4L-16/4 •	UDT-4L-16/3 •	UDT-4L-14/3
48"	1219	95	43.1	15.3	UDT-4R-16/4 •	UDT-4R-16/3 •	UDT-4R-14/3
60"	1524	105	47.6	18.9	UDT-5L-16/4	UDT-5L-16/3	UDT-5L-14/3
60"	1524	105	47.6	18.9	UDT-5R-16/4	UDT-5R-16/3	UDT-5R-14/3

Catalog Section 50
Mobile Soak Sinks
see spec sheet **EG50.04**


#MSS2020

**2"-WIDE
EURO-STYLE EDGING**
FEATURES:

- 8" (203mm) deep sink.
- 14 gauge.
- Lever drain.
- 5" (127mm) casters (two with brake).
- Stainless steel legs.
- Stainless steel gussets.
- Stainless steel crossbraces.

(•) MTS (made to stock) / () MTO (made to order)

overall width x length in. mm		cu ft	33" (838mm) HEIGHT			20" (508mm) HEIGHT WITH REMOVABLE SILVER CHUTE & SILVERWARE BASKET		
			weight lb. kg	model #	weight lb. kg	model #		
24" x 24"	610 x 610	14	80 36.3	MSS2020	75 34.0	MSS2020SC •		
28" x 28"	711 x 711	15	90 40.8	MSS2424 •	85 38.6	MSS2424SC		

**Dishwasher Condensate Vents,
DVS Series**
see spec sheets **EG50.07B** **EG55.03**


outer width x length x height*		weight		model #
in.	mm	lbs.	kg	
4" x 16" x 48"	102 x 406 x 1219	60	27.2	DVS-48
4" x 16" x 60"	102 x 406 x 1524	75	34.0	DVS-60
4" x 16" x 72"	102 x 406 x 1829	90	40.8	DVS-72

* If you have other size requirements, please call the factory.
Outer width and length dimensions exclude flange.

FEATURES:

- Mounts to dishwasher end vents.
- Seams are continuously liquid-tight.
- 18 gauge type 304 stainless steel.

**Dishwasher Condensate and Type II
Hoods, HDC Series** **NFPA-96** for TYPE II

see spec sheets **EG50.07B** **EG55.03**


overall width x length*		weight		cubic feet	model #
in.	mm	lbs.	kg		
36" x 36"	914 x 914	150	68.0	30.5	HDC3636
36" x 42"	914 x 1067	155	70.3	35.5	HDC3642
36" x 48"	914 x 1219	175	79.4	40.4	HDC3648
42" x 42"	1067 x 1067	194	88.0	42.2	HDC4242
48" x 48"	1219 x 1219	206	93.4	53.6	HDC4848
48" x 60"	1219 x 1524	226	102.5	63.6	HDC4860

* If you have other size requirements, please call the factory.

FEATURES:

- 12" x 12" (305 x 305mm) collar opening for exhaust connection.
- 20" (508mm) height.
- Type 304 stainless steel construction.
- Full perimeter gutter with drain tube located on the left.

Note: For Type II applications, optional baffles are available.
To order, add suffix "S" to model number (example:
HDC3636S) and 30% to list price.


Dishtable Custom Modifications

Custom dishtables built to fit your needs. Please allow six to eight weeks shipping cycle for custom fabrication after receipt of approved drawings.

See pages 327-329 for more dishtable accessories and options.

For SpecFAB® Custom Fabrications, see pages 373-380.

See the **NEW Custom Options and Accessories Price Guide** for pricing.



see spec sheet **EG50.07A**

model #	description	model #	description
OVERSHELF MODIFICATIONS AND OPTIONS:		DISHTABLE SCRAPPING MODIFICATIONS AND OPTIONS (continued):	
E38-6**	Cantilever mount up to 6', add to wall shelf price	E116	Rubber Scrap Block installed, 6.5" outer dia.
E38-12**	Cantilever mount up to 12', add to wall shelf price	300691	Replacement rubber scrap block
DISHTABLE RACK SHELF MODIFICATIONS AND OPTIONS:		DISHTABLE SINK WELDMENT MODIFICATIONS AND OPTIONS:	
E103	Rack shelf, wall mounted	E105	Prerinse sink 20" x 20" x 5"
E104	Drain, bleeder type	E105A	for each additional 2" in depth
DISHTABLE BACKSPLASH MODIFICATIONS AND OPTIONS:		E110	Sink 24" x 26 1/2" x 14"
E101	Splash 10" per linear ft.	E117	Soak sink 16" x 20" x 13 1/2"
E101A	Turn down back splash (with z-clips)	E122	Faucet Holes
E30	End splash - per end, all heights	FAUCETS:	
E39	Enclosed backsplash	300490	Faucet - 4" centers, 12" spout, deck mount
DISHTABLE TOP MODIFICATIONS AND OPTIONS:		DISPOSAL PROVISION PACKAGES (for more information, see page 329):	
E100	Additional length NSF Construction	E41	Disposal provision package, collar
E102	Pass-thru shelf max. 12" up to 3 lin. ft.	E41A	Disposal provision package, cone (top must be 14/304 s/s)
E102A	additional over 36" for pass-thru shelf	E41B	Provision for scrap collector and troughveyor
E106	Rack guide curved 2" x 1/4" s/s flat bar (requires E112)	CONTROL PANEL BRACKETS (for more information, see page 328):	
E107	Corner turn 90 degrees	E96	Control Panel Bracket - 6" x 9"
E108	Field joint, bolted or ready for field welding by others	E96A	Control Panel Bracket - 9" x 12"
E109	Cutout for pipes, columns	DISHTABLE BASE MODIFICATIONS AND OPTIONS:	
E112	Mitered Corner	E111	Undershelving stainless steel, per linear foot
E119	Landing shelf 12"W integral with top	E113	Brackets for booster heater, installation only, brackets by others
E120	Limit switch	E118	Crossbracing left-to-right, stainless steel
DISHTABLE SCRAPPING MODIFICATIONS AND OPTIONS:			
E115	Scrapping Trough 6" x 4" deep—up to 60"		
E115A	additional over 60"		
E115B	Mitered angle in scrapping trough		

** - applicable to wall mount shelves and pot racks

Dishtable Rack Shelves

see spec sheet **EG50.06**

(•) MTS (made to stock) / () MTO (made to order)



slanted rack shelf with drip tube on right

An efficient operation setup, these shelves provide extra rack storage.

Slanted Rack Shelves

- Stainless steel (16 gauge) construction.
- Wall mounting brackets.
- Drip tube on left or right side.

shelf width* x length		shipping weight		TUBE ON LEFT	TUBE ON RIGHT
in.	mm	lbs.	kg	model #	model #
21" x 21"	533 x 533	20	9.0	605380•	606641•
21" x 42"	533 x 1067	30	13.6	605381•	606642•
21" x 63"	533 x 1600	40	18.1	605382•	606643
21" x 84"	533 x 2134	50	22.7	606294	606644

* Front-to-back of unit, when mounted to wall, is 19 1/2" (502mm).



Tubular Design Rack Shelves

- Wall mounted, all-welded construction.

width x length		shipping weight		model #
in.	mm	lbs.	kg	model #
15 1/2" x 21"	394 x 533	16	7.3	606300
15 1/2" x 42"	394 x 1067	25	11.3	606301
15 1/2" x 63"	394 x 1600	34	15.4	606302
15 1/2" x 84"	394 x 2134	43	19.5	606303



Double Sided Sorting Shelf

- For soiled dishtables with island design (pages 322) and soiled dishtables with landing shelf (pages 323).

width x length		shipping weight		model #
in.	mm	lbs.	kg	model #
30 1/2" x 60"	784 x 1524	75	34.0	606295

Notes:

Not interchangeable with Double Rack Shelf #605383.
Racks cannot be positioned back-to-back.
One end is wall-mounted.



Double Rack Shelf

- For soiled dishtables with island design (pages 322) and soiled dishtables with landing shelf (pages 323).
- Drip tubes on wall mounted end.

width x length		shipping weight		model #
in.	mm	lbs.	kg	model #
22 1/2" x 60"	578 x 1524	61	27.7	605383•

Notes:

Not interchangeable with Double Sided Sorting Shelf #606295.
Racks cannot be positioned back-to-back.
One end is wall-mounted.

KD Tubular Design Rack Shelves

- Wall mounted. Knock-down construction.

width x length		shipping weight		model #
in.	mm	lbs.	kg	model #
15 1/2" x 21"	394 x 533	17	7.7	606296•
15 1/2" x 42"	394 x 1067	26	11.8	606297•
15 1/2" x 63"	394 x 1600	35	15.9	606298•
15 1/2" x 84"	394 x 2134	44	20.0	606299



Just a quick note...



GET FREE DOWNLOADS

- Spec Sheet • Product Instructions •
- Special Flyers • Brochures •

www.eaglegrp.com

Dishtable Accessories and Options

see spec sheet **EG50.07B**

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

Scrap Basket

- This model features all-16 gauge stainless steel construction.
- Tabs provide proper height and basket drainage.



Improves prerinse efficiency.

shipping wt.		model #
lbs.	kg	
15	6.8	301630

Rack Slide

- 16 gauge construction.




A must for any prerinse operation.

shipping wt.		model #
lbs.	kg	
4	1.8	301124

Drain Trough

- 5" (127mm) wide and 2" (51mm) deep with a 1½" (38mm) center drain opening.
- Removable basket with handles.
- All stainless steel construction.




scrap trough

shipping wt.		model #
lbs.	kg	
13	5.8	SCRAP TROUGH

Control Panel Brackets

- Please specify location.

description	model #
6" x 9" (152 x 229mm)	E96
9" x 12" (229 x 305mm)	E96A



Stainless Steel Gussets

- Optional only for 16 gauge tables.
- Standard on SPEC-MASTER® tables.

description	model #
stainless steel gussets	316743



gusset

Bullet Feet

With a full 1" (25mm) adjustment.

description	model #
stainless steel	300692
white metal	301036
plastic feet	300293



Anti-Siphon Breaker

model #
313832



Prerinse Units...

- Temperature adjustment for hot water with preset cold water adjustment for anti-scald protection.



...Standard Prerinse Components

description	model #
splash mounted spray unit	300719
deck mounted spray unit	300718
faucet add-on with 12" (305mm) spout	301189
wall bracket	301190

...T&S Extra Heavy Duty Prerinse Components



- Top-of-the-line.

description	model #
deck mounted spray unit with wall bracket	313295
faucet add-on with 12" (305mm) spout	313297

Prerinse Baskets with Slide Bar

- An all-in-one combination.
- Type 304 construction throughout.
- For 20" x 20" prerinse sink.



width x length x depth		shipping wt.		model #
in.	mm	lbs.	kg	
17½" x 19½" x 2½"	445 x 493 x 74	3	1.4	606434•
19½" x 19½" x 4"	493 x 493 x 102	4	1.8	383671

Dishtable Undershelves

- 24½" (612mm) wide.

NOTE: Order one size smaller than dishtable.

Provides extra space for rack storage and operation equipment.



length	weight	galvanized	400 series	300 series
in. mm	lbs. kg	model #	model #	model #
24" 610	10 4.5	605371	605374	606479
36" 914	15 6.8	605372	605375	606480
48" 1219	20 9.0	605373	605376	606481

Lever Drains

description	model #
1.5" or 2" (38 or 51mm) NPS connection	300720
2" (51mm) NPS connection	300721



Dishtable Accessories and Options

see spec sheet **EG50.07B**

Can be shipped UPS.

Legs and Crossbrace Assemblies

- Stainless steel welded construction.

Note: Standard only on SPEC-MASTER® series dishtables.

When durability and appearance are important.




description	model #
crossbrace assembly	311772
crossbrace assembly for undercounter dishtables	316660
single leg for undershelf	300765



Sink Covers

- 18 gauge stainless steel with holes provided for handling.

width x length		shipping weight		model #
in.	mm	lbs.	kg	
20" x 20"	508 x 508	11	5.0	305428
16" x 20"	406 x 508	10	4.5	351585



Disposal Provision Package

- Disposal collar adapters can be installed on any prerinse sink.
- Both collar and cone are to be supplied by the customer.

description	model #
disposal collar weldment, bracket for disposal switch, and vacuum breaker holes	E41
disposal cone* weldment, bracket for disposal switch, and vacuum breaker holes	E41A

* If cone is welded to dishtable top, the top must be 14 gauge type 304 stainless steel.

Provision for Scrap Collector or Troughveyor

- Cutout in top for collector mounting.
- Does not include welding of unit to dishwasher.
- All welding is by others.

description	model #
Flange in opening or trough to accept collector or troughveyor when required	E41B

PVC Rollers

- 2" (51mm) diameter.
- Free-wheel.
- For 14/304 dishtables only.
- For ease of sliding dish racks.
- For stainless steel rollers, **contact factory.**
- Three rollers required for every 12" (305mm).
Example: For a 6' (1829mm) table, at the required three per foot: 6' table x 3 per foot = 18 rollers needed.



corner dishtable with optional PVC rollers

length		shipping weight		table setup charge	model #
in.	mm	lbs.	kg		
24"	610	3	1.4	\$607	DTRA-24

