

Qwik Jon[®] Upflush Systems



BATHROOM REMODELING SOLUTIONS

**That Won't Destroy
Your Floor
Or Your Budget.**

ZOELLER
PUMP COMPANY



SELECT THE MODEL THAT BEST FITS YOUR PROJECT

PREMIER 201-0006



PREMIER
201-0006

1/2 HORSEPOWER

CUTTING GRADE

Application: Residential/Light Commercial

Dimensions: 19.1" x 8.1" x 14.7"

Power: 1/2 HP Grinder Pump (250,000 cuts per minute!)

Flushables: toilet paper, organic waste, and sanitary items

CHOICE 200-0006



CHOICE
200-0006

1/3 HORSEPOWER

CUTTING GRADE

Application: Residential

Dimensions: 19.9" x 7.9" x 14.1"

Power: 1/3 HP Macerator Pump

Flushables: toilet paper and organic waste only

Model#	Product	Cutting Method	Volts (V)	PH	Amps (A)	Motor		Weight	
						HP	KW _(est)	lbs	kg
200-0006	Qwik Jon® Choice	Macerator	115	1	5.1	1/3	0.48	24	10.9
200-0021	Qwik Jon Choice All in One - Includes QJC and toilet, 1 box delivers on a skid	Macerator	115	1	5.1	1/3	0.48	109	49.4
200-4000	Qwik Jon® Choice Ship to Home - Includes QJC and toilet, 3 boxes	Macerator	115	1	5.1	1/3	0.48	24 47 40	10.9 21.3 18.1
201-0006	Qwik Jon® Premier	Grinder	115	1	9.6	1/2	1.0	31	14.1
201-0021	Qwik Jon® Premier All in One - Includes QJP and toilet, 1 box delivers on a skid	Grinder	115	1	9.6	1/2	1.0	115	52.2
201-4000	Qwik Jon® Premier Ship to Home - Includes QJP and toilet, 3 boxes	Grinder	115	1	9.6	1/2	1.0	31 47 40	14.1 21.3 18.1
202-2000	Qwik Jon® Toilet Bowl	-	-	-	-	-	-	47	21.3
202-3002	Qwik Jon® Rear Spigot Toilet Tank and Lid	-	-	-	-	-	-	40	18.1
10-3050	Qwik Jon Extension Kit	-	-	-	-	-	-	5	2.3
10-5090	Qwik Jon Premier Qwik Alarm	-	6	-	-	-	-	.5	.2

**All Qwik Jon® products are
100% factory tested**

INSTALLATION OPTIONS AND BENEFITS TO SUIT YOUR NEEDS



- Choose an easy install in front of your wall or a discrete installation behind the wall.
- Recessed side handles for carrying and installation.
- Non-clogging vortex impeller for reliable operation.
- Automatic reset protects the pump from thermal overload.
- No gravity drain required.
- Smooth surface for easy cleaning.
- Collects used water from all fixtures including sinks, faucets, tubs, showers, and more.



COMPLETE YOUR NEW SYSTEM WITH QUALITY COMPONENTS

THE RIGHT BOWL

Standard toilets drain to piping in the floor. Be sure to check out our rear spigot toilet (202-2000) which empties into the patent pending Qwik Jon tank to complete your installation.



202-2000
ADA comfort
Height Bowl

WATER CONSERVATIVE TANK

EPA Watersense compliant tank (202-3002) with 1.28 gallons per flush.



FLEXIBLE CONNECTION

Qwik Jon Extension Kit (10-3050) allows pump unit to be recessed or installed behind a wall for a clean profile.



QWIK ALARM

Battery powered, high water Qwik Jon Premier Alarm (10-5090). Relax knowing if the waste water in the Qwik Jon Premier gets too high, the alarm will sound to notify you!



**Looking For Other Solutions
That Won't Destroy
Your Floor Or Budget?**

Try Our Drain Pump!



Designed for applications where gravity flow is not possible including laundry tray, wet bar sink, lavatory, air conditioning condensate, and dehumidifier. Can also be used in conjunction with dishwashers or garbage disposals and conveniently fits inside cabinets for a clean look.



ZOELLER 
PUMP COMPANY

zoellerpumps.com

3649 Cane Run Road, Louisville, KY 40211
800-928-2731

FM3429
0722
Supersedes
New

©Zoeller Co. All rights reserved.