



INNOVATION WITHOUT COMPROMISE



MILANO

2-STEP POWER STEAM HT







ENHANCED PRIME MILK SYSTEM

La Radiosa has been designed to deliver highquality, hot foamed milk-based beverages, time after time, year after year. It is possible to adjust and customize the amount of foam specified in individual recipes. La Radiosa's technology offers great advantages for consumers.

1-STEP Model only

24 V ROTARY PUMP

La Radiosa has a 24 V rotary pump with adjustable flow for variable drink densities.

This technology allows you to create unique coffee profiles. Similarly, the density of soluble drinks can be adjusted, according to your taste.





GAGGIA



EASY CLEANING

La Radiosa was designed with the aim of creating an elegant and at the same time functional product. The automatic rinsing cycles with hot water of both milk and coffee circuits after each dispensing ensures maximum hygiene.

The touch screen and the external surfaces of the machine are easy to clean and desinfect.

Z4000 iX BREW GROUP

Innovative Z4000 iX brew group, which boasts a heated stainless-steel chamber that ensures better stability, in terms of both temperature and quality perception. Quality offered by La radiosa remains consistent, from the first coffee of the day to the last.

This brewing unit allows you to offer a wider selection of drinks on your menu. The large capacity of its 21 g espresso brew group will never cease to amaze you.





UNRELENTING INNOVATION



More Info





The first thing you'll notice about this new machine from Gaggia Milano is its eye-catching design, centred on its door, which is surrounded by RGB LEDs. In addition to its compact dimensions, La Radiosa offers great flexibility.

HIGHLIGHTS

- Innovative Z4000 iX 21 g espresso brew group
- 2 whole bean & 1 soluble ingredient
- · Cool Touch and non-sticky steam wand
- · Simultaneous dispensing of coffee and steam
- Fully customizable touch screen

FEATURES

- 10" screen with dual touch zone
- Dual boilers: 0.8 L for coffee & 1.6 L for steam
- Dual grinders, one per hopper
- Stainless steel brew chamber
- LED lights with a choice of 256 colors
- Compatible with payment systems
- 24 V rotary pump with adjustable flow for variable drink densities
- Small footprint at 14.5 inches wide
- Heated brew chamber for greater consistency
- Adjustable nozzle height from 3.0 in to 6.6 in

1-STEP PRIME MILK

SPECIFICATIONS

- Prime Milk Automatic milk froth to perfection in one simple step
- Auto Steam Temperature controlled steam wand with 3 temperature presets
- · Easy complete cleaning management features

2-STEP POWER STEAM HT

SPECIFICATIONS

- 2 steps milk frothing system
- Ultra performant Power Steam HT steam wand:

per hour

- Air injection and temperature control
- Automatic shut off with 3 temperature presets
- Set from 0 to 100% of foam for each milk beverage

TECHNICAL SPECIFICATIONS (BOTH MODELS)

DIMENSIONS CAPACITY & OTHER SPECIFICATIONS Width Coffee beans container $2 \times 2.6 \text{ lb}$ 14.5 in Height 3.9 lb 31.0 in Chocolate powder container Height with NSF/ANSI 4 legs Up to 21 g 33.6 in Brew group 9 bar Depth Espresso brewing pressure 23.1 in 50 drinks Weight 97.0 lb Waste bin drawer capacity **ELECTRICAL SPECIFICATIONS HYDRAULIC SPECIFICATIONS** Voltage and frequency 208-240 V / 60 Hz Coffee boiler capacity 0.8 L / 0.2 US gal 1.6 L / 0.4 US gal Plug L6-30P Steam boiler capacity 80.0 L / 21.1 US gal Maximum absorbed power 5800 W Water pump flow







