



SHELVING BROCHURE

50 Ranick Drive East • Amityville, NY 11701
800-221-5644 • info@imcteddy.com
www.imcteddy.com



IMC TEDDY SHELVING

All shelving is ideal for large institutional, commissary or facility applications where equipment abuse is likely. Shelving withstands heaviest loads with years of maintenance-free use. All shelving is constructed of Type 304 stainless steel. Posts are 1 $\frac{5}{8}$ " OD tubes, 16GA S/S with caps & adjustable S/S feet.

Solid surface design provides easy access and quick clean up of spills. Large louvers allow uniform temperature distribution.

Stationary units provided with stainless steel posi-grip adjustable foot inserts. Mobile units provided with 5" casters. Easily assembled and adjusted.

BL SERIES MODEL



Shown w/ Louvered Shelves

- Standard Duty
- 18GA Type 304 Stainless Steel
- Shelf Edges are Turned Down 90° & in 45°
- Posts are 1 $\frac{5}{8}$ " OD Tubes, 16GA S/S with Caps & Adjustable S/S Feet
- Units Ship Knock-Down
- Casters Add 5" to Overall Height to Shelving Units

ES SERIES MODEL



Shown w/ Louvered Shelves & Optional Casters

- Medium Duty
- 16GA Type 304 Stainless Steel
- Shelf Edges are Turned Down 90° & in 45°
- Posts are 1 $\frac{5}{8}$ " OD Tubes, 16GA S/S with Caps & Adjustable S/S Feet
- Units Ship Knock-Down
- Casters Add 5" to Overall Height to Shelving Units



Contact your representatives or the factory for more information, to request a quote or to purchase our products.

S SERIES MODEL



Shown w/ Louvered
Shelves &
Optional Casters

- Heavy Duty
- 16GA Type 304 Stainless Steel Double Flange
- Double Folded Shelf Edges are Turned Down 90° & in 180°
- S/S Gussets are Welded to the Underside of Each Edge of Shelf & Secured to Posts with Screws
- Posts are 1½" OD Tubes, 16GA S/S with caps & Adjustable S/S Feet
- Units Ship Knock-Down
- Casters Add 5" to Overall Height to Shelving Units

SX SERIES MODEL



Shown w/
Optional Casters

- Extra Heavy Duty
- 14GA Type 304 Stainless Steel Double Flange
- Shelf Edges are Turned Down 90° & in 45°
- Posts are 1½" OD Tubes, 16GA S/S with Caps & Adjustable S/S Feet
- Units Ship Knock-Down
- Casters Add 5" to Overall Height to Shelving Units

SSS SERIES MODEL



Shown w/
Optional Casters

- 14GA Type 304 Stainless Steel Welded Security Shelving
- Shelf Edges are Turned Down 90° & in 45°
- Shelf Corners are Notched & Continuously Welded to Posts
- Posts are 1½" OD Tubes, 16GA S/S with Welded in Top Caps & Adjustable S/S Feet
- Units Ship Assembled
- Casters Add 5" to Overall Height to Shelving Units

UP SERIES MODEL



Shown w/ Louvered
Shelves &
Optional Casters

- Pot/Pan/Utility Shelf
- 16GA Type 304 Stainless Steel
- A Raised Die-Formed Ledge Encloses S/S Gusset Welded to Undersurface of Shelf
- Posts are 1½" OD Tubes, 16GA S/S with Caps & Adjustable S/S Feet
- Units Ship Knocked Down
- Casters Add 5" to Overall Height to Shelving Units



BLC SERIES MODEL



Shown w/
Louvered &
Solid Shelves w/
Optional Casters

NSF

- Standard Duty, Corner Shelving
- 18GA Type 304 Stainless Steel
- 26", 30", 33", 36", & 39" Widths Available
- Shelf Edges are Turned Down 90° & in 45° for Safety
- Posts are 1 5/8" OD Tubes, 16GA S/S with Caps & Adjustable S/S Feet
- Can Be Used with IMC/Teddy Standard Units to Create a Shelving System Which Optimizes Space
- Casters Add 5" to Overall Height to Shelving Units

D SERIES MODEL




Shown w/
Louvered Slots &
Optional Casters


NSF

- 16GA Type 304 Stainless Steel
- 1 5/8" OD x 12" High, 18GA Posts with S/S Adjustable Feet
- With Optional 5" Casters, Unit Is 8" High
- Units Ship Assembled

FEATURED ACCESSORIES



Individual
Solid Shelf



Individual
Louvered Shelf



PT
Post Only w/
Caps & Bullet
Feet



CBM-20
Corner
Bumpers
(per set)



RB-10
Revolving
Bumpers
(per set)



Contact your representatives or the factory for more information, to request a quote or to purchase our products.



IMC is a Consultant/Designer driven manufacturer of Food Service Equipment. We welcome product recommendations and upgrade suggestions from you. Our mission is to introduce new and innovative products in food service equipment and storage/handling systems.

IMC only uses Type 304 stainless steel which is recommended for high corrosion resistance and uniformity of finish. Every IMC product will perform its intended function even in the most punishing work environment.

Production begins with Laser and CNC machine work and the final product is polished to a #4 brushed satin finish. The finish has the ability to hide and blend scratches for many years. Each product is then carefully inspected and protected for delivery to the customer.

For a complete catalog or the representative nearest to you, visit www.imcteddy.com or contact us below.



50 Ranick Drive East • Amityville, NY 11701

800-221-5644 • info@imcteddy.com

www.imcteddy.com

