

A ROTISSERIE FOR INTENSIVE USE PROVIDING AN EXCELLENT INVESTMENT





INNOVATION IN QUALITY MANUFACTURING FOR THE FOOD SERVICE INDUSTRY

FB1160-4G-SSP



FB1400-4G-SSP



FB1160-6G-SSP



FB1400-6G-SSP



FB1160-8G-SSP



FB1400-8G-SSP





Ergonomic «cool» plastic door handles prevent injury from burns.



Robust hinges designed for heavy use, with integrated locking for opening and closing.



Sealed spit-holders - double-panel lining prevents grease from seeping into motors and other sensitive parts.



Anti-scald K.Glass for reduced external thermal radiation (energy saving). Glass recessed to drip divert drips into drip pan for anti-slip protection.

FB1400-8G-SSP





GAS Safety! Separation of the gas and electric chambers avoids all risk of explosion in the gas and electric compartments.



Replaceable ceramic bricks for significant financial savings.



Glass protection of the built-in lighting.



Gas and electric switches, in chromed metal.



TRADITIONAL CHICKEN SPIT



RECTANGULAR BASKET SPIT



SPATCHCOCK CHICKEN BASKET SPIT



ANTI-CUTTING PRONGLESS V-SPIT



VERTICAL SPIT SYSTEM




SABRE SPIT FOR HAM, TURKEY



LAMB / SUCKLING PIG SPIT



RAISED RACK FOR MEAT STORAGE OVER DRIP PAN



SPIT MOVER



ROAST-CLAMP SPIT



PORCHETTA SPIT




DIGITAL TEMPERATURE PROBE



WASHABLE KEVLAR 15" GLOVES



VERTICAL SPIT SYSTEM ACCESSORIES



## HANDMADE THE FRENCH WAY

The FlamBoyant range of rotisseries has been especially designed for high-volume cooking with high output and speed, while retaining excellent cooking quality. Well designed, user friendly and reliable, the FlamBoyant is used by leading supermarkets and chain restaurants throughout the world. Conscious of the high energy costs involved for our clients, the FlamBoyant rotisserie has energy-saving infrared burners, patented by Rotisol. A wide array of accessories enable the rapid roasting of a variety of products.













<u>Flam</u> Boyant		Cooking in continuous mode					
Rotisserie	GAS	FB1160-4G	FB1160-6G	FB1160-8G	FB1400-4G	FB1400-6G	FB1400-8G
Width (inches)		45 1/8	45 1/8	45 1/8	54 1/8	54 1/8	54 1/8
Depth (inches)		22 5/8	22 5/8	22 5/8	22 5/8	22 5/8	22 5/8
Height (inches)*		36 1/4	51	65 3/4	36 1/4	51	65 3/4
Interior width (inches)		32 1/4	32 1/4	32 1/4	41 3/8	49 1/4	49 1/4
Number of chickens per oven		16/20	24/30	32/40	20/24	30/36	40/48
Number of spits per oven		4	6	8	4	6	8
Number of chickens per spit		4/5	4/5	4/5	5/6	5/6	5/6
Gas model: Electric power (kW) 230V single-phase		0,4	0,5	0,6	0,6	0,6	0,7
Gas power (btu/h)		52000	77000	103000	76000	113000	151000
Number of radiant-type burners		4	6	8	4	6	8
Weight (Lbs)		243	330	430	310	405	530

<sup>\*</sup>Height (inches): Height of Rotisserie without roof or substructure, (for more details, ask for technical data sheet with options)





ROTISOL FRANCE, INC. 415 W. Walnut St. - GARDENA, CA 90248

Ph: 310-671-7254 - Fax: 310-671-8171 info@rotisolusa.com - www.rotisolusa.com



