



Pump Selection Guide

Part #	Product Name	Compatible With	Use With	Pump Type	Powered Requirements	Max Flow Rate	Maximum Viscosity	Description
DRM106	Zee Line Polypropylene Lever Action Drum Pump – Viton® Seals	Lubricants	15 to 55 gal. Drum w/ 1.5" & 2" NPT Bung	Lever Operated	Manual	13 oz./stroke	40 wt.	Simple lever-action design handles lubricants and other oils.
DRM107	Zee Line Polypropylene Lever Action Drum Pump – Poly Seals	Water Based Fluid; Light Acid; Alkali Solutions	15 to 55 gal. Drum w/ 1.25" & 2" NPT Bung	Lever Operated	Manual	12 oz./stroke	40 wt.	Simple lever-action designs are available for water-based fluids, acid and alkali solutions.
DRM108	Zee Line Ryton® Lever Action Drum Pump	Stronger Acids; Alkali; 20% Nitric Acid	15 to 55 gal. Drum w/ 1.25" & 2" NPT Bung	Lever Operated	Manual	13 oz./stroke	40 wt.	Simple lever-action designs are available for stronger acids, alkali and 20% nitric acid.
DRM1082	FTI 0.33 HP Electric Drum Pump System with EFP Pick-Up Tube	Thin-Bodied & Slightly Viscous Liquids in Non-Explosive Areas	55 gal. Drum w/ 2" NPT Bung	Electric	110V/50-60 Hz	10 gal./minute	200 CentiPoise	Batch dispense mild corrosives, cleaners and lab chemicals with this economical, dual speed drum pump system made for 55-gallon steel or poly drums.
DRM1092	Ayling & Reichert Steel Piston Hand Drum Pump	Alcohol (all except Propyl); Ammonia Nitrate; Antifreeze; Gasoline; Ketone; Potassium Bicarbonate; Potassium Chromate; Toluene	15 to 55 gal. Drum w/ 2" NPT Bung	Piston Operated	Manual	8 oz./stroke	40 wt.	Built-in grounding clips help improve safety while pumping alcohol (except propylene), ammonia nitrate, antifreeze, gasoline, ketone, potassium bicarbonate, potassium chromate or toluene from drums.
DRM1109	Ayling & Reichert Stainless Steel Piston Hand Drum Pump	Alcohol; Butyl Acetate; Ethylene Glycol; Heptane; Lacquer Thinner; Nitric Acid (10-50%); Toluene	15 to 55 gal. Drum w/ 2" NPT Bung	Piston Operated	Manual	8 oz./stroke	40 wt.	Built-in grounding clips let you pump drums of acetic acid (20-50%), alcohol, butyl acetate, calcium hydroxide (10-20%, boiling), chromic acid (5-10%), denatured alcohol, ethylene glycol, heptane, lacquer thinner, nitric acid (10-50%) or toluene.
DRM1226	Zee Line Alkaline Battery-Operated Pump	Water; Light Oil	Sumps, Bladders & Containers	Battery	(2) D Alkaline Batteries (not included)	2.5 gal./minute	20 wt.	No need for the big guns when you're pumping material from smaller containers — use this battery-operated, hand-held pump.
DRM1283	Zee Line Air-Operated Double Diaphragm Transfer Pump	Motor Oil; Waste Oil; ATF	Waste Oil Pump System	Air	100 PSI @ 16 CFM	14 gal./minute	1735 CentiPoise	Move waste oil quickly and easily with this all-polypropylene transfer pump.
DRM1284	Zee Line Air-Operated Double Diaphragm Transfer Pump	Motor Oil; Waste Oil; ATF	Waste Oil Pump System	Air	100 PSI @ 16 CFM	14 gal./minute	1735 CentiPoise	Move waste oil quickly and easily with this aluminum-base transfer pump.
DRM1285	Zee Line Air-Operated Double Diaphragm Transfer Pump	Motor Oil; Waste Oil; ATF	Waste Oil Pump System	Air	80 PSI @ 40 CFM	37 gal./minute	1735 CentiPoise	Move waste oil quickly and easily with this aluminum-body transfer pump.
DRM1286	Zee Line Air-Operated Double Diaphragm Transfer Pump System	Motor Oil; Waste Oil; ATF	Waste Oil Pump System	Air	100 PSI @ 16 CFM	14 gal./minute	140 wt.	Move waste oil quickly and easily with this all-polypropylene transfer pump and system components.
DRM1287	Zee Line Air-Operated Double Diaphragm Transfer Pump System	Motor Oil; Waste Oil; ATF	Waste Oil Pump System	Air	100 PSI @ 16 CFM	14 gal./minute	140 wt.	Move waste oil quickly and easily with this aluminum-base transfer pump and system components.
DRM1288	Zee Line Air-Operated Double Diaphragm Transfer Pump System	Motor Oil; Waste Oil; ATF	Waste Oil Pump System	Air	80 PSI @ 40 CFM	37 gal./minute	140 wt.	Move waste oil quickly and easily with this aluminum-body transfer pump and system components.
DRM1289	Fill-Rite Polypropylene Piston Hand Drum Pump	DEF; Engine Oils; Antifreeze; Hydraulic Oils; Degreaser	15 to 55 gal. Drum w/ 2" NPT Bung	Piston Operated	Manual	11 oz./stroke	40 wt.	Transfer Diesel Exhaust Fluid (DEF) easily and economically with a hand-operated, piston-style pump.
DRM1291	Fill-Rite Electric Powered Fuel Transfer Pump	Diesel; Gasoline; BioDiesel (up to B20); E15; Kerosene; Mineral Spirits; Methanol (up to 15%)	Portable Transfer Pump	Electric	12V Direct Current	8 gal./minute	140 wt.	Refueling in the field is easy with a bung-mounted DC-powered mountable fuel transfer pump.
DRM1310	Wesco Iron Rotary Hand Drum Pump with Drip Pan	Gasoline; Diesel Fuel; Light Oil; Kerosene	15 to 55 gal. Drum w/ 2" NPT Bung	Rotary Operated	Manual	8 oz./revolution	60 wt.	This rotary hand drum pump is self-priming and has a drip pan to reduce spills and leaks during and after use.
DRM1311	Wesco Aluminum Rotary Hand Drum Pump – Non-Sparking	Gasoline; Kerosene; Antifreeze	15 to 55 gal. Drum w/ 2" NPT Bung	Rotary Operated	Manual	8 oz./revolution	60 wt.	Use this self-priming, non-sparking hand drum pump to safely pump oils and noncorrosive liquids.
DRM1315	Action Pump FDA-Compliant Piston Pail Pump	Food Products; Lubricants; Oils; High Viscosity Fluids; Mild Acids	5 gal. Pail w/ 70 mm Rieke Screw Cap	Piston Operated	Manual	5 oz./stroke	8,800 CentiPoise	Food-grade piston pump is FDA compliant for easy dispensing of viscous liquids and harsh chemicals from 5-gallon pails.
DRM1316	Action Pump FDA-Compliant 15 & 30 Gal. Piston Drum Pump	Food Products; Lubricants; Oils; High Viscosity Fluids; Mild Acids	15 to 30 gal. Drum w/ 2" NPT or 2" Buttress Bung	Piston Operated	Manual	15 oz./stroke	8,800 CentiPoise	FDA-compliant piston pump easily dispenses viscous liquids and harsh chemicals from 15- and 30-gallon drums.
DRM1317	Action Pump FDA-Compliant 55 Gal. Piston Drum Pump	Food Products; Lubricants; Oils; High Viscosity Fluids; Mild Acids	55 gal. Drum w/ 2" NPT or 2" Buttress Bung	Piston Operated	Manual	15 oz./stroke	8,800 CentiPoise	FDA-compliant piston pump easily dispenses viscous liquids and harsh chemicals from 55-gallon drums.
DRM1318	Action Pump FDA-Compliant Piston IBC Pump	Food Products; Lubricants; Oils; High Viscosity Fluids; Mild Acids	IBC Totes w/ 2" NPT Opening	Piston Operated	Manual	15 oz./stroke	8,800 CentiPoise	Pump viscous liquids and harsh chemicals from your IBCs with this food-grade, FDA compliant piston pump.
DRM1410	Zee Line Alkaline Battery-Operated Pump with Auto Shutoff	DEF; Light Oils; Water-Based Fluids	Sumps, Bladders & Containers	Battery	(2) AA Alkaline Batteries (not included)	2.4 gal./minute	20 wt.	Overfill preventing tip allows you to pump your liquids into small pails without worrying about them spilling over.

Part #	Product Name	Compatible With	Use With	Pump Type	Powered Requirements	Max Flow Rate	Maximum Viscosity	Description
DRM1414	Zee Line Cast-Iron Rotary Hand Drum Pump	Gasoline; Diesel Fuel; Kerosene	15 to 55 gal. Drum w/ 2" NPT Bung	Rotary Operated	Manual	10 oz./revolution	30 wt.	Bi-directional rotary pumps can move flammable liquids from a drum to a container and back again.
DRM1415	Action Pump Brass Piston Transfer Pump	Engine Oil; Coolants; Transmission Fluid; Power Steering Fluid; Oils; Diesel; Water; Antifreeze	Engines, Sumps, Bladders & Containers	Piston	Manual	3.2 oz./stroke	108 CentiPoise	Portable hand pump with suction tube can transfer or evacuate a wide range of fluids from hard-to-reach places on cars, boats, ATVs and equipment.
DRM1416	Action Pump Stainless Steel Lever Action Drum Pump	Viscous Liquids; Detergents; Acids; Oils; Waxes; Alkalis; Water	15 to 55 gal. Drum w/ 2" NPT Bung	Lever Operated	Manual	16 oz./stroke	4,000 CentiPoise	Move high viscosity liquids including detergents, acids and oils with this stainless steel, lever action pump.
DRM1419	Action Pump Lever Action Diaphragm Pump	Nitric Acid (up to 40%); Machine Oil; Water	15 to 55 gal. Drum w/ 2" NPT Bung	Lever Operated	Manual	12.8 oz./stroke	650 CentiPoise	Built for the strongest acids and alkali solutions, this lever action pump can handle up to 40% nitric acid to help keep transfers smooth and safe.
DRM1420	Action Pump Stainless Steel Lever Action Double Diaphragm Drum Pump	Oil-Based Liquids; Diesel Fuel; E15; Kerosene; B20	15 to 55 gal. Drum w/ 2" NPT Bung	Lever Operated	Manual	25.6 oz./stroke	30 wt.	Rapidly transfer fuels and other flammable liquids, even in remote areas, with this lever action drum pump.
DRM1421	Action Pump Aluminum Lever Action Drum Pump with Drip Pan	Oils; Solvents; Alcohol	15 to 55 gal. Drum w/ 2" NPT Bung	Lever Operated	Manual	16 oz./stroke	40 wt.	Catch pump drips in the attached drip pan of this aluminum drum pump for clean transfer of oils, solvents and alcohol.
DRM221	Beckson Industrial PVC Piston Hand Drum Pump – Viton® Seals	Sulfuric Acid (up to 50%)	15 to 55 gal. Drum w/ 2" NPT Bung	Piston Operated	Manual	28 oz./stroke	60 wt.	Economical hand transfer pump moves up to one full gallon of liquid (compatible with up to 50% sulfuric acid) in just six strokes.
DRM222	Beckson Industrial PVC Piston Hand Drum Pump – Buna-N Seals	Oil-Based Liquids	15 to 55 gal. Drum w/ 2" NPT Bung	Piston Operated	Manual	21 oz./stroke	60 wt.	Economical hand transfer pump moves up to one full gallon of oil-based liquid in just six strokes.
DRM311	Zee Line HDPE Rotary Hand Drum Pump – Viton® Seals	Bleach; Chemicals compatible with HDPE	15 to 55 gal. Drum w/ 2" NPT Bung	Rotary Operated	Manual	8 oz./revolution	40 wt.	Economical design is a solid choice for dispensing bleach and chemicals compatible with HDPE.
DRM343	Action Pump Stainless Steel Piston Hand Drum Pump	Corrosives	15 to 55 gal. Drum w/ 2" NPT Bung	Piston Operated	Manual	22 oz./stroke	40 wt.	Quickly dispense flammable fluids from your drums with this versatile stainless steel piston operated pump.
DRM3435	Action Pump Stainless Steel Piston Pail Pump	Gas, Diesel Fuel, Kerosene, DEF, Light Oil and Water-Based Fluids	5 gal. Pail w/ 2" NPT or 2" Buttress Bung	Piston Operated	Manual	10 oz./stroke	40 wt.	Quickly dispense flammable fluids like alcohol-based hand sanitizer from your pails with this versatile stainless steel piston operated pump.
DRM344	Action Pump Polyethylene Siphon Drum Pump – Heavy Duty	Oil-Based Liquids; General-Purpose Chemicals	15 to 55 gal. Drum w/ 2" NPT Bung	Bellow Operated	Manual	7 gal./minute	40 wt.	Heavy-duty pump siphons up to 7 gallons per minute from 55-gallon drums.
DRM461	Zee Line Steel Lever Action Drum Pump – Nitrile Seals	Light Oil (Max 40 wt.); ATF; Hydraulic Fluid; Kerosene; Diesel Fuel	15 to 55 gal. Drum w/ 2" NPT Bung	Lever Operated	Manual	13 oz./stroke	40 wt.	Economical drum pump features a durable all-steel body and is compatible with light oil (max 40 wt.), ATF, hydraulic fluid, kerosene and diesel fuel.
DRM462	Zee Line Nylon Piston Hand Drum Pump	General-Purpose Chemicals	15 to 55 gal. Drum w/ 2" NPT Bung	Piston Operated	Manual	16 oz./stroke	30 wt.	Easily handle small water-based dispensing jobs with up to 16 oz. per stroke/lift.
DRM681	Zee Line Polypropylene Piston Hand Drum Pump – Viton® Seals	General-Purpose Chemicals	15 to 55 gal. Drum w/ 2" NPT Bung	Piston Operated	Manual	16 oz./stroke	30 wt.	Poly Hand Pump dispenses up to 16 oz. of detergent or degreaser per stroke. Great for maintenance jobs around your facility.
DRM694	Zee Line Steel Lever Action Pail Pump – Nitrile Seals	Oil-Based Liquids; ATF; Gear Lube (Max 140 wt.)	5 to 6.5 gal. Open-Head Pail	Lever Operated	Manual	2.3 oz./stroke	140 wt.	Just clip this cover to the top of your pail and you've created a mobile dispensing station for oil-based liquids, ATF and gear lube (max 140 wt.).
DRM696	Zee Line Air-Operated Oil Drum Pump	Oil-Based Liquids	Fits 30 & 55 gal. Drum w/ 2" NPT Bung	Air	100-145 PSI	3.16 gal./minute	90 wt.	Air-operated pump is designed for pumping lubricants through hose reels. Complete system for pumping from a 55-gallon drum.
DRM699	Zee Line Air-Operated Metered Oil Drum Pump System	Oil-Based Liquids	Fits 30 & 55 gal. Drum w/ 2" NPT Bung	Air	50-145 PSI	8 oz./stroke	90 wt.	Ideal for fleets, this system ensures fast, consistent oil and fluid fills.
DRM8000	FTI 0.67 HP Electric Explosion-Proof Drum Pump System with TTS Pick-Up Tube	Corrosives; Solvents; Flammables	55 gal. Drum w/ 2" NPT Bung	Electric	115V/60 Hz	10 gal./minute	500 CentiPoise	Transfer flammable or corrosive liquids from a 55-gallon steel drum with this explosion-proof, electric drum pump system with stainless steel pick-up tube.
DRM8001	FTI 0.33 HP Electric Drum Pump System with TTS Pick-Up Tube	Corrosives; Solvents; Shear-Sensitive Liquids	55 gal. Drum w/ 2" NPT Bung	Electric	115V/60 Hz	10 gal./minute	500 CentiPoise	Versatile electric pump system with stainless steel pick-up tube for use with corrosives, solvents and flammables in 55-gallon steel drums in non-explosive areas.
DRM8002	FTI 0.33 HP Electric Drum Pump System with EFS Pick-Up Tube	Light Acids; Solvents; Sodium Hypochlorite; Cleaners; Coolants; DEF	55 gal. Drum w/ 2" NPT Bung	Electric	110V/50-60 Hz	10 gal./minute	200 CentiPoise	Dispense and transfer solvents, light acids, sodium hypochlorite, cleaners, coolants and DEF with this economical, dual speed drum pump system for use with 55-gallon steel and poly drums.

Part #	Product Name	Compatible With	Use With	Pump Type	Powered Requirements	Max Flow Rate	Maximum Viscosity	Description
DRM8003	FTI 0.5 HP Air-Operated Explosion-Proof Drum Pump System with TTS Pick-Up Tube	Corrosives; Solvents; Flammables	55 gal. Drum w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Transfer and dispense flammables, corrosives and solvents with this air-operated, explosion-proof drum pump system for use with in a 55-gallon steel drums.
DRM8004	FTI 0.5 HP Air-Operated Drum Pump System with TTS Pick-Up Tube	Corrosives; Solvents; Shear-Sensitive Liquids	55 gal. Drum w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Transfer and dispense flammables, corrosives and solvents with this air-powered drum pump system for use with 55-gallon steel drums in non-explosive areas.
DRM8005	FTI 0.5 HP Air-Operated Drum Pump System with PFP Pick-Up Tube	Acids; Bases; Other Corrosives	55 gal. Drum w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Dispense mild corrosives and non-flammable liquids from 55-gallon drums with this air-powered drum pump system with poly pick-up tube.
DRM8006	FTI 0.5 HP Air-Operated Drum Pump System with PFS Pick-Up Tube	Mild Corrosives; Non-Flammable Solvents	55 gal. Drum w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Dispense mild corrosives and non-flammable liquids from 55-gallon drums with this air-powered drum pump system with steel pick-up tube.
DRM8007	FTI 0.5 HP Electric Drum Pump System with PFP Pick-Up Tube	Acids; Bases; Other Corrosives	55 gal. Drum w/ 2" NPT Bung	Electric	110V/50-60 Hz	20 gal./minute	500 CentiPoise	Dispense mild corrosives and non-flammable liquids from 55-gallon drums with this high flow rate electric drum pump system with poly pick-up tube.
DRM8008	FTI 0.5 HP Electric Drum Pump System with PFP Pick-Up Tube	Mild Corrosives; Non-Flammable Solvents	55 gal. Drum w/ 2" NPT Bung	Electric	110V/50-60 Hz	20 gal./minute	500 CentiPoise	Dispense mild corrosives and non-flammable liquids from 55-gallon drums with this high flow rate electric drum pump system with steel pick-up tube.
DRM8009	FTI Lithium Battery-Operated Drum Pump System with EFS Pick-Up Tube	Light Acids; Solvents; Sodium Hypochlorite; Cleaners; Coolants; DEF	55 gal. Drum w/ 2" NPT Bung	Battery	12V 3200mAh Lithium Ion Battery	14 gal./minute	100 CentiPoise	Battery-powered drum pump system with steel pick-up tube for use with light acids, solvents, sodium hypochlorite, cleaners, coolants and DEF in 55-gallon drums in non-explosive areas.
DRM8010	FTI Lithium Battery-Operated Drum Pump System with EFP Pick-Up Tube	Thin-Bodied & Slightly Viscous Liquids in Non-Explosive Areas	55 gal. Drum w/ 2" NPT Bung	Battery	12V 3200mAh Lithium Ion Battery	14 gal. / minute	100 CentiPoise	Battery-powered drum pump system with poly pick-up tube for use with mild corrosives in 55-gallon drums in non-explosive areas.
DRM903	Vortec® Air-Operated Dual-Force Vac Pump	Oils; Coolants; Non-Flammable Solvents	Fits 55 gal. Drum w/ 2" NPT Bung	Air	50 PSI at 15 SCFM (Minimum), 100 PSI at 23 SCFM (Maximum)	33 gal./minute	50 wt.	Versatile, two-way air-powered vac can be used to move liquids or spills into a drum, then pump drum contents out for reclamation or waste collection.
DRM981	Zee Line Polypropylene Rotary Hand Drum Pump – PTFE Seals	Oil-Based Liquids; Water-Based Chemicals; Chlorinated Solvents	15 to 55 gal. Drum w/ 2" NPT Bung	Rotary Operated	Manual	8 oz./revolution	30 wt.	Corrosion-resistant plastic body is great for dispensing fleet fluids, oil-based liquids, water-based chemicals and chlorinated solvents.
DRM982	Zee Line Ryton® Rotary Hand Drum Pump – Viton® Seals	Corrosives; Chlorinated Solvents; Oils	15 to 55 gal. Drum w/ 2" NPT Bung	Rotary Operated	Manual	8 oz./revolution	30 wt.	Corrosion-resistant plastic body is great for dispensing corrosive chemicals and chlorinated solvents.
DRM983	Zee Line Aluminum Rotary Hand Drum Pump – NBR Seals	Light Oil; Antifreeze; Windshield Washer Fluids	15 to 55 gal. Drum w/ 2" NPT Bung	Rotary Operated	Manual	32 oz./revolution	40 wt.	Wide-body design delivers a full quart per revolution to empty a 55-gallon drum of light oil, antifreeze or windshield washer fluid in just two minutes.
DRM988	Zee Line Stainless Steel Rotary Hand Drum Pump – PTFE Seals	Corrosives; Fuels	15 to 55 gal. Drum w/ 2" NPT Bung	Rotary Operated	Manual	6 oz./revolution	60 wt.	Quickly pump corrosive chemicals, fuels and other flammables from your drums with this versatile stainless steel rotary hand-operated pump.
IBC008	Zee Line Air-Operated Metered Oil IBC Pump System	Oil-Based Liquids	275 gal. IBC & 330 gal. IBC w/ 2" NPT Bung	Air	50-145 PSI	5.8 gal./minute	90 wt.	Air-powered pump system with mechanical meter mounts on your IBC tote for easy transfer of lubricants and oil-based liquids.
IBC009	Zee Line Air-Operated Metered Oil IBC Pump System	Oil-Based Liquids	275 gal. IBC & 330 gal. IBC w/ 2" NPT Bung	Air	50-145 PSI	5.8 gal./minute	90 wt.	Air-powered pump system with mechanical meter mounts on your IBC tote for easy transfer of lubricants and oil-based liquids.
IBC011	Zee Line Air-Operated Metered Oil IBC Pump System	Oil-Based Liquids	275 gal. IBC & 330 gal. IBC w/ 2" NPT Bung	Air	50-145 PSI	5.8 gal./minute	90 wt.	Easily transfer lubricants and oil-based liquids from your IBC tanks with this digital-metered air-powered pump system.
IBC8000	FTI 0.67 HP Electric Explosion-Proof IBC Pump System with TTS Pick-Up Tube	Corrosives; Solvents; Flammables	275 gal. IBC w/ 2" NPT Bung	Electric	115V/60 Hz	10 gal./minute	500 CentiPoise	Transfer flammable or corrosive liquids from a 275-gallon IBC tote with this explosion-proof, electric drum pump system with stainless steel pick-up tube.
IBC8001	FTI 0.33 HP Electric IBC Pump System with TTS Pick-Up Tube	Corrosives; Solvents; Shear-Sensitive Liquids	275 gal. IBC w/ 2" NPT Bung	Electric	115V/60 Hz	10 gal./minute	500 CentiPoise	Excellent and versatile electric pump system with steel pick-up tube for use with corrosives, solvents and flammables with 275- gallon IBC totes in non-explosive areas.
IBC8002	FTI 0.33 HP Electric IBC Pump System with EFP Pick-Up Tube	Thin-Bodied & Slightly Viscous Liquids in Non-Explosive Areas	275 gal. IBC w/ 2" NPT Bung	Electric	110V/50-60 Hz	10 gal./minute	200 CentiPoise	Batch dispense mild corrosives, cleaners and lab chemicals with this economical, dual speed IBC tote pump system for use with 275-gallon IBC totes.
IBC8003	FTI 0.33 HP Electric IBC Pump System with EFP Pick-Up Tube	Thin-Bodied & Slightly Viscous Liquids in Non-Explosive Areas	330 gal. IBC w/ 2" NPT Bung	Electric	110V/50-60 Hz	10 gal./minute	200 CentiPoise	Batch dispense mild corrosives, cleaners and lab chemicals with this economical, dual speed IBC tote pump system for use with 330-gallon IBC totes.
IBC8004	FTI 0.5 HP Air-Operated Explosion-Proof IBC Pump System with TTS Pick-Up Tube	Corrosives; Solvents; Flammables	275 gal. IBC w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Transfer and dispense flammables, corrosives and solvents with this air-powered, explosion-proof IBC pump system for use with 275-gallon IBC totes.

Part #	Product Name	Compatible With	Use With	Pump Type	Powered Requirements	Max Flow Rate	Maximum Viscosity	Description
IBC8005	FTI 0.5 HP Air-Operated IBC Pump System	Corrosives; Solvents; Shear-Sensitive Liquids	275 gal. IBC w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Transfer and dispense flammables, corrosives and solvents with this air-powered IBC pump system for use with 275-gallon IBC totes in non-explosive areas.
IBC8006	FTI 0.5 HP Air-Operated IBC Pump System with PFP Pick-Up Tube	Acids; Bases; Other Corrosives	275 gal. IBC w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Dispense mild corrosives and non-flammable liquids from 275-gallon IBC totes with this air-powered IBC pump system with poly pick-up tube.
IBC8007	FTI 0.5 HP Air-Operated IBC Pump System with PFP Pick-Up Tube	Acids; Bases; Other Corrosives	330 gal. IBC w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Dispense mild corrosives and non-flammable liquids from 330-gallon IBC totes with this air-powered IBC pump system with poly pick-up tube.
IBC8008	FTI 0.5 HP Air-Operated IBC Pump System with PFS Pick-Up Tube	Mild Corrosives; Non-Flammable Solvents	275 gal. IBC w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Dispense mild corrosives and non-flammable liquids from 275-gallon IBC totes with this air-powered IBC pump system with steel pick-up tube.
IBC8009	FTI 0.5 HP Air-Operated IBC Pump System with PFS Pick-Up Tube	Mild Corrosives; Non-Flammable Solvents	330 gal. IBC w/ 2" NPT Bung	Air	80-100 PSI @ 15-32 CFM	22 gal./minute	330 CentiPoise	Dispense mild corrosives and non-flammable liquids from 330-gallon IBC totes with this air-powered IBC pump system with steel pick-up tube.
IBC8010	FTI 0.5 HP Electric IBC Pump System with PFP Pick-Up Tube	Acids; Bases; Other Corrosives	275 gal. IBC w/ 2" NPT Bung	Electric	110V/50-60 Hz	20 gal./minute	500 CentiPoise	Dispense mild corrosives and non-flammable liquids from 275-gallon IBC totes with this high flow rate electric IBC pump system with poly pick-up tube.
IBC8011	FTI 0.5 HP Electric IBC Pump System with PFP Pick-Up Tube	Acids; Bases; Other Corrosives	330 gal. IBC w/ 2" NPT Bung	Electric	110V/50-60 Hz	20 gal./minute	500 CentiPoise	Dispense mild corrosives and non-flammable liquids from 330-gallon IBC totes with this high flow rate electric IBC pump system with poly pick-up tube.
IBC8012	FTI 0.5 HP Electric IBC Pump System with PFS Pick-Up Tube	Mild Corrosives; Non-Flammable Solvents	275 gal. IBC w/ 2" NPT Bung	Electric	110V/50-60 Hz	20 gal./minute	500 CentiPoise	Dispense mild corrosives and non-flammable liquids from 275-gallon IBC totes with this high flow rate electric IBC pump system with steel pick-up tube.
IBC8013	FTI 0.5 HP Electric IBC Pump System with PFS Pick-Up Tube	Mild Corrosives; Non-Flammable Solvents	330 gal. IBC w/ 2" NPT Bung	Electric	110V/50-60 Hz	20 gal./minute	330 CentiPoise	Dispense mild corrosives and non-flammable liquids from 330-gallon IBC totes with this high flow rate electric IBC pump system with steel pick-up tube.
IBC8014	FTI Lithium Battery-Operated IBC Pump System with EFP Pick-Up Tube	Thin-Bodied & Slightly Viscous Liquids in Non-Explosive Areas	275 gal. IBC w/ 2" NPT Bung	Battery	12V 3200mAh Lithium Ion Battery	14 gal./minute	100 CentiPoise	Battery-powered drum pump system with poly pick-up tube for use with mild corrosives in 275-gallon IBC totes in non-explosive areas.
IBC8015	FTI Lithium Battery-Operated IBC Pump System with EFP Pick-Up Tube	Thin-Bodied & Slightly Viscous Liquids in Non-Explosive Areas	330 gal. IBC w/ 2" NPT Bung	Battery	12V 3200mAh Lithium Ion Battery	14 gal./minute	100 CentiPoise	Battery-powered drum pump system with poly pick-up tube for use with mild corrosives in 330-gallon IBC totes in non-explosive areas.