

801814 Compatibility Notes - 02/12/2019	
Model	Notes
TPP-93D-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
GDM-10-52	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23F-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-93D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
TWT-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TR-85F-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-35SL-F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-49	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-12FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-67D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-10PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-19E	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49F-2-G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-37	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TDBD-72-2	USED AFTER 12/7/04 PRODUCTION DATE OR AFTER APPROXIMATE SERIAL NO. 1-4003101 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-72FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TBB-3G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
T-72-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-85-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-77RT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-22	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-49G-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-26W	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TD-95-38	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TDBD-96-6	USED AFTER 12/7/04 PRODUCTION DATE OR AFTER APPROXIMATE SERIAL NO. 1-4003101 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-48-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TC-72G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

GDM-49DT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49FZ	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-31PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53-4-G-4PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-69FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-35	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2R-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TM-52G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33SL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDD-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TS-28G-2PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-72G-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23FC-RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-52G-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-10F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33SSL-54	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

T-50-GC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS.
TR-56-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-24M-DS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSD-33	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-85FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-69	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR3R-6HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-48-18	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
G4SM-23PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23-1-G-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSID-48-4-L	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCM-90AC	USED AFTER 8/12/04 PRODUCTION DATE OR SERIAL NO. 1-3905650 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-67D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)

TWT-67D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-72-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TMC-49	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDBD-72-4	USED AFTER 12/7/04 PRODUCTION DATE OR AFTER APPROXIMATE SERIAL NO. 1-4003101 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-27D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TMC-58-DS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-69FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TC-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-52-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-14SL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-23FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR-56F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-31-2-G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDD-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TR-77F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

GEM-12	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-72-2-L	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-74G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-93D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
GDM-10	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2F-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
G4SM-23RL-SI	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-60D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-41	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-48-12	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR1R-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-35SL-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-49F-2-G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-49FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-26HL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR3F-6HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

GDM-33CPT-54	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-41C-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-08	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-12G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-60G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TBB-3G-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
T-72FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-72F-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
GDM-41SL-54	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23DT-1-G-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-23F-RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
THF-29FL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-72F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TDD-4-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
GDM-35RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSD-47G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-49-1-G-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-19	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-8M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-19FZ	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-26RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-85G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-30MB	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-12FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-26F-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCM-84	USED AFTER 8/12/04 PRODUCTION DATE OR SERIAL NO. 1-3905650 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-37RI	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TPP-60D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS

GDM-10RF-LE	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23DT-G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-41CPT-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-69	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-29-SO	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-31-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-49G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TDBD-96-3	USED AFTER 12/7/04 PRODUCTION DATE OR AFTER APPROXIMATE SERIAL NO. 1-4003101 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-35	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-12M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TBB-24-GAL-48G-SD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TS-23-1-G-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-35	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-12	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-23G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)

T-17F-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-72G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TSID-72-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-72FZ	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-47RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-35F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-48G-SD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TUC-48G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
T-49FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-56-2-G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-10FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-119	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-28G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR-31DT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-44	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR-37RI-89	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1F-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TM-52	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TRCB-79	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-93D-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR-56F-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-44D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-11	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-19	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDIM-26NT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-31FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-25	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-49F-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TC-23F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49W	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TS-12	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23W	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
G4SM-23FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
G4SM-23RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-35G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23DT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR1F-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TRCB-50	ONLY USED TO REPLACE AN EXISTING 801814-
GEM-23RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-36-12M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-12G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TC-49	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-72FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-10PT-LE	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49F-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53-4PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33CPT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TSSU-27-08	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-23	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-23G-RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-19F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-49-2-G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TD-36-12	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR-37RT-89	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-31G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23G-PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TSSU-60-10	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR2R-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RRI-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33SL-60LE	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCM-84AC	USED AFTER 8/12/04 PRODUCTION DATE OR SERIAL NO. 1-3905650 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-19FZ	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TD-50-18	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-45HL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-10LE	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
THF-41FL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-19G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-31	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-49F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCM-90	USED AFTER 8/12/04 PRODUCTION DATE OR SERIAL NO. 1-3905650 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-95-28	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-60D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-33CPT-52	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSD-33G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-85-3-G-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-36-08	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-12RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCM-78AC	USED AFTER 8/12/04 PRODUCTION DATE OR SERIAL NO. 1-3905650 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TSD-69	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD IN REMOTE COMPRESSOR MODELS.
TSID-72-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-49-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-69RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-27G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR1RRT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23F-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49DT-G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49G-RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-72F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-96-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-27-12M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR3F-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-10RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

GDM-43	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-35G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-93D-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-36	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-48G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TRCB-79-86	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-23F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-27D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-60-24M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-60-24MB-DS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TMC-58	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-12	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-12D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TM-74-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-48F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. USED BEFORE 10/20/15 PER PCN 8251. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)

TWT-36	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TM-65-18	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR-56PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-47	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-49G-PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-12M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-19F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TR-85	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-27	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-19	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-27	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-72G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-48-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-72-3-G-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TBB-24GAL-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
T-19	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-48-18M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR3R-3G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24GAL-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TR1RRT89-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TSD-47	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-37RT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-48D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TR1R-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR3R-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33C	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-41C	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TUC-27F-D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TM-74	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-67D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-23RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23W-RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDD-3CT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
GDM-22F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-47FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TD-50-18-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-41CPT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RRT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-37	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1R-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSID-48-2-L	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-35W-RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-10	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)

TR2FRI-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-27G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TS-23F-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSD-69G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD IN REMOTE COMPRESSOR MODELS.
TUC-93	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-28G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-12PT-LE	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-15M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-44	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR1RRI89-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-77RI	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

T-49DT-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TD-36-12-LT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TC-49G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-28-2PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RRI-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSID-96-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-49FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24GAL-48G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
T-72F-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-12PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-36-12M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-15	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-56G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-12LE-RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-67	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-49DT-G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TUC-67	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-23-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-30M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-43F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-60D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-26W-RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDIM-49	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-28-2-G-2PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-44D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
TWT-48F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. USED BEFORE 10/20/15 PER PCN 8251. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-49-2-G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-45	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-4-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.

TC-23G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-24	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TMC-49-DS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-18D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR-56G-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-85F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-27F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDIM-72NT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-60-32	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-27-12M-C	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR-85PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23G-RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-23G-PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-23G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-12LE	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR-31F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TD-95-38-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-33	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-50-GC-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS.
GDM-35SL-RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-31G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33SL-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-14RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-4G-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TR-31F-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2R-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-28G-RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TDD-4CT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
GEM-47FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TUC-48D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TSSU-60-21M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR1R-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-23FZ	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-72FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49W-RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-60-32D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-60-14	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TD-65-24-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-49	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
T-12F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53G-RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-37HL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-24G-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-26	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)

TR-77RI-F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-48-13	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-12FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-30MB-DS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR3RPT-3S-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-47	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TD-65-24	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-23RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-61	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-67D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
TBB-24-48G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TR2FPT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16-DS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TBB-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
GEM-23FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TWT-60-32	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-69HL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDIM-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-24-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-23	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-18M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-93	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GEM-10	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49RF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-26F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
G4SM-23	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-4G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TS-72G-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-85G-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-85	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-72RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

T-72-3-G-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TMC-34	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-35SW-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-56	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-19FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-14	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDD-2CT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
T-49DT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-41SL-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-35F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-12	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23HL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-35FZ	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-12F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49G-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TSSU-60-08	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-60G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-44F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-56F-PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-35FG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-35F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TVM-400	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDIM-49NT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSID-72-4-L	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-61FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
G4SM-23-RGS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-24M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TC-23	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2F-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-27F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TRCB-110	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDIM-26	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

T-49-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
TSSU-27-08D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TPP-67	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
TPP-93	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
GDM-10FZ	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2R-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR2R-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-15T	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-18	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-41SL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-49PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-67D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
THF-51FL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-44	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. STANDARD ON REMOTE UNITS
GEM-26	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

GDM-72F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-57	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-15M	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR-56DT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-72G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-45	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TM-54	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-60-32D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-27-12M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TDD-4CT-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
T-49DT-1-G-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1HGLH/1HSLH-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TRCB-52	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR1R-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RRI89-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR2RRT89-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24GAL-60G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TBB-24GAL-60G-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TS-28	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-28PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-28G-PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53G-PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-27-08-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-36-08-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-8-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TSSU-48-10-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-12-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-08-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-10-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-12-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16-DS-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-27-08D-2-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TSSU-48-12D-4-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16D-4-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-27-12MB-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-27-12MC-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-36-12MB-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-12MB-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-15MB-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-18MB-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TSSU-60-24MB-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-24MB-DS-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-36-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-48-LP	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TUC-60-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-27G-LP	STANDARD AFTER 7/03 PRODUCTION DATE..NOT AFTER 2009. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-48G-LP	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TUC-60G-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-27D-2-LP	STANDARD AFTER 7/03 PRODUCTION..NOT AFTER 2009 DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TUC-48D-4-LP	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TUC-60D-4-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-27LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-36LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-48-LP	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TWT-60LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-27D-2-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-48D-4-LP	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TWT-60D-4-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TUC-27F-LP	STANDARD AFTER 7/03 PRODUCTION DATE.NOT AFTER 2009. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-119D-8	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33CPT-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGR-50	STANDARD. DOES NOT REQUIRE A METAL DRAIN PAN TO SET IN. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-28-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-67F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDD-3G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TUC-93F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGU-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-10F-RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-10PT-F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53G-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-19E-FZ	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGU-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TGU-1F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGU-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGU-3F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGU-2F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TMW-36F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33CPT-44	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2S-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HG-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/2HS-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HG-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/2HS-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2S-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HG-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/2HS-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2S-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HG-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/2HG-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR2RPT-2S-1G/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HG-1G/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/2HS-1G/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2S-1G/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HG-1G/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/2HS-1G/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2S-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HG-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/2HS-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2G-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/2HS-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/1S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2G-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/2HS-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/1S-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2G-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/2HS-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR2RPT-2HG/1S-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2G-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/2HS-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/1S-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2G-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/2HS-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/1S-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2G-1G/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/2HS-1G/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/1S-1G/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2G-1G/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/2HS-1G/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/1S-1G/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2G-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/2HS-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-2HG/1S-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HS-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR2RPT-1G/1S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HS-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/1S-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HS-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/1S-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HS-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/1S-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HS-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/1S-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HS-1G/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/1S-1G/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HS-1G/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/1S-1G/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HS-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-1G/1S-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1S-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1S-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR1RPT-1S-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1S-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1G-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1G-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1G-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1G-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1HG/1HS-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1HG/1HS-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1HG/1HS-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HS-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HS-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HS-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HS-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HG-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HG-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HG-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HG-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TCGG-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA1F-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA1F-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA1FRI-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1R-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1R-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1R-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA1R-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA1RPT-1G-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-1G-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-1HG/1HS-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-1HG/1HS-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-1S-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-2HG-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-2HG-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-2HS-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TA1RPT-2HS-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RRI-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA1RRI89-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RRT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RRT89-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2F-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2F-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2FPT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2R-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2R-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2R-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA2R-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2R-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA2RPT-2G-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-2G-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-2HG/2HS-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-2HG/2HS-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TA2RPT-2S-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-4HG-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-4HG-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-4HS-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-4HS-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RRI-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RRI89-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RRT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RRT89-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA3F-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA3F-6HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA3R-3G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA3R-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA3R-6HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA3RPT-3S-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1F-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)

TG1F-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TG1FRI-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1R-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1R-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1R-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TG1R-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1R-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TG1RPT-1G-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-1G-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-1HG/1HS-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-1HG/1HS-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-1S-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-2HG-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-2HG/1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-2HS-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-2HS-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TG1RRI-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TG1RRI89-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RRT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RRT89-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2F-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2F-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2FPT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2R-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2R-2HG/2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2R-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TG2R-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2R-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TG2RPT-2G-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RPT-2G-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RPT-2HG/2HS-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RPT-2HG/2HS-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RPT-2S-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TG2RPT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RPT-4HG-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RPT-4HG-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RPT-4HS-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RPT-4HS-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RRI-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RRI89-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RRT-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RRT89-2S-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG3F-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG3F-6HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG3R-3G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG3R-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG3R-6HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG3RPT-3S-3S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGR-36	STANDARD. DOES NOT REQUIRE A METAL DRAIN PAN TO SET IN. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TA1R-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-10	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TR1RPT-1HG/1HS-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HG-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-1G-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RPT-2HS-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1FRI-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-93F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-60-32F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-48F-LP	USED BEFORE 10/20/15 PER PCN 8251. STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-67F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-60-32F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-27F-D2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-119	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-119	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TSSU-72-30M-B-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-60-24M-B-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TDD-4G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TWT-44F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGG-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-18-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TPP-119D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-119D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TPP-119D-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-93D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-119D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-119D-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-119D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-119D-8	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-119D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-119D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TWT-119D-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-119D-8	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-60F-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-44D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-93D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-93D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-93D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-48D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TUC-48D-2-LP	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.
TWT-60D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-60D-2-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-48D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS) USED BEFORE 10/20/15 PER PCN 8119.

TUC-60D-2-LP	STANDARD AFTER 7/03 PRODUCTION DATE. LOCATED ON THE CABINET FRAME NEXT TO COMPRESSOR WHERE IT IS PLACED IN BRACKET 890631 THAT IS WELDED TO CABINET FRAME. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16-DS-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-60-24M-B-DS-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-30M-B-DS-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-48-12D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TM-24G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TMW-36F-QT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-31-1-G-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-72-3-L	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-72-6-L	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-61FC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
THF-41AL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGR-50-CD	STANDARD. DOES NOT REQUIRE A METAL DRAIN PAN TO SET IN. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TRCB-82	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-72-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TSID-72-6	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23F-1-G-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-67HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-44HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-44HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-44F-HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-44F-HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-67HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-67F-HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-67F-HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-93HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-93F-HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TWT-93HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-93F-HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TUC-60-32HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TWT-60-32HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TUC-60-32F-HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TWT-60-32F-HD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-18MB-D4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-30MB-ST-D2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-23-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-52TM	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-52TM-RL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-37RI-F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-23FG-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR-77RI-89	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TMW-36R-QT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-16-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-18M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TS-23PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGDZ-50	STANDARD. DOES NOT REQUIRE A METAL DRAIN PAN TO SET IN. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RPT-1G-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR1F-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1F-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1F-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2F-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2F-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2F-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGR-59	STANDARD. DOES NOT REQUIRE A METAL DRAIN PAN TO SET IN. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-10RF-RB	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-16	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-12	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-08	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TBB-24-72-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TSSU-60-12M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TA2RPT-4HG-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-24M-B-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)

TCGR-31	STANDARD. DOES NOT REQUIRE A METAL DRAIN PAN TO SET IN. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGW-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGW-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGW-2F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGW-3	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGW-3F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGW-1F	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TRCB-82-84	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TRCB-52-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TRCB-96	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGG-36	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDD-4CT-G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
GDM-49F FAMILY DOLLAR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-72 FAMILY DOLLAR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1-F-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49 DOLLAR GENERAL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

GDM-49F DOLLAR GENERAL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-49 SUBWAY	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GEM-26 SUBWAY	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-15M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-60-18M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-12M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-15M-B	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TRCB-82-86	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-72 DOLLAR GENERAL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-72F DOLLAR GENERAL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RPT-4HG-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCM-78AC-GF	USED AFTER 8/12/04 PRODUCTION DATE OR SERIAL NO. 1-3905650 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RPT-4HG-4HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGG-60	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-49-4PT	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1-FPT-2HS-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TG2RPT-4HS4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1-F-1S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1R-1S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2-F-2S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2-R-2S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA3R-3S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-72F FAMILY DOLLAR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-49 FAMILY DOLLAR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-26 FAMILY DOLLAR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-26F FAMILY DOLLAR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33SSL-54 COKE/MCDONALDS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR3R-4HS-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCM-78AC-GF-SD	USED AFTER 8/12/04 PRODUCTION DATE OR SERIAL NO. 1-3905650 AS STANDARD PRODUCTION PART. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGR-59-CD	STANDARD. DOES NOT REQUIRE A METAL DRAIN PAN TO SET IN. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGDZ-59	STANDARD. DOES NOT REQUIRE A METAL DRAIN PAN TO SET IN. ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TR1FPT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1-FPT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1FPT-1S-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-36-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSID-36-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TRCB-72	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TMC-34-DS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDC-47	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-27-12MC-D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
GDM-33SSL-54-24	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-36-15MB	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-12D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-18D-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TG1R-1S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2R-2S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG3R-3S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2F-2S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TG1F-1S STARBUCKS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-49MHC	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24GAL-72G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TG1F-1HG/1HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-53G-PT-2G-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-23F FAMILY DOLLAR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-48FR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TR-77RT-89	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33CPT-54-36	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RRI-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RRI-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RRI-1G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR1RRT-1G-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RRT-1G-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG1RRT-1G-1S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RRI-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TA2RRI-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RRI-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2RRT-2G-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA2RRT-2G-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TG2RRT-2G-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDC-27	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDC-87	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDC-67	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-60G-SD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TBB-24-48FR-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TBB-24-72FR	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TBB-24-72FR-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TGU-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGW-4	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TMC-34-S-DS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.

TMC-34-DS-SS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TMC-34-S-DS-SS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TRCB-36	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TRCB-48	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
THDC-04	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
THDC-06	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
THDC-02SF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
THDC-04SF	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGW-3D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24GAL-72-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TBB-24-48G-SD-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TA2FRI-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TGU-3D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-72-30M-B-D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TBB-24-72G-SD	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.

TFM-29FL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TFM-41FL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TFM-51FL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-19T	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TR2FPT-4HS-4HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-10SSL	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
T-15G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TP-54-30R-FS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-72G-SD-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
TG2FRI-2S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
THDC-08	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-48-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.
T-19-1-G-1	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TDC-47-CG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TBB-24-48G-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)(NO ROOM IN REFRIGERATION AREA FOR COMPRESSOR AND HEATER.

TG1F-2HG	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TA1RPT-2HS-2HS	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-48-18MB-D2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
T-43	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
GDM-33CPT-GASI	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TSSU-60-08D-2	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TG2RPT-4HG-2G	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TS-43	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL.
TCGG-48-S	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)
TSSU-72-16-ST	ONLY USED TO REPLACE AN EXISTING 801814-FI HEATED DRAIN PAN. NEW INSTALLATION IN FIELD VOIDS UL APPROVAL. (STANDARD ON REMOTE UNITS)