

Model-Specific Compatibility Notes [01/07/2015]:

TR1DT-2HS: Option.

TWT-48: Standard caster.

TUC-67D-4: Standard caster.

T-19E: Option.

QA-60-24MB-L: Standard caster.

TR2RPT-2S-2S: Option.

TR2R-4HS: Option.

TUC-GAL-48-2: Standard caster.

TSSU-60-24M-DS: Standard caster.

T-23-2: Option.

T-23-1-G-1: Option.

TUC-67D-2: Standard caster.

TWT-67D-4: Standard caster.

TUC-27D-2: Standard caster.

TMC-58-DS: Option, special request only requires scr. Cabinet has to have hole drilled out in bottom, requires 4)830416 caster plates and would require a special skid for shipment.

TS-23FG: Option.

TR2F-2S: Option.

TWT-60D-4: Standard caster.

TSSU-48-12: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TR1R-2HG: Option.

TSSU-48-08: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TUC-60G: Standard caster.

T-23DT-1-G-1: Option.

TSSU-48-8M: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TSSU-72-30MB: Standard caster.

TPP-60D-2: Standard caster.

T-23DT-G: Option.

TSSU-48-12M-B: Standard caster.

TWT-72F: Standard caster.

TS-23-1-G-1: Option.

TSSU-60-12: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TS-23G: Option.

TSSU-60-16D-2: Standard caster.

TUC-48G: Standard caster.

TPP-119: Standard caster.

TUC-44: Standard caster.

TR1F-2HS: Option.

TWT-44D-2: Standard caster.

QA-72-30MB: Standard caster.

T-23DT: Option.

TR1F-1S: Option.

TRCB-50: Used before 5/12/00 (ser. no. 1-2686303).

TSSU-36-12M-B: Standard caster.

GDM-33CPT: Option.

TSSU-27-08: Standard caster.

TS-23: Option.

TS-23G-RL: Option.

T-23G-PT: Option.

TSSU-60-10: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TR2R-2HG/2HS: Option.

TUC-60D-2: Standard caster.

TUC-27FG: Standard caster.

TSSU-36-08: Standard caster.

TWT-27G: Standard caster.

T-23F-2: Option.

TSSU-27-12M: Standard caster.

TUC-36: Standard caster.

TWT-48G: Standard caster.

TS-23F: Option.

T-23F: Option.

TWT-27D-2: Standard caster.

TSSU-60-24M-B: Standard caster.

TSSU-60-24MB-DS: Standard caster.

TSSU-48-12D-4: Standard caster.

TUC-48F: Standard caster.

TWT-36: Standard caster.

TSSU-60-16: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

QA-48-18MB: Standard caster.

TSSU-48-12M: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TSSU-27-08F: Standard caster.

TUC-27: Standard caster.

TWT-27: Standard caster.

T-19: Option.

TUC-72: Standard caster.

TSSU-48-18M: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TUC-36F: Standard caster.

TWT-48D-4: Standard caster.

TR1R-1G: Option.

TUC-27F-D-2: Standard caster.

TWT-67D-2: Standard caster.

T-23RL: Option.

TR1R-1S: Option.

TSSU-48-10: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TUC-27G: Standard caster.

TUC-48: Standard caster.

TS-23F-2: Option.

T-23: Option.

TWT-27FG: Standard caster.

TUC-60F: Standard caster.

TSSU-48-15M-B: Standard caster.

TWT-44: Standard caster.

TUC-GAL-48: Standard caster.

TUC-72F: Standard caster.

TSSU-36-12M: Standard caster.

TUC-GAL-48F: Standard caster.

TWT-67: Standard caster.

TUC-67: Standard caster.

TS-23-2: Option.

TSSU-72-30M: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TUC-60D-4: Standard caster.

TUC-60: Standard caster.

TPP-44D-2: Standard caster.

TWT-48F: Standard caster.

TR1RPT-1S-1S: Option.

TSSU-72-18D-2: Standard caster.

TUC-27F: Standard caster.

TUC-60-32: Standard caster.

TWT-60: Standard caster.

TSSU-27-12M-C: Standard caster.

T-23G-RL: Option.

TS-23G-PT: Option.

TS-23G-2: Option.

TUC-48F-D: Standard caster.

TR2R-4HG: Option.

TSSU-60-16D-4: Standard caster.

TUC-48D-4: Standard caster.

TSSU-60-21M: Standard caster.

TR1R-2HS: Option.

T-23FZ: Option.

TUC-60-32D-2: Standard caster.

TSSU-60-14: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TWT-60F: Standard caster.

TSSU-72-30MB-DS: Standard caster.

TPP-67D-4: Standard caster.

TR2FPT-2S-2S: Option.

TSSU-60-16-DS: Standard caster.

TWT-60-32: Standard caster.

TSSU-48-18M-B: Standard caster.

TWT-72: Standard caster.

TSSU-60-08: Standard caster.

TWT-60G: Standard caster.

TUC-44F: Standard caster.

TWT-36F: Standard caster.

TSSU-60-24M: Standard caster.

TR2F-4HS: Option.

TWT-27F: Standard caster.

TPP-60: Standard caster.

TR2DT-2S: Option.

TSSU-27-08D-2: Standard caster.

TPP-67: Standard caster.

TR2R-2S: Option.

TR2R-2G: Option.

TSSU-72-18: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TPP-67D-2: Standard caster.

TPP-44: Standard caster.

TSSU-48-15M: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TWT-60-32D-2: Standard caster.

TSSU-27-12M-B: Standard caster.

TR1RPT-1HGLH/1HSLH-1HG/1HS: Option.

TR1R-1HG/1HS: Option.

TPP-119D-8: Standard caster.

TUC-67F: Standard caster.

TR2RPT-2S-2G: Option.

TR2RPT-4HG-2S: Option.

TR2RPT-1G/2HS-2S: Option.

TR2RPT-4HG-4HS: Option.

TR2RPT-1G/2HS-4HS: Option.

TR2RPT-2S-4HG: Option.

TR2RPT-4HG-4HG: Option.

TR2RPT-1G/2HS-4HG: Option.

TR2RPT-2S-2HG/2HS: Option.

TR2RPT-4HG-2HG/2HS: Option.

TR2RPT-1G/2HG-2HG/2HS: Option.

TR2RPT-2S-1G/1S: Option.

TR2RPT-4HG-1G/1S: Option.

TR2RPT-1G/2HS-1G/1S: Option.

TR2RPT-2S-1G/2HS: Option.

TR2RPT-4HG-1G/2HS: Option.

TR2RPT-1G/2HS-1G/2HS: Option.

TR2RPT-2S-2HG/1S: Option.

TR2RPT-4HG-2HG/1S: Option.

TR2RPT-1G/2HS-2HG/1S: Option.

TR2RPT-2G-2S: Option.

TR2RPT-2HG/2HS-2S: Option.

TR2RPT-2HG/1S-2S: Option.

TR2RPT-2G-2G: Option.

TR2RPT-2HG/2HS-2G: Option.

TR2RPT-2HG/1S-2G: Option.

TR2RPT-2G-4HS: Option.

TR2RPT-2HG/2HS-4HS: Option.

TR2RPT-2HG/1S-4HS: Option.

TR2RPT-2G-4HG: Option.

TR2RPT-2HG/2HS-4HG: Option.

TR2RPT-2HG/1S-4HG: Option.

TR2RPT-2G-2HG/2HS: Option.

TR2RPT-2HG/2HS-2HG/2HS: Option.

TR2RPT-2HG/1S-2HG/2HS: Option.

TR2RPT-2G-1G/1S: Option.

TR2RPT-2HG/2HS-1G/1S: Option.

TR2RPT-2HG/1S-1G/1S: Option.

TR2RPT-2G-1G/2HS: Option.

TR2RPT-2HG/2HS-1G/2HS: Option.

TR2RPT-2HG/1S-1G/2HS: Option.

TR2RPT-2G-2HG/1S: Option.

TR2RPT-2HG/2HS-2HG/1S: Option.

TR2RPT-2HG/1S-2HG/1S: Option.

TR2RPT-4HS-2S: Option.

TR2RPT-1G/1S-2S: Option.

TR2RPT-4HS-2G: Option.

TR2RPT-1G/1S-2G: Option.

TR2RPT-4HS-4HS: Option.

TR2RPT-1G/1S-4HS: Option.

TR2RPT-4HS-4HG: Option.

TR2RPT-1G/1S-4HG: Option.

TR2RPT-4HS-2HG/2HS: Option.

TR2RPT-1G/1S-2HG/2HS: Option.

TR2RPT-4HS-1G/1S: Option.

TR2RPT-1G/1S-1G/1S: Option.

TR2RPT-4HS-1G/2HS: Option.

TR2RPT-1G/1S-1G/2HS: Option.

TR2RPT-4HS-2HG/1S: Option.

TR2RPT-1G/1S-2HG/1S: Option.

TR1RPT-1S-1G: Option.

TR1RPT-1S-1HG/1HS: Option.

TR1RPT-1S-2HS: Option.

TR1RPT-1S-2HG: Option.

TR1RPT-1G-1G: Option.

TR1RPT-1G-1HG/1HS: Option.

TR1RPT-1G-2HS: Option.

TR1RPT-1G-2HG: Option.

TR1RPT-1HG/1HS-1G: Option.

TR1RPT-1HG/1HS-2HS: Option.

TR1RPT-1HG/1HS-2HG: Option.

TR1RPT-2HS-1G: Option.

TR1RPT-2HS-1HG/1HS: Option.

TR1RPT-2HS-2HS: Option.

TR1RPT-2HS-2HG: Option.

TR1RPT-2HG-1G: Option.

TR1RPT-2HG-1HG/1HS: Option.

TR1RPT-2HG-2HS: Option.

TR1RPT-2HG-2HG: Option.

TA1F-1S: Option.

TA1DT-2HS: Option.

TA1F-2HS: Option.

TA1R-1G: Option.

TA1R-1HG/1HS: Option.

TA1R-1S: Option.

TA1R-2HS: Option.

TA1RPT-1G-1G: Option.

TA1RPT-1G-1S: Option.

TA1RPT-1HG/1HS-1G: Option.

TA1RPT-1HG/1HS-1S: Option.

TA1RPT-1S-1G: Option.

TA1RPT-1S-1S: Option.

TA1RPT-2HG-1G: Option.

TA1RPT-2HG-1S: Option.

TA1RPT-2HS-1G: Option.

TA1RPT-2HS-1S: Option.

TA2DT-2S: Option.

TA2F-2S: Option.

TA2F-4HS: Option.

TA2FPT-2S-2S: Option.

TA2R-2G: Option.

TA2R-2HG/2HS: Option.

TA2R-2S: Option.

TA2R-4HG: Option.

TA2R-4HS: Option.

TA2RPT-2G-2G: Option.

TA2RPT-2G-2S: Option.

TA2RPT-2HG/2HS-2G: Option.

TA2RPT-2HG/2HS-2S: Option.

TA2RPT-2S-2G: Option.

TA2RPT-2S-2S: Option.

TA2RPT-4HG-2G: Option.

TA2RPT-4HG-2S: Option.

TA2RPT-4HS-2G: Option.

TA2RPT-4HS-2S: Option.

TG1F-1S: Option.

TG1F-2HS: Option.

TG1R-1G: Option.

TG1R-1HG/1HS: Option.

TG1R-1S: Option.

TG1R-2HG: Option.

TG1R-2HS: Option.

TG1RPT-1G-1G: Option.

TG1RPT-1G-1S: Option.

TG1RPT-1HG/1HS-1G: Option.

TG1RPT-1HG/1HS-1S: Option.

TG1RPT-1S-1G: Option.

TG1RPT-1S-1S: Option.

TG1RPT-2HG-1G: Option.

TG1RPT-2HG/1S: Option.

TG1RPT-2HS-1G: Option.

TG1RPT-2HS-1S: Option.

TG2DT-2S: Option.

TG2F-2S: Option.

TG2F-4HS: Option.

TG2FPT-2S-2S: Option.

TG2R-2G: Option.

TG2R-2HG/2HS: Option.

TG2R-2S: Option.

TG2R-4HG: Option.

TG2R-4HS: Option.

TG2RPT-2G-2G: Option.

TG2RPT-2G-2S: Option.

TG2RPT-2HG/2HS-2G: Option.

TG2RPT-2HG/2HS-2S: Option.

TG2RPT-2S-2G: Option.

TG2RPT-2S-2S: Option.

TR2RPT-4HG-2G: Option.

TG2RPT-4HG-2S: Option.

TG2RPT-4HS-2G: Option.

TG2RPT-4HS-2S: Option.

TA1R-2HG: Option.

TSSU-72-10: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TR1RPT-1HG/1HS-1S: Option.

TR1RPT-2HG-1S: Option.

TR1RPT-1G-1S: Option.

TR1RPT-2HS-1S: Option.

TUC-60-32F: Standard caster.

TWT-67F: Standard caster.

TWT-60-32F: Standard caster.

TWT-27F-D2: Standard caster.

TUC-48F-D-4: Standard caster.

TWT-48F-D4: Standard caster.

TUC-119: Standard caster.

TWT-119: Standard caster.

TSSU-72-30M-B-ST: Standard caster.

TSSU-60-24M-B-ST: Standard caster.

TWT-44F: Standard caster.

TSSU-72-18-ST: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TPP-119D-2: Standard caster.

TPP-119D-4: Standard caster.

TPP-119D-6: Standard caster.

TUC-119D-4: Standard caster.

TUC-119D-6: Standard caster.

TUC-119D-2: Standard caster.

TUC-119D-8: Standard caster.

TWT-119D-2: Standard caster.

TWT-119D-4: Standard caster.

TWT-119D-6: Standard caster.

TWT-119D-8: Standard caster.

TUC-44D-2: Standard caster.

TUC-48D-2: Standard caster.

TWT-60D-2: Standard caster.

TWT-48D-2: Standard caster.

TSSU-60-16-DS-ST: Standard caster.

TSSU-60-24M-B-DS-ST: Standard caster.

TSSU-72-30M-B-DS-ST: Standard caster.

TSSU-48-12D-2: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

T-23F-1-G-1: Option.

TWT-67HD: Standard caster.

TUC-44HD: Standard caster.

TWT-44HD: Standard caster.

TUC-44F-HD: Standard caster.

TWT-44F-HD: Standard caster.

TUC-67HD: Standard caster.

TUC-67F-HD: Standard caster.

TWT-67F-HD: Standard caster.

TUC-60-32HD: Standard caster.

TWT-60-32HD: Standard caster.

TUC-60-32F-HD: Standard caster.

TWT-60-32F-HD: Standard caster.

TSSU-48-18MB-D4: Standard caster.

TSSU-72-30MB-ST-D2: Standard caster.

TR2DT-4HS: Option.

T-23PT: Option.

TSSU-60-16-ST: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TSSU-72-18M-B: Standard caster.

TS-23PT: Option.

TG1RPT-1G-2HS: Option.

TR1F-1G: Option.

TA1F-1G: Option.

TG1F-1G: Option.

TR2F-2G: Option.

TA2F-2G: Option.

TG2F-2G: Option.

TG2DT-4HS: Option.

TSSU-72-16: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TSSU-72-12: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TSSU-72-08: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters will require new caster plates.

TSSU-60-12M-B: Standard caster.

TA2RPT-4HG-4HS: Option.

TSSU-72-24M-B-ST: Standard caster.

TR1-F-2HG: Option.

TSSU-60-15M-B: Standard caster.

TSSU-60-18M-B: Standard caster.

TSSU-72-12M-B: Standard caster.

TSSU-72-15M-B: Standard caster.

TG2RPT-4HG-4HG: Option.

TA2RPT-4HG-4HG: Option.

TA1-FPT-2HS-2HS: Option.

TG2RPT-4HS4HS: Option.

TR1FPT-1S-1S: Option.

TA1-FPT-1S-1S: Option.

TG1FPT-1S-1S: Option.

TSSU-27-12MC-D-2: Standard caster.

TSSU-36-15MB: Standard caster.

TSSU-72-12D-4: Standard caster.

TSSU-72-18D-4: Standard caster.

TG1F-1HG/1HS: Option.

TG1F-2HG: Option.

TA1RPT-2HS-2HS: Option.

TSSU-48-18MB-D2: Standard caster.

TSSU-60-08D-2: Standard caster.

TG2RPT-4HG-2G: Option.

TSSU-72-16-ST: Standard caster. Coolers produced before 1991 production had 3/8" stemmed casters

will require new caster plates.

TWT-48F MCD1: Standard caster.