

Model-Specific Compatibility Notes [05/08/2014]:

GDM-10-52: N/A

GDM-23F-2: N/A

T-49F: N/A

TR1DT-2HS: N/A

TWT-48: Used before ser. no. 1-760922.

TR-56H-PT: N/A

TR-85F-6: N/A

GDM-35SL-F: N/A

T-49: N/A

GEM-49: N/A

T-12FG: N/A

GDM-10PT: on LD models only used before 2/18/13 production or ser. no. 1-7694307 per pcn 6737.

T-19E: N/A

T-49F-2-G-2: N/A

TS-72FG: Used before 7/29/09 (pcn #4283) w/ torsion spring.

GDM-23F: Used before 1/27/14 or serial number 7974632 per pcn 7348.

T-72-6: N/A

TR-85-6: N/A

GDM-22: N/A

TS-49G-4: N/A

GDM-26W: N/A

TC-72G: N/A

TR2RPT-2S-2S: N/A

GDM-07F: N/A

GDM-49DT: N/A

T-49FZ: N/A

TR-31PT: N/A

TS-53-4-G-4PT: N/A

GDM-35: N/A

TR2R-4HS: N/A

TM-52G: N/A

TS-28G-2PT: N/A

T-72G-6: N/A

GDM-23FC-RF: N/A

GDM-10F: N/A

TR-56-4: N/A

TR-85FG: N/A

TR3R-6HS: N/A

T-23-2: N/A

G4SM-23PT: Used before 7/15/13 or serial number 7819220 per pcn 6998, went to cartridge hinge.

GDM-23PT: N/A

T-23-1-G-1: N/A

TR1HPT-1S-1S: N/A

T-23FG: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TS-72-6: N/A

GDM-23RL: N/A

TC-72: N/A

TM-52-4: N/A

GDM-14SL: N/A

TS-23FG: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TR-56F: N/A

TR-31-2-G-2: N/A

TR-77F: N/A

GEM-12: N/A

TM-74G: N/A

GDM-10: on LD models only used before 2/18/13 production or ser. no. 1-7694307 per pcn 6737.

TR2F-2S: N/A

G4SM-23RL-SI: N/A

TSSU-48-12: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TR1R-2HG: N/A

GDM-72: N/A

GDM-35SL-60: N/A

TS-49F-2-G-2: N/A

GEM-49FC: N/A

GDM-26HL: N/A

TR3F-6HS: N/A

GDM-60: N/A

TSSU-48-08: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

T-12G: N/A

TUC-60G: N/A

T-72FG: Used before 7/29/09 (pcn #4283) w/ torsion spring.

GDM-07LE: N/A

TS-72F-6: N/A

T-23DT-1-G-1: N/A

TR1HPT-1G-1G: N/A

GDM-23F-RF: N/A

T-72F: N/A

TR1H-1S: N/A

GDM-35RF: N/A

TS-49-1-G-3: N/A

GDM-19: N/A

T-19FZ: N/A

GDM-26RF: N/A

TR-85G: N/A

GDM-12FC: N/A

GDM-26F-2: N/A

GDM-23: 115v used before 1/31/13 production date in b3 & before 2/4/13 in Mexico per pcn 6675.

GDM-10RF-LE: N/A

T-23DT-G: N/A

GDM-29-SO: N/A

TR-31-2: N/A

TS-49G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

T-35: N/A

TS-23-1-G-1: N/A

TS-35: N/A

TSSU-60-12: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TS-23G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

T-17F-2: N/A

T-72FZ: N/A

GDM-47RL: N/A

TS-35F: N/A

TUC-48G: Used before 7/17/08 production date.

T-49FG: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TR-56-2-G-2: N/A

GEM-10FC: N/A

GEM-72: N/A

T-49RL: N/A

TS-28G-2: N/A

TR-31DT: N/A

TR1F-2HS: N/A

TM-52: N/A

TR-56F-4: N/A

TH-23: N/A

GDM-11: N/A

GEM-19: N/A

GDIM-26NT: N/A

TR-31FG: N/A

TM-25: N/A

TS-49F-4: N/A

TC-23F: N/A

GDM-49W: N/A

TS-12: N/A

GDM-23W: N/A

G4SM-23FC: N/A

G4SM-23RL: N/A

T-35G: Used before 8/24/09 (pcn #4283) w/ torsion spring.

T-23DT: N/A

TR1F-1S: N/A

GEM-23RF: N/A

TS-12G: N/A

TC-49: N/A

GEM-72FC: N/A

GDM-10PT-LE: N/A

T-49F-4: N/A

TS-53-4PT: N/A

TSSU-27-08: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TS-23: N/A

TS-23G-RL: N/A

T-19F: N/A

TS-49-2-G-2: N/A

TR-31G-2: N/A

T-23G-PT: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TSSU-60-10: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TR2R-2HG/2HS: N/A

TS-19FZ: N/A

GDM-06: N/A

GDM-10LE: N/A

T-19G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TR-31: N/A

TS-49F: N/A

TR-31H: N/A

TUC-27FG: N/A

TR-85-3-G-3: N/A

GDM-12RF: N/A

T-23G-2: N/A

TS-49-4: N/A

GDM-05-S: N/A

TS-72: N/A

GDM-69RL: N/A

TWT-27G: Used before 7/17/08 production date.

T-23F-2: N/A

T-49DT-G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

T-49G-RL: N/A

TS-72F: N/A

TSSU-27-12M: Used before ser. no. 1-760922.

TR3F-3S: N/A

GDM-10RF: N/A

GDM-43: N/A

TS-35G: Used before 8/24/09 (pcn #4283) w/ torsion spring.

TWT-48G: Used before 7/17/08 production date.

TS-23F: N/A

T-23F: N/A

T-12: N/A

GDM-05PT-S: N/A

TM-74-6: N/A

TUC-48F: Used before ser. no. 1-760922.

TM-65-18: N/A

TSSU-60-16: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TR-56PT: N/A

T-49G-PT: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TSSU-48-12M: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TM-52FG: N/A

GDM-19F: N/A

TR-85: N/A

TUC-27: Used before ser. no. 1-760922.

TS-19: N/A

TWT-27: Used before ser. no. 1-760922.

T-72G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TS-72-3-G-3: N/A

T-19: N/A

TSSU-48-18M: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TR3R-3G: N/A

TR1R-1G: N/A

TR3R-3S: N/A

TM-74: N/A

T-23RL: N/A

GDM-23W-RF: N/A

GDM-07: N/A

GDM-22F: N/A

TR1R-1S: N/A

GDM-35W-RF: N/A

TSSU-48-10: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TUC-27G: Used before 7/17/08 production date.

TUC-48: Used before ser. no. 1-760922.

TS-23F-2: N/A

GDM-23FC: N/A

T-28G-2: N/A

GDM-12PT-LE: N/A

T-23: N/A

T-49G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TWT-27FG: N/A

TUC-60F: Used before ser. no. 1-760922.

GDM-49RL: N/A

GDM-05PT: N/A

T-49DT-4: N/A

TC-49G: N/A

TS-28-2PT: N/A

TS-49FG: Used before 7/29/09 (pcn #4283) w/ torsion spring.

T-72F-6: N/A

GDM-12PT: N/A

GDM-15: N/A

TR-56G: N/A

GDM-12LE-RF: N/A

TS-49DT-G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TS-23-2: N/A

TSSU-72-30M: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

GDM-43F: N/A

T-72: N/A

GDM-05: N/A

TUC-60: Used before ser. no. 1-760922.

GDM-26W-RF: N/A

GDIM-49: N/A

TS-28-2-G-2PT: N/A

TWT-48F: Used before ser. no. 1-760922.

T-49-2-G-2: N/A

TR1RPT-1S-1S: N/A

TC-23G: N/A

TM-24: N/A

TR-37-45-H: N/A

TSSU-72-18D-2: N/A

TR-56G-4: N/A

TR-85F: N/A

TUC-27F: N/A

TR-56H: N/A

GDIM-72NT: N/A

TWT-60: Used before ser. no. 1-760922.

TR-85PT: N/A

T-23G-RL: N/A

T-23G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TS-23G-PT: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TM-52F: N/A

TS-23G-2: N/A

GDM-12LE: N/A

TR-31F: N/A

TM-74F: N/A

GDM-35SL-RF: N/A

TR-31G: N/A

GDM-14RF: N/A

GDM-49: N/A

TR-31F-2: N/A

TR2R-4HG: N/A

TS-28G-RL: N/A

TM-24F-2: N/A

TR2HPT-2S-2S: N/A

TR1R-2HS: N/A

T-23FZ: N/A

GDM-72FC: N/A

GDM-49W-RF: N/A

TSSU-60-14: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TM-24F: N/A

TS-49: N/A

T-12F: N/A

GDM-06F: Used before 12/08 production date.

TS-53G-RL: N/A

TWT-60F: Used before ser. no. 1-760922.

GDM-26: 115v used before 1/31/13 production date in b3 & before 2/4/13 in Mexico per pcn 6675.

GEM-12FC: N/A

TR3RPT-3S-3S: N/A

GDM-23RF: N/A

TR2FPT-2S-2S: N/A

GDM-49FC: N/A

GEM-23FC: N/A

GDIM-60: N/A

TM-24-2: N/A

GDM-05RF: N/A

GEM-23: N/A

GEM-10: N/A

GDM-49RF: N/A

GDM-26F: Used before 1/27/14 or serial number 7974632 per pcn 7348.

G4SM-23: N/A

TS-72G-6: N/A

TR-85G-6: N/A

GDM-72RL: N/A

T-72-3-G-3: N/A

GDM-35SW-60: N/A

TR-56: N/A

GDM-19FC: N/A

GDM-14: N/A

T-49DT: N/A

GDM-05F-PT: N/A

T-35F: N/A

GDM-12: On LD models only used before 2/18/13 production or ser. no. 1-7694307 per pcn 6737.

TR2H-2S: N/A

GDM-23HL: N/A

T-35FZ: N/A

GDM-12F: N/A

T-49G-4: N/A

TSSU-60-08: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TWT-60G: Used before 7/17/08 production date.

TR-56F-PT: N/A

T-35FG: Used before 8/24/09 (pcn #4283) w/ torsion spring.

GDM-35F: N/A

TVM-400: N/A

GDIM-49NT: N/A

TH-23G: N/A

G4SM-23-RGS: N/A

TSSU-60-24M: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TC-23: N/A

TR2F-4HS: N/A

TWT-27F: Used before ser. no. 1-760922.

GDIM-26: N/A

T-49-4: N/A

TR2DT-2S: N/A

GDM-10FZ: N/A

TR2R-2S: N/A

TR2R-2G: N/A

GDM-15T: N/A

TSSU-72-18: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TM-52F-4: N/A

GDM-49PT: N/A

GEM-26: N/A

GDM-49F: N/A

GDM-72F: N/A

TSSU-48-15M: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TR-56DT: N/A

T-49PT: N/A

TR-31H-PT: N/A

TS-72G: Used before 7/29/09 (pcn #4283) w/ torsion spring.

TM-54: N/A

T-49DT-1-G-1: N/A

TR1RPT-1HGLH/1HSLH-1HG/1HS: N/A

TR1R-1HG/1HS: N/A

TS-28: N/A

TS-28PT: N/A

TS-53: N/A

TS-53PT: N/A

TS-28G-PT: N/A

TS-53G-PT: N/A

TUC-27G-LP: Used before 7/17/08 production date.

TUC-48G-LP: Used before 7/17/08 production date.

TUC-60G-LP: N/A

TR1HPT-2HG-2HG: N/A

TS-28-2: N/A

TS-53-4: N/A

TS-53G-4: N/A

TR2RPT-2S-2G: N/A

TR2RPT-4HG-2S: N/A

TR2RPT-1G/2HS-2S: N/A

TR2RPT-4HG-4HS: N/A

TR2RPT-1G/2HS-4HS: N/A

TR2RPT-2S-4HG: N/A

TR2RPT-4HG-4HG: N/A

TR2RPT-1G/2HS-4HG: N/A

TR2RPT-2S-2HG/2HS: N/A

TR2RPT-4HG-2HG/2HS: N/A

TR2RPT-1G/2HG-2HG/2HS: N/A

TR2RPT-2S-1G/1S: N/A

TR2RPT-4HG-1G/1S: N/A

TR2RPT-1G/2HS-1G/1S: N/A

TR2RPT-2S-1G/2HS: N/A

TR2RPT-4HG-1G/2HS: N/A

TR2RPT-1G/2HS-1G/2HS: N/A

TR2RPT-2S-2HG/1S: N/A

TR2RPT-4HG-2HG/1S: N/A

TR2RPT-1G/2HS-2HG/1S: N/A

TR2RPT-2G-2S: N/A

TR2RPT-2HG/2HS-2S: N/A

TR2RPT-2HG/1S-2S: N/A

TR2RPT-2G-2G: N/A

TR2RPT-2HG/2HS-2G: N/A

TR2RPT-2HG/1S-2G: N/A

TR2RPT-2G-4HS: N/A

TR2RPT-2HG/2HS-4HS: N/A

TR2RPT-2HG/1S-4HS: N/A

TR2RPT-2G-4HG: N/A

TR2RPT-2HG/2HS-4HG: N/A

TR2RPT-2HG/1S-4HG: N/A

TR2RPT-2G-2HG/2HS: N/A

TR2RPT-2HG/2HS-2HG/2HS: N/A

TR2RPT-2HG/1S-2HG/2HS: N/A

TR2RPT-2G-1G/1S: N/A

TR2RPT-2HG/2HS-1G/1S: N/A

TR2RPT-2HG/1S-1G/1S: N/A

TR2RPT-2G-1G/2HS: N/A

TR2RPT-2HG/2HS-1G/2HS: N/A

TR2RPT-2HG/1S-1G/2HS: N/A

TR2RPT-2G-2HG/1S: N/A

TR2RPT-2HG/2HS-2HG/1S: N/A

TR2RPT-2HG/1S-2HG/1S: N/A

TR2RPT-4HS-2S: N/A

TR2RPT-1G/1S-2S: N/A

TR2RPT-4HS-2G: N/A

TR2RPT-1G/1S-2G: N/A

TR2RPT-4HS-4HS: N/A

TR2RPT-1G/1S-4HS: N/A

TR2RPT-4HS-4HG: N/A

TR2RPT-1G/1S-4HG: N/A

TR2RPT-4HS-2HG/2HS: N/A

TR2RPT-1G/1S-2HG/2HS: N/A

TR2RPT-4HS-1G/1S: N/A

TR2RPT-1G/1S-1G/1S: N/A

TR2RPT-4HS-1G/2HS: N/A

TR2RPT-1G/1S-1G/2HS: N/A

TR2RPT-4HS-2HG/1S: N/A

TR2RPT-1G/1S-2HG/1S: N/A

TR1RPT-1S-1G: N/A

TR1RPT-1S-1HG/1HS: N/A

TR1RPT-1S-2HS: N/A

TR1RPT-1S-2HG: N/A

TR1RPT-1G-1G: N/A

TR1RPT-1G-1HG/1HS: N/A

TR1RPT-1G-2HS: N/A

TR1RPT-1G-2HG: N/A

TR1RPT-1HG/1HS-1G: N/A

TR1RPT-1HG/1HS-2HS: N/A

TR1RPT-1HG/1HS-2HG: N/A

TR1RPT-2HS-1G: N/A

TR1RPT-2HS-1HG/1HS: N/A

TR1RPT-2HS-2HS: N/A

TR1RPT-2HS-2HG: N/A

TR1RPT-2HG-1G: N/A

TR1RPT-2HG-1HG/1HS: N/A

TR1RPT-2HG-2HS: N/A

TR1RPT-2HG-2HG: N/A

TA1F-1S: Used before 8/10/2004 production date as standard, optional after. Must view work order to determine hinge and handle style.

TA1DT-2HS: N/A

TA1F-2HS: N/A

TA1H-1S: N/A

TA1R-1G: N/A

TA1R-1HG/1HS: N/A

TA1R-1S: N/A

TA1R-2HS: N/A

TA1RPT-1G-1G: N/A

TA1RPT-1G-1S: N/A

TA1RPT-1HG/1HS-1G: N/A

TA1RPT-1HG/1HS-1S: N/A

TA1RPT-1S-1G: N/A

TA1RPT-1S-1S: N/A

TA1RPT-2HG-1G: N/A

TA1RPT-2HG-1S: N/A

TA1RPT-2HS-1G: N/A

TA1RPT-2HS-1S: N/A

TA2DT-2S: N/A

TA2F-2S: N/A

TA2F-4HS: N/A

TA2FPT-2S-2S: N/A

TA2H-2S: N/A

TA2HPT-2S-2S: N/A

TA2R-2G: N/A

TA2R-2HG/2HS: N/A

TA2R-2S: N/A

TA2R-4HG: N/A

TA2R-4HS: N/A

TA2RPT-2G-2G: N/A

TA2RPT-2G-2S: N/A

TA2RPT-2HG/2HS-2G: N/A

TA2RPT-2HG/2HS-2S: N/A

TA2RPT-2S-2G: N/A

TA2RPT-2S-2S: N/A

TA2RPT-4HG-2G: N/A

TA2RPT-4HG-2S: N/A

TA2RPT-4HS-2G: N/A

TA2RPT-4HS-2S: N/A

TA3F-3S: N/A

TA3F-6HS: N/A

TA3R-3G: N/A

TA3R-3S: N/A

TA3R-6HS: N/A

TA3RPT-3S-3S: N/A

TG1DT-2HS: N/A

TG1F-1S: N/A

TG1F-2HS: N/A

TG1H-1S: N/A

TG1HPT-1S-1S: N/A

TG1R-1G: N/A

TG1R-1HG/1HS: N/A

TG1R-1S: N/A

TG1R-2HG: N/A

TG1R-2HS: N/A

TG1RPT-1G-1G: N/A

TG1RPT-1G-1S: N/A

TG1RPT-1HG/1HS-1G: N/A

TG1RPT-1HG/1HS-1S: N/A

TG1RPT-1S-1G: N/A

TG1RPT-1S-1S: N/A

TG1RPT-2HG-1G: N/A

TG1RPT-2HG/1S: N/A

TG1RPT-2HS-1G: N/A

TG2DT-2S: N/A

TG2F-2S: N/A

TG2F-4HS: N/A

TG2FPT-2S-2S: N/A

TG2H-2S: N/A

TG2HPT-2S-2S: N/A

TG2R-2G: N/A

TG2R-2HG/2HS: N/A

TG2R-2S: N/A

TG2R-4HG: N/A

TG2R-4HS: N/A

TG2RPT-2G-2G: N/A

TG2RPT-2G-2S: N/A

TG2RPT-2HG/2HS-2G: N/A

TG2RPT-2HG/2HS-2S: N/A

TG2RPT-2S-2G: N/A

TG2RPT-2S-2S: N/A

TR2RPT-4HG-2G: N/A

TG2RPT-4HG-2S: N/A

TG2RPT-4HS-2G: N/A

TG2RPT-4HS-2S: N/A

TG3F-3S: N/A

TG3F-6HS: N/A

TG3R-3G: N/A

TG3R-3S: N/A

TG3R-6HS: N/A

TG3RPT-3S-3S: N/A

TR1H-2HS: N/A

TA1R-2HG: N/A

TR1RPT-1HG/1HS-1S: N/A

TR1RPT-2HG-1S: N/A

TR1RPT-1G-1S: N/A

TR1RPT-2HS-1S: N/A

TUC-48F-LP: Used before ser. no. 1-760922.

TR2H-4HS: N/A

TUC-60F-LP: Used before ser. no. 1-760922.

TSSU-48-12D-2: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TM-24G: N/A

TR-31-1-G-1: N/A

TR1HPT-1S-1G: N/A

T-23F-1-G-1: N/A

TR2HPT-2G-2G: N/A

TR2HPT-2G-2S: N/A

GDM-23-2: N/A

GDM-52TM: N/A

GDM-52TM-RL: N/A

TR2DT-4HS: N/A

T-23PT: N/A

T-23FG-2: N/A

TSSU-60-16-ST: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TR2HPT-4HG-4HS: N/A

TR2HPT-2S-4HG: N/A

TG1H-2HS: N/A

TS-23PT: N/A

TG1RPT-1G-2HS: N/A

TR1F-1G: N/A

TA1F-1G: N/A

TG1F-1G: N/A

TR2F-2G: N/A

TA2F-2G: N/A

TG2F-2G: N/A

TA2HPT-4HS-2S: N/A

TG2DT-4HS: N/A

GDM-10RF-RB: N/A

TA2RPT-4HG-4HS: N/A

GDM-49F FAMILY DOLLAR: N/A

GDM-72 FAMILY DOLLAR: N/A

TR1-F-2HG: N/A

GDM-49 DOLLAR GENERAL: N/A

GDM-49F DOLLAR GENERAL: N/A

GEM-49 SUBWAY: N/A

GEM-26 SUBWAY: N/A

GDM-72 DOLLAR GENERAL: N/A

GDM-72F DOLLAR GENERAL: N/A

TA1HPT-2HS-2HS: N/A

TG2RPT-4HG-4HG: N/A

GDM-07 SUBWAY: N/A

TA2RPT-4HG-4HG: N/A

T-49-4PT: N/A

TA1-FPT-2HS-2HS: N/A

TG2RPT-4HS4HS: N/A

TA1-F-1S STARBUCKS: Used before 8/10/2004 production date as standard, optional after. Must view work order to determine hinge and handle style.

TA1R-1S STARBUCKS: N/A

TA2-F-2S STARBUCKS: N/A

TA2-R-2S STARBUCKS: N/A

TA3R-3S STARBUCKS: N/A

GDM-72F FAMILY DOLLAR: N/A

GDM-49 FAMILY DOLLAR: N/A

TR3R-4HS-1S: N/A

TR1FPT-1S-1S: N/A

TA1-FPT-1S-1S: N/A

TG1FPT-1S-1S: N/A

TSSU-72-12D-4: N/A

TSSU-72-18D-4: N/A

TG1R-1S STARBUCKS: N/A

TG2R-2S STARBUCKS: N/A

TG3R-3S STARBUCKS: N/A

TG2F-2S STARBUCKS: N/A

TG1F-1S STARBUCKS: Used before 8/10/2004 production date as standard, optional after. Must view work order to determine hinge and handle style.

T-49MHC: N/A

TR1HPT-2HS-2HS: N/A

TG1HPT-2HS-2HS: N/A

TG1F-1HG/1HS: N/A

TR1H-1G: N/A

TS-53G-PT-2G-2S: N/A

TA1H-1G: N/A

TG1H-1G: N/A

TA2H-4HS: N/A

TA1H-2HS: N/A

GDM-10SSL: N/A

GDM-10RB: Used after 3/6/11 production date or ser. no. 1-7085975 per pcn 4870.

GDM-12RB RED BULL: Used after 3/6/11 production date or ser. no. 1-7085975 per pcn 4870.

GDM-19T-HC: Used before 1/31/13 production date in b3 & before 2/4/13 in Mexico per pcn 6675 Britvic.

TG2H-2G: N/A

TA2H-2G: N/A

TR2H-2G: N/A

TA1H-2HG: N/A

TA2HPT-4HG-2S: N/A

TG1HPT-1G-1S: N/A

GDM-08N: N/A

TG1F-2HG: N/A

TA1RPT-2HS-2HS: N/A

T-43: N/A

GDM-19T-F: N/A

TSSU-60-08D-2: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TVM-200: N/A

TR2HPT-4HS-4HS: N/A

TR2HPT-4HS-2S: N/A

TR1HPT-1G-1S: N/A

T-43F: N/A

TG2RPT-4HG-2G: N/A

TA1HPT-1G-1S: N/A

TS-43: N/A

CVM-19T: N/A

CVM-35: N/A

TSSU-72-16-ST: Used before ser. no. 1-760922. Went to the standard Kiel hinge and the stop pin is not used.

TS-43F: N/A

CVM-49: N/A

CVM-43: N/A