

Model-Specific Compatibility Notes [06/24/2014]:

TWT-48: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-67D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-GAL-93: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-GAL-48-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-24M-DS: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-67D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-67D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-27D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-12: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-08: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60G: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-07LE: Use before serial no. 1-2665835 for repair when weld nut breaks on original design. Will require new leg leveler part no. 830433.

TSSU-48-8M: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-30MB: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-60D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-12M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-72F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-12: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-16D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-48G: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-119: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-44: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-44D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-36-12M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-27-08: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-10: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-27FG: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-36-08: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-05-S: For 2-1/2" leg w/ 3/8" stem.

TWT-27G: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-27-12M: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-36: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-48G: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-27D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-24M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-24MB-DS: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-05PT-S: For 2-1/2" leg w/ 3/8" stem.

TSSU-48-12D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-48F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-36: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-16: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-12M: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-27-08F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-27: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-27: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-72: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-18M: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-09: For 2-1/2" leg w/ 3/8" stem.

TUC-36F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-48D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-27F-D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-67D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-07: Use before serial no. 1-2665835 for repair when weld nut breaks on original design. Will require new leg leveler part no. 830433.

TSSU-48-10: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-27G: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-48: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-27FG: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-15M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-44: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-05PT: For 2-1/2" leg w/ 3/8" stem.

TUC-GAL-48: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-72F: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-09E: For 2-1/2" leg w/ 3/8" stem.

TSSU-36-12M: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-GAL-48F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-67: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-67: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-30M: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-05: For 2-1/2" leg w/ 3/8" stem.

TUC-60: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-44D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-48F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-18D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-27F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60-32: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-27-12M-C: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-48F-D: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-16D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-48D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-21M: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60-32D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-14: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-30MB-DS: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-67D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-16-DS: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60-32: For leg w/ 3/8" stem, either 2 1/2" or 4".

GDM-05RF: For 2-1/2" leg w/ 3/8" stem.

TSSU-48-18M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-72: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-08: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60G: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-44F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-36F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-24M: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-27F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-60: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-27-08D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-67: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-18: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-67D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-44: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-15M: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60-32D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-27-12M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-119D-8: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-67F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-10: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60-32F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-67F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60-32F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-27F-D2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-48F-D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-48F-D4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-119: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-30M-B-ST: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-24M-B-ST: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-44F: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-18-ST: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-119D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-119D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TPP-119D-6: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-119D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-119D-4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-119D-6: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-119D-8: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-44D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-48D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-48D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-16-DS-ST: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-24M-B-DS-ST: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-30M-B-DS-ST: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-12D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-67HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-44HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-44HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-44F-HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-44F-HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-67HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-67F-HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-67F-HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60-32HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60-32HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TUC-60-32F-HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TWT-60-32F-HD: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-48-18MB-D4: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-30MB-ST-D2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-16-ST: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-18M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-16: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-12: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-08: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-12M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-24M-B-ST: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-15M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-60-18M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-12M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-15M-B: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-27-12MC-D-2: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-36-15MB: For leg w/ 3/8" stem, either 2 1/2" or 4".

TSSU-72-12D-4: For leg w/ $\frac{3}{8}$ " stem, either 2 $\frac{1}{2}$ " or 4".

TSSU-72-18D-4: For leg w/ $\frac{3}{8}$ " stem, either 2 $\frac{1}{2}$ " or 4".

TSSU-48-18MB-D2: For leg w/ $\frac{3}{8}$ " stem, either 2 $\frac{1}{2}$ " or 4".

TSSU-60-08D-2: For leg w/ $\frac{3}{8}$ " stem, either 2 $\frac{1}{2}$ " or 4".

TSSU-72-16-ST: For leg w/ $\frac{3}{8}$ " stem, either 2 $\frac{1}{2}$ " or 4".