

**Model-Specific Compatibility Notes [12/15/2014]:**

**GDM-23F-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-35SL-F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-49:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-12FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-10PT:** Used before 3/31/14 per pcn 7621 on stainless cabinet. Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-49F-2-G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-72FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-22:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-49G-4:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-26W:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-07F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49DT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-53-4-G-4PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-35:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-28G-2PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-72G-6:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-10F:** Use before 1/6/14 per pcn 7357.

**TR-85FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**G4SM-23PT:** Used before 2/3/14 per pcn 7521. Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-23-1-G-1:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-23FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23RL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TUC-27D-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-14SL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-23FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR-31-2-G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-12:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-10:** Used before 4/28/14 per pcn 7534. Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**G4SM-23RL-SI:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1R-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-72:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-49F-2-G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-49FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-12G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-72FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-07LE:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1HPT-1G-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-49-1-G-3:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-19:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-12FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-26F-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-23DT-G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-49G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-23-1-G-1:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-23G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-49FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR-56-2-G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-10FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-72:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-28G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-19:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDIM-26NT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR-31FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49W:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23W:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**G4SM-23FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**G4SM-23RL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-35G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-72FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-23G-RL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-49-2-G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR-31G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-23G-PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-19G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-23G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-05-S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-43:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-35G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-05PT-S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-49G-PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-19F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-72G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-72-3-G-3:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR3R-3G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-07:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-22F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-28G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-12PT-LE:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-49G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49RL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-05PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-49FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-12PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR-56G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-49DT-G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-43F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-05:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-28-2-G-2PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-49-2-G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR-56G-4:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDIM-72NT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-23G-RL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-23G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-23G-PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-23G-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-12LE:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TUC-48F-D:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR-31G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217. Used before 1/7/14 in stainless cabinets per pcn 7245.

**TR2R-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-28G-RL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TUC-48D-4:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-72FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-05:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-06F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-53G-RL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-26:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-12FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-23FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDIM-60:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-23:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-10:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-26F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**G4SM-23:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-72G-6:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-72RL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-72-3-G-3:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-35SW-60:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-19FC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-05F-PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-12:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23HL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-12F:** Use before 1/6/14 on stainless units per pcn 7357. Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-49G-4:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-35FG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-35F:** Used before 12/31/13 on stainless units per pcn 7377. Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDIM-49NT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TH-23G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**G4SM-23-RGS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDIM-26:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TSSU-27-08D-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2R-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-26:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49F:** Used before 12/31/13 on stainless unit per pcn 7377. Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-72F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-72G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1HGLH/1HSLH-1HG/1HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-28G-PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-53G-PT:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TUC-27D-2-LP:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TUC-48D-4-LP:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1HPT-2HG-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-53G-4:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2S-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HG-2S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/2HS-2S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HG-4HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/2HS-4HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2S-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HG-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the

851217.

**TR2RPT-1G/2HS-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2S-2HG/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HG-2HG/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/2HG-2HG/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HG-1G/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/2HS-1G/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2S-1G/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HG-1G/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/2HS-1G/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2S-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HG-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/2HS-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2G-2S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/2HS-2S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/1S-2S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2G-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the



851217.

**TR2RPT-2HG/2HS-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/1S-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2G-4HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/2HS-4HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/1S-4HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2G-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/2HS-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/1S-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2G-2HG/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/2HS-2HG/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/1S-2HG/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2G-1G/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/2HS-1G/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/1S-1G/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2G-1G/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/2HS-1G/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces

the 851217.

**TR2RPT-2HG/1S-1G/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2G-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/2HS-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-2HG/1S-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/1S-2S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HS-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/1S-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/1S-4HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HS-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/1S-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HS-2HG/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/1S-2HG/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HS-1G/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/1S-1G/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HS-1G/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/1S-1G/2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces

the 851217.

**TR2RPT-4HS-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-1G/1S-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1S-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1S-1HG/1HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1S-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1G-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1G-1HG/1HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1G-2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1G-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1HG/1HS-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1HG/1HS-2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1HG/1HS-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-2HS-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-2HS-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-2HG-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-2HG-1HG/1HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces

the 851217.

**TR1RPT-2HG-2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-2HG-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-05F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1R-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1RPT-1G-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1RPT-1G-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1RPT-1HG/1HS-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1RPT-1HG/1HS-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1RPT-1S-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1RPT-2HG-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1RPT-2HG-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1RPT-2HS-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA2R-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA3R-3G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1R-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1R-1HG/1HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1R-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RPT-1G-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the

851217.

**TG1RPT-1G-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RPT-1HG/1HS-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RPT-1HG/1HS-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RPT-1S-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RPT-2HG-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RPT-2HG/1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RPT-2HS-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2R-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2R-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2RPT-2G-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2RPT-2HG/2HS-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2RPT-2S-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2RPT-4HG-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2RPT-4HS-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG3R-3G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1R-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1HG/1HS-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-2HG-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1RPT-1G-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TUC-48F-D-4:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TUC-48D-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TUC-48D-2-LP:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR-31-1-G-1:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1HPT-1S-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2HPT-2G-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2HPT-2G-2S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**T-23FG-2:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2HPT-4HG-4HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2HPT-2S-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RPT-1G-2HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1F-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1F-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1F-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2F-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA2F-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2F-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49F FAMILY DOLLAR:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-72 FAMILY DOLLAR:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1-F-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49 DOLLAR GENERAL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49F DOLLAR GENERAL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-49 SUBWAY:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GEM-26 SUBWAY:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-72 DOLLAR GENERAL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-72F DOLLAR GENERAL:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2RPT-4HG-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-07 SUBWAY:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-72F FAMILY DOLLAR:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-49 FAMILY DOLLAR:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-26 FAMILY DOLLAR:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-26F FAMILY DOLLAR:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1F-1HG/1HS:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1H-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TS-53G-PT-2G-2S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-23F FAMILY DOLLAR:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-03:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1RRT-1G-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1H-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1H-1G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-19T:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2F-4HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-19T-HC:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2H-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR2H-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TA1H-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1H-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1H-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-07-S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1HPT-1G-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG1F-2HG:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**GDM-19T-F:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TR1HPT-1G-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.

**TG2RPT-4HG-2G:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.



**TA1HPT-1G-1S:** Holes drilled on handle and door 8-1/8" apart. Used on glass doors. Replaces the 851217.