## Model-Specific Compatibility Notes [12/22/2014]:

- **TBB-24-60G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TDD-3CT-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TDD-2-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TBB-3G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **T-50-GC:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.
- **TDD-2:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TBB-3G-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date v use the framed caster option.
- **TBB-24-48:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TBB-3-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TBB-24-GAL-48G-SD:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TBB-24-72G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TBB-24-48G-SD:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TD-50-18-LT:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.
- **TDD-2CT-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.
- **TD-50-18:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.
- TDD-3: Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the

framed caster option.

**TBB-24-60:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-72:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24GAL-60:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24GAL-72:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24GAL-48:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-2G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TDD-3CT:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TD-50-18-S:** Caster option used after  $^{7}/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.

**TBB-2-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24GAL-48G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TD-80-30-LT:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.

**T-50-GC-S:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.

**TD-65-24-S:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.

**TBB-3:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TD-65-24:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.

TBB-24-48G: Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the

framed caster option.

**TBB-2:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-2G-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TDD-2CT:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TD-65-24-LT:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.

**TDD-3-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24GAL-60G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24GAL-60G-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TDB-24-48:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TDD-3G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TDB-24-48-1-G-1:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TDB-24-48G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TPDB48-24:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TPDB48-24G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TD-80-30:** Caster option used after  $^{\sim}7/1/2009$ . (pcn #3509) coolers built before July 2009 must use the framed caster option.

**TPBB48-24G-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

TPBB48-24-S: Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use

the framed caster option.

**TPDB48-24-1-G-1S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-GAL-3G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-72-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TPBB48-GAL-24G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this datemust use the framed caster option.

**TDB-24-48-GAL-1-G-1:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TPBB48-GAL-24:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date mustuse the framed caster option.

**TPDB48-24-1-G-1:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TPDB48-GAL-24-1-G-1:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TPBB48-24:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TPBB48-24G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24GAL-72G:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date use the framed caster option.

**TBB-24-48FR:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-60G-SD:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-48FR-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-60FR-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

TBB-24-72FR: Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use

the framed caster option.

**TBB-24-72FR-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-60FR:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24GAL-72-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-48G-SD-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-60G-SD-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-72G-SD:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-72G-SD-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-48-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-GAL-60G-SD:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-48G-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.

**TBB-24-60-S:** Caster option used after 8/30/2010 (pcn #4616) coolers built before this date must use the framed caster option.