Model-Specific Compatibility Notes [08/18/2014]:

GDM-10PT: Used between 10/25/04 - 8/10/11 production date or approximate serial no. 1-399773 - 1-7225157 per pcn 5124. Check work order for correct compressor replaces 925050 previously used per pcn 6388.

GDM-26W: Used between 9/7/02 - 3/28/08 production date per pcn 3804. May be built with Danfoss or Tecumseh compressor. Check work order for correct compressor used. (pcn 4029 changed compressor part number from 842159 to 925050 on 3/28/08. Same compressor components on compressor from supplier) replaces 925050 previously used per pcn 6388.

GDM-49DT: Used after 9/1/05 production date or approximate serial no. 1-4249637. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-23FC-RF: Replaced 842159/925050 as of 7/13/09 per pcn 4029. Same compressor but has start components attached. The 842159 was used after 10/20/03 production date or approximate serial no. 1-3731212. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-33SSL-54: Replaces 925050 previously used per pcn 6388.

T-23-2: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

T-23-1-G-1: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

GDM-14SL: Used after 10/25/04 production date or approximate serial no. 1-3997738. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-33CPT-54: Used between 12/27/2006 and 9/7/2010 (pcn #4610) check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-41SL-54: Used between 6/7/2004 and 3/3/2010 (pcn #4461). Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-26RF: Used between 9/7/02 - 3/28/08 production date per pcn 3804. May be built with Danfoss or Tecumseh compressor. Check work order for correct compressor used. (pcn 4029 changed compressor part number from 842159 to 925050 on 3/28/08. Same compressor components on compressor from supplier) replaces 925050 previously used per pcn 6388.

GDM-23: Replaced 842159/925050 as of 7/13/09 per pcn 4029. Same compressor but has start components attached. The 842159 was used after 10/20/03 production date or approximate serial no. 1-3731212. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

T-35: Used after 10/30/05 production date or approximate serial no. 1-4307797. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TS-23-1-G-1: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

TS-35: Used after 10/30/05 production date or approximate serial no. 1-4307797. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TS-23G: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

GDM-23W: Replaced 842159 as of 7/13/09 per pcn 4029. Same compressor but has start components attached. The 842159 was used after 10/20/03 production date or approximate serial no. 1-3731212. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

T-35G: Used after 10/30/05 production date or approximate serial no. 1-4307797. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GEM-23RF: Used after 9/15/05 production date. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-10PT-LE: Used after 10/25/04 production date or approximate serial no. 1-3997738.

TS-23: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

TS-23G-RL: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

T-23G-PT: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

GDM-10LE: Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

T-23G-2: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

T-49DT-G: Used after 7/13/09 per pcn 4029. Replaces 842159 (same compressor but start components attached) the 842159 was used after 1/17/06 approximate production date. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TS-35G: Used after 10/30/05 production date or approximate serial no. 1-4307797. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TUC-72: Used after 3/30/05 production date or approximate serial no. 1-4112300. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

T-23RL: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

GDM-23W-RF: Replaced 842159 as of 7/13/09 per pcn 4029. Same compressor but has start components attached. The 842159 was used after 10/20/03 production date or approximate serial no. 1-3731212. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-23FC: Replaced 842159/925050 as of 7/13/09 per pcn 4029. Same compressor but has start components attached. The 842159 was used after 10/20/03 production date or approximate serial no. 1-3731212. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

T-23: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

T-49DT-4: Used after 7/13/09 per pcn 4029. Replaces 842159 (same compressor but start components attached) the 842159 was used after 1/17/06 approximate production date. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TS-49DT-G: Used after 1/06 approximate production date. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TS-23-2: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

GDM-26W-RF: Used between 9/7/02 - 3/28/08 production date per pcn 3804. May be built with Danfoss or Tecumseh compressor. Check work order for correct compressor used. (pcn 4029 changed compressor part number from 842159 to 925050 on 3/28/08. Same compressor components on compressor from supplier) replaces 925050 previously used per pcn 6388.

T-23G-RL: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

T-23G: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

TS-23G-PT: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

TS-23G-2: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

GDM-35SL-RF: Used between $^{\sim}6/7/2007$ and 3/2/2010 (pcn #4471) check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-14RF: Used after 06/05/06 production date or approximate serial no. 4537529. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-26: Used between 9/7/02 - 3/28/08 production date per pcn 3804. May be built with Danfoss or Tecumseh compressor. Check work order for correct compressor used. (pcn 4029 changed compressor part number from 842159 to 925050 on 3/28/08. Same compressor components on compressor from supplier) replaces 925050 previously used per pcn 6388.

GDM-23RF: Used before 3/28/08 production date per pcn 3804. May be built with Danfoss or Tecumseh compressor. Check work order for correct compressor used. (pcn 4029 changed compressor part number from 842159 to 925050 on 3/28/08. Same compressor components on compressor from supplier) replaces 925050 previously used per pcn 6388.

GEM-23FC: Used after 9/15/05 production date. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GEM-23: Used after 9/15/05 production date. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-14: Used after 10/25/04 production date or approximate serial no. 1-3997738. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

T-49DT: Used after 7/13/09 per pcn 4029. Replaces 842159 (same compressor but start components attached) the 842159 was used after 1/17/06 approximate production date. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-41SL-60: Used between 6/8/2004 and 3/14/2011 (pcn #4852) check work order for correct compressor replaces 925050 previously used per pcn 6388.

TWT-72: Used after 3/30/05 production date or approximate serial no. 1-4112300. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GEM-26: After 3/28/08 may be built with Danfoss or Tecumseh compressor. Check work order for correct compressor used. Replaces 925050 previously used per pcn 6388.

T-49DT-1-G-1: Used after 7/13/09 per pcn 4029. Replaces 842159 (same compressor but start components attached) the 842159 was used after 1/17/06 approximate production date. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TRCB-52: Replaces 925050 previously used per pcn 6388.

TCGR-36: Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GDM-23-2: Replaced 842159/925050 as of 7/13/09 per pcn 4029. Same compressor but has start components attached. The 842159 was used after 10/20/03 production date or approximate serial no. 1-3731212. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

T-23PT: Use after 1/14/04 production date or approximate serial no. 1-3732174. Replaces 842159 as of 7/13/09 per pcn 4029. Check work order for correct compressor. Same compressor but has start components attached. 842159 replaces 925050 previously used per pcn 6388.

TS-23PT: Used after 1/14/04 production date or approximate serial no. 1-3732174. Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TCGDZ-50: Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TCGR-31: Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TRCB-52-60: Replaces 925050 previously used per pcn 6388.

TCGG-36: Used after 7/13/09 per pcn 4029. Replaces 842159 (same compressor but has start components attached). Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

GEM-26 SUBWAY: After 3/28/08 may be built with Danfoss or Tecumseh compressor. Check work order for correct compressor used. Replaces 925050 previously used per pcn 6388.

TCGDZ-59: Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TSID-36-4: Replaces 925050 previously used per pcn 6388.

TSID-36-2: Replaces 925050 previously used per pcn 6388.

GDM-33SSL-54-24: Replaces 925050 previously used per pcn 6388.

GDM-33C**PT-54-36:** Used before 9/7/2010 (pcn #4610) check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

TRCB-36: Replaces 925050 previously used per pcn 6388.

GDM-41SL-54N: Used before 3/3/2010 w/ Tecumseh compressors (pcn #4461) check work order for correct compressor replaces 925050 previously used per pcn 6388.

TCGG-36-S: Used after 7/13/09 per pcn 4029. Replaces 842159 (same compressor but has start components attached). Check work order for correct compressor. Replaces 925050 previously used per pcn 6388.

T-23-G-PT-LD MCD1: N/A