

**Model-Specific Compatibility Notes [4/11/2014]:**

**GDM-23F-2:** 115v use after 6/27/02 production date or approx. serial no. 1-3324430 and may require new relay. 208 retrofits the 800312 and 9530n1284 and does not require relay. note: also replaces the 800358 007b1214 control for 115v/208v/220v.

**T-49F:** check workorder for correct compressor. used after ~3/09/2008 and may require a new relay. replaces the 800358 077b1214 control 115v only used between 3/09/2008 - 6/19/11 per pcn 4997.

**TR1DT-2HS:** (115v) used before 9/2/08 production date. replace w/ 800369 (pcn #4102) .

**GDM-35SL-F:** 115v used after 7/1/2002 and may require new relay, replaces 800358 previously used (pcn #2479) 208v/220v retrofits the 800304)9530n1490 and 800312 and 9530n1284 controls and does not require relay.

**T-12FG:** Used before 1/16/07 and serial # 1-4742814. 115v use after 9/18/02 production date and may requires new relay. will replace the 800358 control 208v replaces 800312, 9530n1284, 800358, and 077b1214 controls. 208v and 220v cabinets do not require relays.

**T-49F-2-G-2:** check workorder for correct compressor. used after ~3/09/2008 and may require a new relay. replaces the 800358 077b1214 control 115v only used between 3/09/2008 - 6/19/11 per pcn 4997.

**TS-72FG:** Used after 7/1/02 production date and may require a new relay.

**GDM-23F:** 115v only use between 6/27/02 - 6/26/11 production date or approx. serial no. 1-3324430 and may require new relay. still used on 208v and 220v units. 208 retrofits the 800312 and 9530n1284 and does not require relay. note: also replaces the 800358 007b1214 control for 115v/208v/220v.

**GDM-07F:** 115v/208v between 7/1/2002 and 11/29/12, may require new relay, replaces the 800358 previously used (pcn #2479) 208/220v/ce retrofits the 304, 800312, 800358 and does not require a relay.

**GDM-49DT:** 115v used after 9/1/05 production date and does not require a relay. 115v/208v replaces 800358 007b1214 previously used. 208v/220v replaces 800312 and 9530n1284: 800304, 9530n1490 ce; 800358, 077b1214 ce controls and does not require a relay.

**TM-74FG:** N/A.

**GDM-10F:** Used before 1/16/07 and serial # 1-4742799. 115v use after 9/18/02 production date and may requires new relay. Will replace the 800358 007b1214 control for 115v/208v and 220v. 208v replaces 800312 and 9530n1284 and 800358, and 077b1214 controls .

**T-23FG:** 115v only used before 3/20/13 production date or ser. No. 1-7702853 per pcn 6890 now use lae control 115v/208v used after 7/1/02 production date and may require new relay. Also replaces the 800358 077b1214, 800312 and 9530n1284:115v . 208 retrofits the 800312 and 9530n1284 and does not require relay. 220v/ce retrofits the 304, 800312, 800358 077b1214 and (t-23fg-rc\'s do not require a relay per pcn 5914).

**TS-23FG:** 115v only used before 3/20/13 production date or ser. No. 1-7702853 per pcn 6890 now use lae control 115v/208v used after 7/1/02 production date and may require new relay. Also replaces the 800358 077b1214, 800312 and 9530n1284:115v . 208 retrofits the 800312 and 9530n1284 and does not require relay. 220v/ce retrofits the 304, 800312, 800358 077b1214 and (t-23fg-rc\'s do not require a relay per pcn 5914).

**TR-56F:** Replaces the 800383, 077B1227 used after 10/25/03 and may require a new relay.

**TM-74F-6:** Used after 7/1/2002 and may require a new relay. .

**TR2F-2S:** Used between 3/4/03 and 7/29/12 production date, per pcn 6142.

**TS-49F-2-G-2:** check workorder for correct compressor. Used after ~3/09/2008 and may require a new relay. Replaces the 800358 077b1214 control 115v only used between 3/09/2008 - 6/19/11 per pcn 4997.

**T-72FG:** Used after 7/1/02 production date and may require a new relay.

**TS-72F-6:** Used between 5/2/05 production date or approximate serial no. 1-4148080 and 3/1/09 production date or serial #5225126. Pcn 4164.

**T-23DT-1-G-1:** Retrofits the 800312 and 9530n1284, 800304, 9530n1490 ce, 800358 controls and does not require relay.

**GDM-23F-RF:** 115v use after 6/27/02 production date or approx. serial no. 1-3324430 and may require new relay. 208 retrofits the 800312 and 9530n1284 and does not require relay. note: also replaces the 800358 007b1214 control for 115v/208v/220v.

**T-72F:** Used between 5/2/05 production date or approximate serial no. 1-4148080 and 3/1/09 production date or serial #5225126. Pcn 4164.

**GDM-26F-2:** 115v use after 6/27/02 production date or approx. serial no. 1-3324430 and may require new relay. 208 retrofits the 800312 and 9530n1284 and does not require relay. 220v/ce retrofits the 800312 and 9530n1284 ; 800304, 9530n1490 ce; 800358, 007b1214 controls and does not require relay.

**T-23DT-G:** Retrofits the 800312, 9530n1284, 800304, 9530n1490 ce, and 800358 controls and does not require relay.

**TWT-72F:** Used after 9/3/02 production date for 115v. May require new relay. 208v/220v does not require relay.

**TS-35F:** \*\*115v only used between 7/1/02 - 1/24/05 production date and may require new relay. 208v/220v/ce retrofits 800304 and 800312 and does not require relay. \*\*220v used before 5/17/06 production date.

**T-49FG:** 115v and 208v used between ~3/09/2008 - 4/29/11 per pcn 5098 and may require a new relay. 220v still uses this control. replaces the 800358 077b1214 control check workorder for correct compressor. 115v only used between 3/09/2008 - 6/19/11 per pcn 4997.

**TR-31DT:** N/A.

**TM-85F:** Used after 7/1/02 production date and may require a new relay.

**TR1F-2HS:** Used between 10/25/03 - 2/1/12 or ser. No. 1-7347254 per pcn 5538 and may require a new relay. Replaces the 800383, 077b1227 .

**TR-56F-4:** Replaces the 800383, 077b1227 used after 10/25/03 and may require a new relay.

**TR-31FG:** Replaces the 800383, 077b1227 used after 10/25/03 and may require a new relay.

**TS-49F-4:** check ft list... used after ~3/09/2008 and may require a new relay. replaces the 800358 077b1214 control 115v only used between 3/09/2008 - 6/19/11 per pcn 4997.

**TC-23F:** Used after 11/17/05 production date or approximate serial no. 1-4323962.

**T-23DT:** Retrofits the 800312 and 9530n1284 ; 800304)9530n1490 ce, 800358 controls and does not require relay.

**TR1F-1S:** Used between 10/25/03 - 2/1/12 or ser. no. 1-7347254 per pcn 5538 and may require a new relay. replaces the 800383, 077b1227 .

**T-49F-4:** check workorder for correct compressor. Used after ~3/09/2008 and may require a new relay. Replaces the 800358 077b1214 control 115v only used between 3/09/2008 - 6/19/11 per pcn 4997.

**T-19F:** 115v only used before 3/23/05 production date or approximate serial no. 1-4106298. Replaces the 800312 and 800304 and does not require a relay. Used after 7/1/02 production date.

**TS-49F:** check workorder for correct compressor. used after ~3/09/2008 and may require a new relay. replaces the 800358 077b1214 control 115v only used between 3/09/2008 - 6/19/11 per pcn 4997.

**TUC-27FG:** Replaces 800304, 9530n1490 800312 and 9530n1284 controls. this control was used after 9/1/02 production date.

**T-23F-2:** 115V used after 11/17/2005. 208v/220v used before ~10/19/2009 (pcn #4305).

**T-49DT-G:** Used after 2/13/08 production date. replaces 800358. (from 7/1/02 to 2/13/08 we used 800358 ft 1925) 800345 will replace all.

**TS-72F:** Used between 5/2/05 production date or approximate serial no. 1-4148080 and 3/1/09 production date or serial #5225126. pcn 4164.

**TR3F-3S:** Used after 4/10/06 production date and may require a new relay.

**TS-23F:** check ft list. 115v used after 11/17/2005. 208v/220v used before ~10/19/2009 (pcn #4305).

**T-23F:** check ft list. 115v used after 11/17/2005. 208v/220v used before ~10/19/2009 (pcn #4305) replaces the 800358 temperature control. check ft list.

**TM-24FG:** 115v used after 7/1/02 production date and may require new relay. 208/220v retrofits the 800312 and 800304 and does not require relay.

**TUC-48F:** 115v used between 6/9/2003 and ~4/4/2007 (pcn #2526/ft #1336) and replaces 800358 previously used. may require new relay. 208v/220v used after 4/11/2007 (pcn #3612) and does not require a relay .

**TSSU-27-08F:** Replaces 800304, 9530n1490 800312 and 9530n1284 800358)077b1214 controls. this control was used after 7/03 production date.

**TM-52FG:** Used after 7/1/02 production date and may require a new relay.

**GDM-19F:** 115v used between 7/1/2002 - 3/23/2005 replaces the 800358 previously used (pcn #2479) 208v/220v replaces 800312 and 9530n1284: 800304, 9530n1490 ce controls and does not require a relay.

**TUC-36F:** N/A.

**TUC-27F-D-2:** Used before 5/27/14 per pcn 7637. replaces 800304)9530n1490, 800312 and 9530n1284, and 800358, 077b1214 controls, previously used .

**TR2FRI-2S:** Used before 11/1/11 production or after 1-7284922 per pcn 5413. replaces the 800358 previously used (pcn #4854).

**TS-23F-2:** 115v used after 11/17/2005. 208v/220v used before ~10/19/2009 (pcn #4305).

**TWT-27FG:** Replaces 800304, 9530n1490 800312 and 9530n1284 controls. this control was used after 9/1/02 production date.

**TUC-60F:** 115v used between 10/10/2003 and 4/27/2011 (pcn #4842) and may require relay. still used for 208v/220v and does not require relay.

**T-49DT-4:** Used after 2/13/08 production date. Replaces 800358. (from 7/1/02 to 2/13/08 we used 800358 ft 1925) 800345 will replace all.

**TUC-72F:** N/A.

**TS-49FG:** 115v and 208v used between ~3/09/2008 - 4/29/11 per pcn 5098 and may require a new relay. 220v still uses this control. replaces the 800358 077b1214 control check workorder for correct compressor. 115v only used between 3/09/2008 - 6/19/11 per pcn 4997.

**T-72F-6:** Used between 5/2/05 production date or approximate serial no. 1-4148080 and 3/1/09 production date or serial #5225126. Pcn 4164.

**TUC-GAL-48F:** N/A.

**TS-49DT-G:** Used after 2/13/08 production date. Replaces 800358. (from 7/1/02 to 2/13/08 we used 800358 ft 1925) 800345 will replace all.

**GDM-43F:** Used after 7/1/2002 production date and may require new relay.(pcn #2479) replaces 800358 previously used. Check workorder for correct control.

**TWT-48F:** 115v used between 6/9/2003 and ~4/4/2007 (pcn #2526/ft #1336) and replaces 800358 previously used. may require new relay. 208v/220v used after 4/11/2007 (pcn #3612) and does not require a relay .

**TUC-27F:** Used before 6/13/13 or serial number 7797707 per pcn 6792 replaces 800304)9530n1490, 800312 and 9530n1284, and 800358)077b1214 controls, previously used .

**TM-52F:** 115v used between 7/1/02 and 6/29/06 production date and may require new relay. 208v/220v/ce retrofits the 800312 and 800304 and does not require relay.

**TUC-48F-D:** 115v used between 6/9/2003 and ~4/4/2007 (pcn #2526/ft #1336) and replaces 800358 previously used. may require new relay. 208v/220v used after 4/11/2007 (pcn #3612) and does not require a relay .

**TR-31F:** Replaces The 800383, 077b1227 Used After 10/25/03 And May Require A New Relay.

**TM-74F:** Replaces the 800312 and 800358 previously used. (pcn #4721) does not require a relay even though a relay was used from 7/1/2002 to 9/2003.

**TR-31F-2:** Replaces The 800383, 077b1227 Used After 10/25/03 And May Require A New Relay.

**TM-24F-2:** started using ~june 2009 and will retrofit 800358 which was used previously (pcn #4364).

**T-23FZ:** 115v used after 11/17/2005. 208v/220v used before ~10/19/2009 (pcn #4305).

**TM-24F:** started using ~june 2009 and will retrofit 800358 which was used previously (pcn #4364).

**T-12F:** \*\*115v only used before 10/28/2005, replaces 800358 previously used (pcn #2479) ....still used on 208v and 220v. replaces the 800312 and 9530n1284 control. used after 7/1/02 production date and does not require a relay.

**GDM-06F:** 115v used after 7/1/2002 and may require a new relay, replaces the 800358 previously used (pcn #2479) 208v/220v replaces 800312 and 9530n1284: 800304, 9530n1490 ce controls and does not require a relay.

**TWT-60F:** 115v used between 10/10/2003 and 4/27/2011 (pcn #4842) and may require relay. still used for 208v/220v and does not require relay.

**GDM-26F:** 115v only use between 6/27/02 - 6/26/11 production date or approx. serial no. 1-3324430 and may require new relay. still used on 208v and 220v units. 208 retrofits the 800312 and 9530n1284 and does not require relay. note: also replaces the 800358 007b1214 control for 115v/208v/220v.

**T-49DT:** Used after 2/13/08 production date. Replaces 800358. (from 7/1/02 to 2/13/08 we used 800358 ft 1925) 800345 will replace all.

**T-35F:** \*\*115v only used between 7/1/02 - 1/24/05 production date and may require new relay. 208v/220v/ce retrofits 800304 and 800312 and does not require relay. \*\*220v used before 5/17/06 production date.

**GDM-12F:** Used before 1/16/07 and serial # 1-4758757. 115v use after 9/18/02 production date and may requires new relay. will replace the 800358 007b1214 control for 115v/208v/220v 208v replaces 800312, 9530n1284, 800358, and 077b1214 controls.

**T-35FG:** N/A.

**GDM-35F:** 115v/208v used between 7/1/2002 - 9/5/12 and may require new relay, replaces 800358 previously used (pcn #2479) 220v/ce retrofits the 800312 and 9530n1284 ; 800304, 9530n1490 ce; 800358, 007b1214 controls and does not require relay. .

**TWT-36F:** Used After 9/3/02 Production Date And May Require A New Relay.

**TR2F-4HS:** Used between 3/4/03 and 7/29/12 production date, per pcn 6142.

**TWT-27F:** Used before 6/13/13 or serial number 7797707 per pcn 6792 replaces 800304, 9530n1490, 800312 and 9530n1284, and 800358, 077b1214 controls, previously used .

**TR2DT-2S:** Used after 8/2/06 production date or approximate serial no. 1-4572025 and retrofits previously used controls.

**TM-52F-4:** 115v used between 7/1/02 and 6/29/06 production date and may require new relay. 208v/220v/ce retrofits the 800312 and 800304 and does not require relay.

**GDM-49F:** Used between 7/1/2002 and 12/2/2010 and may require a new relay. (pcn #4731) also replaces the 800358)077b1214 used for a short time and 800358 077b1214 220vce control and may require a new relay.

**GDM-72F:** Used between 7/1/02 (may require a new relay) and 1/23/11 (pcn 4830) .

**TUC-27F-LP:** Used before 6/13/13 or serial number 7797707 per pcn 6792 replaces 800304, 9530n1490, 800312 and 9530n1284, and 800358, 077b1214 controls, previously used .

**T-19E-FZ:** if a re-work kit has been used this is the control used.

**TGU-3F:** 115v may require a new relay. 208v/220v does not require a relay.

**TA1F-1S:** Used before 2/1/12 or ser. no. 1-7347254 per pcn 5538 and may require a new relay. replaces the 800383, 077b1227 may require a new relay.

**TA1DT-2HS:** (115v) used before 9/2/08 production date. replace w/ 800369 (pcn #4102).

**TA1F-2HS:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TA1FRI-1S:** Used after 8/2/06 production date or approximate serial no. 1-4572025 and retrofits previously used controls.

**TA2DT-2S:** Used after 8/2/06 production date or approximate serial no. 1-4572025 and retrofits previously used controls.

**TA2F-2S:** N/A.

**TA2F-4HS:** N/A.

**TA3F-3S:** Used after 4/10/06 production date and may require a new relay.

**TA3F-6HS:** Used after 4/10/06 production date and may require a new relay.

**TG1DT-2HS:** (115v) used before 9/2/08 production date. replace w/ 800369 (pcn #4102) .

**TG1F-1S:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TG1F-2HS:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TG1FRI-1S:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TG2DT-2S:** Used after 8/2/06 production date or approximate serial no. 1-4572025 and retrofits previously used controls.

**TG2F-2S:** Used before 7/30/12 per pcn 6142.

**TG2F-4HS:** Used before 7/30/12 per pcn 6142.

**TG3F-3S:** Used after 4/10/06 production date and may require a new relay.

**TG3F-6HS:** Used after 4/10/06 production date and may require a new relay.

**TR1FRI-1S:** Use before 2/1/12 or ser. no. 1-73472534 per pcn 5538. may require a new relay.

**TUC-48F-LP:** 115v used between 6/9/2003 and ~4/4/2007 (pcn #2526/ft #1336) and replaces 800358 previously used. may require new relay. 208v/220v used after 4/11/2007 (pcn #3612) and does not require a relay .

**TWT-27F-D2:** Used before 5/27/14 per pcn 7637. replaces 800304, 9530n1490 800312 and 9530n1284 800358, 077b1214 controls. this control was used after 7/03 production date.

**TUC-48F-D-4:** 115v used between 6/9/2003 and ~4/4/2007 (pcn #2526/ft #1336) and replaces 800358 previously used. may require new relay. 208v/220v used after 4/11/2007 (pcn #3612) and does not require a relay .

**TWT-48F-D4:** 115v used between 6/9/2003 and ~4/4/2007 (pcn #2526/ft #1336) and replaces 800358 previously used. may require new relay. 208v/220v used after 4/11/2007 (pcn #3612) and does not require a relay .

**TUC-60F-LP:** 115v used between 10/10/2003 and 4/27/2011 (pcn #4842) and may require relay. still used for 208v/220v and does not require relay.

**T-23F-1-G-1:** may require new relay 208v does not require relay. .

**TR2DT-4HS:** Used after 8/2/06 production date or approximate serial no. 1-4572025 and retrofits previously used controls.

**T-23FG-2:** 7702853 per pcn 6890 now use lae control 115v/208v used after 7/1/02 production date and may require new relay. also replaces the 800358 077b1214, 800312 and 9530n1284:115v . 208 retrofits the 800312 and 9530n1284 and does not require relay. 220v/ce retrofits the 304, 800312, 800358 077b1214 and (t-23fg-rc\'s do not require a relay per pcn 5914).

**TR1F-1G:** Used between 10/25/03 - 2/1/12 or ser. no. 1-7347254 per pcn 5538 and may require a new relay. replaces the 800383, 077b1227 .

**TA1F-1G:** Used between 10/25/03 - 2/1/12 or ser. no. 1-7347254 per pcn 5538 and may require a new relay. replaces the 800383, 077b1227 .

**TG1F-1G:** Used between 10/25/03 2/1/12 production dates or ser. no. 1-7347254 per pcn 5538. and may require a new relay. replaces the 800383, 077b1227 .

**TG2DT-4HS:** Used after 8/2/06 production date or approximate serial no. 1-4572025 and retrofits previously used controls.

**TGW-3F:** 115v may require a new relay. 208v/220v does not require a relay.

**TR1-F-2HG:** Used between 10/25/03 - 2/1/12 or ser. no. 1-7347254 per pcn 5538 and may require a new relay. replaces the 800383, 077b1227 .

**GDM-49F DOLLAR GENERAL:** Used before 1/10/11 per pcn 4829.

**GDM-72F DOLLAR GENERAL:** Used between 7/1/02 (may require a new relay) and 1/16/11 (pcn 4830).

**TA1-FPT-2HS-2HS:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TA1-F-1S STARBUCKS:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TA2-F-2S STARBUCKS:** Used before 7/30/12 per pcn 6142.

**GDM-72F FAMILY DOLLAR:** Used after 12/17/06 production date and may require a new relay.

**TR1FPT-1S-1S:** Use before 2/1/12 or ser. no. 1-73472534 per pcn 5538. may require a new relay.

**TA1-FPT-1S-1S:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TG1FPT-1S-1S:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TG2F-2S STARBUCKS:** Used before 7/30/12 per pcn 6142.

**TG1F-1S STARBUCKS:** Used before 2/1/12 production date or ser. no. -17347254 per pcn 5538. may require a new relay.

**TG1F-1HG/1HS:** Replaces the 800383, 077b1227 used after 10/25/03 and may require a new relay.

**TA2FRI-2S:** Used before 11/1/11 production or after 1-7284922 per pcn 5413. replaces the 800358 previously used (pcn #4854).

**TA2DT-4HS:** Used after 8/2/06 production date or approximate serial no. 1-4572025 and retrofits previously used controls.

**TG2FRI-2S:** Used before 11/1/11 production or after 1-7284922 per pcn 5413. replaces the 800358 previously used (pcn #4854).

**TG1F-2HG:** Used between 10/25/03 2/1/12 production dater or ser. no. 1-7347254 per pcn 5538. and may require a new relay. replaces the 800383, 077b1227 .

**TUC-24F:** N/A.