



CERTIFICATION RECORD

The company named below has been authorized by CSA International to represent the products listed in this record as "CSA Certified" and to affix the CSA Mark to these products according to the terms and conditions of the CSA Service Agreement and applicable CSA program requirements (including additional Markings).

File No: 604356 Alternate File: 604356
Class No: 1511 81 FURNACES (GAS) Certified to US Standards

LISTEE

6015370 Mr. Cool, LLC
48 Remington Way
Hickory, Kentucky 42051
United States

SUBMITTOR

4517585 Lennox Industries Inc
1600 Metrocrest Dr.
General Division R&D Center
Carrollton, Texas 75006
United States

September 1, 2022 (Replaces: July 19, 2022)

Model Number	Electric Rating	Vent Category	Rating Btu/Hr Max / Min	Altitude
-----------------	--------------------	------------------	----------------------------	----------

Forced Air Direct Vent or Non-Direct Vent

For Use With Natural, Liquefied Petroleum or Propane Gas

Trade Name: Merit 80

MGM80SE045A3A -*	B	I	44,000	T
MGM80SE070B3A -*	B	I	66,000	T
MGM80SE090B4A -*	B	I	88,000	T
MGM80SE090C5A -*	B	I	88,000	T
MGM80SE110C5A -*	B	I	110,000	T
MGD80SE045A3A -*	B	I	44,000	T
MGD80SE090B4A -*	B	I	88,000	T

MGD80SE110C5A-*	B	I	110,000	T
Model	Electric	Vent	Rating Btu/Hr	
Number	Rating	Category	Max / Min	Altitude
Forced Air Direct Vent or Non-Direct Vent				

For Use With Natural, Liquefied Petroleum or Propane Gas**Trade Name: Elite 90**

MGM95SE045B3XA-*	B	IV	44,000	H
MGM95SE070B3XA-*	B	IV	66,000	H
MGM95SE090C4XA-*	B	IV	88,000	H
MGM95SE110C5XA-*	B	IV	110,000	H
MGM95SE135D5XA-*	B	IV	132,000	H
Model	Electric	Vent	Rating Btu/Hr	
Number	Rating	Category	Max / Min	Altitude
Forced Air Direct Vent or Non-Direct Vent				

For Use With Natural, Liquefied Petroleum or Propane Gas**Trade Name: Elite 90**

MGD95SE045B3XA-*	B	IV	44,000	H
MGD95SE070B4XA-*	B	IV	66,000	H
MGD95SE090C4XA-*	B	IV	88,000	H
MGD95SE110C5XA-*	B	IV	110,000	H
Model	Electric	Vent	Rating Btu/Hr	
Number	Rating	Category	Max / Min	Altitude
Forced Air Direct Vent or Non-Direct Vent				

For Use With Natural, Liquefied Petroleum or Propane Gas**Trade Name: Merit 90**

MGM96SE045B3X-*	B	IV	44,000	H
MGM96SE070B3X-*	B	IV	66,000	H
MGM96SE090C4X-*	B	IV	88,000	H
MGM96SE110C5X-*	B	IV	110,000	H
MGM96SE135D5X-*	B	IV	132,000	H
Model	Electric	Vent	Rating Btu/Hr	
Number	Rating	Category	Max / Min	Altitude
Forced Air Direct Vent or Non-Direct Vent				

For Use With Natural, Liquefied Petroleum or Propane Gas**Trade Name: Merit 90**

MGD96SE045B3XA-*	B	IV	44,000	H
------------------	---	----	--------	---

MGD96SE070B4XA-*	B	IV	66,000	H
MGD96SE090C4XA-*	B	IV	88,000	H
MGD96SE110C5XA-*	B	IV	110,000	H

/fc