




ITEM NO./MODEL NO.	DESCRIPTION
GGHDT-24	THERMOSTAT GAS GRIDDLE, 24", HEAVY DUTY, 1" THICK PLATE




- NOTE:
- 1. OUTPUT IS 60,000 BTU.
 - 2. UNIT SHOULD BE INSTALLED UNDER A HOOD IN ACCORDANCE WITH THE LATEST EDITION OF THE STANDARD FOR VENTILATION CONTROL AND FIRE PROTECTION OF COMMERCIAL COOKING OPERATIONS, NFPA 96.
 - 3. STANDING PILOTS WITH A MANUAL BURNER CONTROL VALVE FOR EACH BURNER. 3/4" NPT GAS INLET.
 - 4. UNIT WEIGHT IS: 215.0 LBS.
 - 5. MATERIALS: STAINLESS STEEL AND PRE-SEASONED CAST IRON.
 - 6. CERTIFICATIONS:
 - 1.ANSI Z83.11:2016.
 - 2.CSA 1.8:2016.
 - 3.NSF/ANSI 4.



DIMENSIONS ARE IN INCHES (IN) UNLESS OTHERWISE NOTED.
DIMENSIONS IN BRACKETS ARE IN MILLIMETERS (MM) AND ARE FOR REFERENCE ONLY.


ITEM NO./MODEL NO.	DESCRIPTION
GGHDT-24	THERMOSTAT GAS GRIDDLE, 24", HEAVY DUTY, 1" THICK PLATE



HARDWARE (GENERAL SPECIFICATION)		
SN	DESCRIPTION	QTY
A	M5X0.8X10 SS TAP SCREW, FL HEX	37

SN	PART NO	DESCRIPTION	QTY
1	353473-1	FASCIA - 24IN HDT GRIDDLE	1
2	353394-1	BURNER SUPPORT - 24IN GRIDDLE	1
3	353386-1	DRIP TRAY - GRIDDLE	1
4	352506-1	DRIP TRAY SUPPORTS - HD GD	1
5	352495-1	CONTROL KNOB SM INSERT	2
6	352509-1	REGULATOR 5IN WC	1
7	353376-1	LEG, GAS APPLIANCE	4
8	354236-1	GGHDT-24 FRONT PANEL ASSY	1

ITEM NO./MODEL NO.	DESCRIPTION
GGHDT-24	THERMOSTAT GAS GRIDDLE, 24", HEAVY DUTY, 1" THICK PLATE



*NOTE: ONLY ONE TYPE OF ORIFICE IS REQUIRED, 2.35MM FOR NATURAL GAS OR 1.60MM FOR LP

HARDWARE (GENERAL SPECIFICATION)		
SN	DESCRIPTION	QTY
A	M5X0.8X10 SS TAP SCREW, FL HEX	8
B	M5X0.8X4 SS HEX NUT	6

SN	PART NO	DESCRIPTION	QTY
9	353477-1	HD VALVE CONNECTORS ASSY	1
10	353474-1	BURNER/PILOT ASSY - HDT GAS GRID	2
11	353475-1	HD GST VALVE ASSY	2
12	353440-1	2.35MM BRASS ORIFICE	2
13	353369-1	1.60MM BRASS ORIFICE	2
14	353476-1	MANIFOLD - 24IN HDT GRIDDLE	1
15	352500-1	HDT GRIDDLE SAFETY VALVE	1
16	352501-1	HDT GRIDDLE THERMOCOUPLE	1
17	352547-1	HDT PILOT DIVERTER	1