





ITEM NO./MODEL NO.	DESCRIPTION
GGMDT-36	THERMOSTAT GAS GRIDDLE, 36"



- NOTE:
- 1. OUTPUT IS 84,000 BTU.
 - 2. UNIT SHOULD BE INSTALLED UNDER A HOOD IN ACCORDANCE WITH THE LATEST EDITION OF THE STANDARD FOR VENTILATION CONTROL AND FIRE PROTECTION OF COMMERCIAL COOKING OPERATIONS, NFPA 96.
 - 3. STANDING PILOTS WITH A MANUAL BURNER CONTROL VALVE FOR EACH BURNER. 3/4" NPT GAS INLET.
 - 4. UNIT WEIGHT IS: 269.0 LBS.
 - 5. MATERIALS: STAINLESS STEEL AND PRE-SEASONED CAST IRON.
 - 6. CERTIFICATIONS:
 - 1.ANSI Z83.11:2016.
 - 2.CSA 1.8:2016.
 - 3.NSF/ANSI 4.




DIMENSIONS ARE IN INCHES (IN) UNLESS OTHERWISE NOTED.
DIMENSIONS IN BRACKETS ARE IN MILLIMETERS (MM) AND ARE FOR REFERENCE ONLY.

ITEM NO./MODEL NO.	DESCRIPTION
GGMDT-36	THERMOSTAT GAS GRIDDLE, 36"

HARDWARE (GENERAL SPECIFICATION)		
SN	DESCRIPTION	QTY
A	M5X0.8X10 SS TAP SCREW, FL HEX	37

SN	PART NO	DESCRIPTION	QTY
1	353410-1	FASCIA - 36IN MDT GRIDDLE	1
2	353397-1	BURNER SUPPORT - 36IN GRIDDLE	1
3	353386-1	DRIP TRAY - GRIDDLE	1
4	353375-1	DRIP TRAY SUPPORTS - MD GD	1
5	354305-1	CONTROL KNOB LG INSERT ABJ	3
6	352509-1	REGULATOR 5IN WC	1
7	353376-1	LEG, GAS APPLIANCE	4
8	354225-1	GGMDT-36 FRONT PANEL ASSY	1

ITEM NO./MODEL NO.	DESCRIPTION
GGMDT-36	THERMOSTAT GAS GRIDDLE, 36"



*NOTE: ONLY ONE TYPE OF ORIFICE IS REQUIRED, 2.37MM FOR NATURAL GAS OR 1.51MM FOR LP

HARDWARE (GENERAL SPECIFICATION)		
SN	DESCRIPTION	QTY
A	M6X1X5 SS HEX NUT	2
B	M5X0.8X4 SS HEX NUT	12

SN	PART NO	DESCRIPTION	QTY
9	353409-1	MD VALVE CONNECTORS ASSY	3
10	353406-1	BURNER/PILOT ASSY - MDM GAS GR	3
11	353407-1	MD THERM CONTROL VALVE	3
12	353413-1	2.37MM BRASS ORIFICE *	3
13	353414-1	1.51MM BRASS ORIFICE *	3
14	353411-1	MANIFOLD - 36IN MDT GRIDDLE	1