



| ITEM NO. | QTY. | PART NO. | DESCRIPTION | MATERIAL | Weight | TOTAL WEIGHT |
|---------------|------|----------|--|------------------------------|--------|--------------|
| 1 | 2 | U10888 | Roller Stand Pivot Plate for Light Duty Conv. | 1023 Carbon Steel Sheet (SS) | 0.71 | 1.42 |
| 2 | 2 | U10887 | Roller Stand Upper Leg For Light Duty Gravity Conveyor | 1023 Carbon Steel Sheet (SS) | 2.60 | 5.2 |
| 3 | 2 | U10886 | Roller Stand Lower Leg For Light Duty Gravity Conveyor | 1023 Carbon Steel Sheet (SS) | 2.46 | 4.92 |
| 4 | 1 | U10889 | 12.08in Lg Leg Spacer for 10BF Roller Leg Stand | Galvanized Steel | 1.16 | 1.16 |
| 5 | 4 | N/A | 3/8"-16 x 1.00" HHCS, Grade 5, Zinc Plated | Alloy Steel | 0.05 | 0.2 |
| 6 | 6 | N/A | 3/8" SAE Flat Washer, Zinc Plated | Alloy Steel | 0.007 | 0.042 |
| 7 | 12 | N/A | 3/8"-16 x 3/4" HHCS, Grade 5, Zinc Plated | Alloy Steel | 0.04 | 0.48 |
| 8 | 16 | N/A | 3/8"-16 Flange Lock Nut, Zinc Plated | Alloy Steel | 0.02 | 0.32 |
| TOTAL WEIGHT: | | | | | | 13.742 |

NOTE:

- FOR 10" BETWEEN FRAME (12" OVERALL)
- 38-1/4" MAX HEIGHT (TOP OF LEG)
- 23" MINIMUM HEIGHT (TOP OF LEG)
- USE WITH LIGHT DUTY UI CONVEYOR FRAMES
- FINISH: ULTIMATION BLUE, POWDER COAT
- MAXIMUM LOAD:
 - 600LBS SECURED/LAGGED TO FLOOR
 - 300LBS NO FLOOR CONNECTION

| REVISIONS | | | | |
|-----------|-----------------------|-----|----------|------------|
| REV. | DESCRIPTION | BY | APPROVED | DATE |
| 0 | RELEASE FOR MARKETING | TJH | TJH | 12/21/2022 |



| | | | | |
|---|--|------|--------|--------|
| | Ultimation Industries, LLC 15935 Sturgeon St, Roseville, MI 48066 Phone: +1-586-771-1881 ultimationinc.com | | | |
| | DRAWING No. | UNIT | SHEET | SHEETS |
| | INCH | 1 | 1 of 1 | |
| ROLLER STAND LEG SET ASSY FOR LIGHT DUTY GRAVITY CONV. 10"BF, 23" TO 38-1/4" ELV. | | | | SCALE |
| PROPRIETARY AND CONFIDENTIAL <small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ULTIMATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ULTIMATION IS PROHIBITED.</small> | | | | 1:3 |