



BEVERAGE-AIR®

DIRECT DRAWS



WE SELL
ENERGY
STAR

DIRECT DRAWS



Stainless steel top with drip tray

Galvanized steel interior liner
with heavy duty stainless steel floor

Full electronic control

Drain tube located at bottom front of cooler
connects to floor drain

Self-closing doors with locks

Magnetic gasket attached to each door
for positive seal

Field reversible door

Compressor available on left or right side
specify at time of order

Wide variety of options and accessories

3 year parts & labor warranty with
an additional 4 year compressor warranty

Made in USA



Units marked with this blue arrow
are Energy Star certified.



LEFT OR RIGHT COMPRESSOR
Specify which side the compressor
should be located at time of order



DRAIN TUBE
bottom front of cooler (condensor side)
and connects directly to floor drain

FEATURING

3-IN-1 DRAFT SOLUTIONS

Dispense beer, wine, or coffee (other
non-alcoholic beverages) with the same
tap—no line/manifold changes needed!

DYNAMIC PERFORMANCE THAT ENHANCES THE FRONT OF THE HOUSE

SPECS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

MODEL WIDTH	MODEL #	DOORS	VOLTS	HP	AMPS	CUBIC FEET	WIDTH	DEPTH	HEIGHT	CRATED WEIGHT	# OF STRAIGHT WALL KEGS	FINISH
24"	DD24HC-1-B	1	115	1/6	2	7.66	24	30.13	37.75	174	1	BLACK
	DD24HC-1-S									184	1	STAINLESS FRONT
36"	DD36HC-1-B	1	115	1/4	3.2	8.31	36	24.5	36	250	1	BLACK
	DD36HC-1-S									242	1	STAINLESS
48"	DD48HC-1-B	2	115	1/4	2.50	12.4	48	24.5	36	284	2	BLACK
	DD48HC-1-S										2	STAINLESS
50.5"	DD50HC-1-B	2	115	1/4	2.50	17.86	50.5	29	37.25	290	2	BLACK
	DD50HC-1-S									310	2	STAINLESS FRONT
	DD50HC-1-C-B	2	115	1/4	2.50	17.86	50.5	29	37.25	310	2	BLACK
	DD50HC-1-C-S									310	2	STAINLESS FRONT
59"	DD58HC-1-B	2	115	1/4	2.50	21.86	59	29	37.38	342	3	BLACK
	DD58HC-1-S									376	3	STAINLESS FRONT
	DD58HC-1-C-B	2	115	1/4	2.50	21.86	59	29	37.38	342	3	BLACK
	DD58HC-1-C-S									342	3	STAINLESS FRONT
69"	DD68HC-1-B	2	115	1/3	5.5	25.93	69	29	37.25	380	3	BLACK
	DD68HC-1-S									379	3	STAINLESS FRONT
	DD68HC-1-C-B	2	115	1/3	5.5	25.93	69	29	37.25	400	3	BLACK
	DD68HC-1-C-S									400	3	STAINLESS FRONT
72"	DD72HC-1-B	2	115	1/3	3.1	19.95	72	24.5	36	424	3	BLACK
	DD72HC-1-S									376	3	STAINLESS
79"	DD78HC-1-B	3	115	1/3	5.5	33.59	79	29	37.38	400	4	BLACK
	DD78HC-1-S									400	4	STAINLESS FRONT
	DD78HC-1-B-12T	3	115	1/3	5.5	33.59	79	29	37.38	478	4	BLACK
	DD78HC-1-S-12T									478	4	STAINLESS FRONT
95"	DD94HC-1-B	3	115	1/3	5.5	37.82	95	29	37.38	458	5	BLACK
	DD94HC-1-S									458	5	STAINLESS FRONT
	DD94HC-1-B-12T	3	115	1/3	5.5	37.82	95	29	37.38	532	5	BLACK
	DD94HC-1-S-12T									458	5	STAINLESS FRONT

Height measurement includes mounting height (DD24 only), but excludes tap height. Add average tap height of 15" for total unit height.
Depth measurement includes handles.

EXTERIOR FINISHES

- Black
- Stainless Steel

INTERIOR FINISHES

- Galvanized walls with reinforced stainless steel floor

AVAILABLE ACCESSORIES

- Wine Models
- Wine Taps
- Faucet Locks
- Glass Rinser
- 1-6 Insulated Stainless Towers/Taps
- Optional 12 Tap Tower for 94" Models
- Dual Tap Placement Option
- No Draft Arm with Hole Cover

AVAILABLE OPTIONS

- Left or right side compressor
- Remote models available

MOUNTING OPTIONS

- 6" casters
- 3" casters
- 6" legs



BEVERAGE-AIR

888-845-9800 beverage-air.com



3-in-1 Draft Solutions

Dispense THREE distinct beverages using the SAME TAP!


No line or manifold changes needed!

Stainless-steel taps!


Now standard on all Beverage-Air Direct Draw units, our 3-in-1 Draft Solution allows you to use the same tap to serve three different beverages, such as wine, beer, coffee, and other non-alcoholic beverages.

Direct Draw Keg Capacities


DD24 / DD36




DD48 / DD50




DD58 / DD68 / DD72



DD78



DD94



DD4P-20200420

an Ali Group Company



The Spirit of Excellence