

Heat Sealers - Impulse

FEATURES:

- Requires no warm-up time
- Can seal most thermoplastic materials including polyethylene
- Seal widths: 2mm, 2.7mm, 5mm, 8mm, or 10mm



Hand Impulse Sealers



Foot Impulse Sealers



Automatic Impulse Sealers

19 Automatic

21 Double Impulse

22 Foot Sealer

26 Hand Sealer

28 Hand Sealer w/ Sliding Cutter

29 L-Bar Sealer

29 Open-Backed Sealers

30 Portable

29 Tube Sealers

30 Vacuum Sealers


Automatic Table-Top Impulse Sealers

FEATURES:

- Designed for continuous sealing of thermoplastic materials
- Automatic impulse sealing with precise electronic control
- Dual mode: automatic or manual
- Three separate control settings (sealing, congealing, recycle) providing consistent seals each time

Automatic Sealers

W-SERIES



Single Impulse



Double Impulse




Extra Long Sealing

FEATURES:

- Seal widths: 2.7mm, 5mm, 10mm
- Double impulse sealing available for thicker materials
- Longer seal lengths available
- Includes footswitch and working table

Model #	Seal Length	Seal Width	Single/Double	Weight (lbs)	Ships via
W-300A	12"	2.7mm	Single	47	UPS
W-305A	12"	5mm	Single	52	UPS
W-3010A	12"	10mm	Single	52	UPS
W-305AT	12"	5mm	Double	52	UPS
W-450A	18"	2.7mm	Single	56	UPS
W-455A	18"	5mm	Single	59	UPS
W-4510A*	18"	10mm	Single	59	UPS
W-455AT	18"	5mm	Double	59	UPS
W-600A	24"	2.7mm	Single	57	UPS
W-605A	24"	5mm	Single	57	UPS
W-605AT-220V	24"	5mm	Double - 220V	57	UPS
W-6010A	24"	10mm	Single	57	UPS
W-755AA	30"	5mm	Single	82	UPS
W-905AA*	35"	5mm	Single	90	Freight
W-1205AAA*	47"	5mm	Single	120	Freight
W-1505AAA*	59"	5mm	Single - 220V	150	Freight
*via special order					



Automatic Table-Top Impulse Sealers

TISA-SERIES

FEATURES:

- Manufactured by internationally known TEW
- Includes footswitch and working table

Model #	Seal Length	Seal Width	Weight (lbs)	Ships via
TISA-452	18"	2mm	56	UPS
TISA-455	18"	5mm	58	UPS
TISA-602	24"	2mm	65	UPS
TISA-605	24"	5mm	68	UPS



Automatic Foot Impulse Sealers

FEATURES:

- Seal width: 5mm
- Standalone unit
- Dual mode operation: automatic or manual
- Includes footswitch and working table

Model #	Seal Length	Seal Width	Weight (lbs)	Ships via
WNS-450*	18"	2.7mm	86	Freight
KS-FS455	18"	5mm	118	Freight
KS-FS605	24"	5mm	130	Freight
KS-FS805	32"	5mm	135	Freight
<i>*via special order</i>				



WNS-450

Double Impulse Sealers

FEATURES:

- Better heat penetration in order to seal thicker materials
- Seal widths: 5mm, 10mm
- Heats from both upper and lower jaws
- Can seal polyethylene



FKR-A Series



WD-305HT



W-305AT / W-455AT / W-605AT



W-300T / W-450T / W-600T



W-2510HT



WNS-1510HT



WNC-905T



WNC2-305T

Model #	Description	Seal Length	Seal Width	Weight (lbs)	Ships via
FKR-200A	Portable	8"	5mm	15	UPS
FKR-300A	Portable	12"	5mm	19	UPS
FKR-400A	Portable	16"	5mm	20	UPS
WD-305HT	Portable; Heavy Duty	12"	5mm	28	UPS
W-300T	Foot-Operated	12"	5mm	34 / 29	UPS
W-450T	Foot-Operated	18"	5mm	45 / 29	UPS
W-600T	Foot-Operated	24"	5mm	49 / 29	UPS
W-2510HT	Table-Top	10"	10mm	40	UPS
WNS-1510HT*	Table-Top	6"	10mm	30	UPS
W-305AT	Automatic Table-Top	12"	5mm	50	UPS
W-455AT	Automatic Table-Top	18"	5mm	56	UPS
W-605AT-220V	Automatic Table-Top, 220V	24"	5mm	57	UPS
WNC-905T-220V*	Foot-Operated; Pneumatic; 220V	35"	5mm	165	Freight
WNC2-305T	Foot-Operated; Pneumatic; Pass Through	12"	5mm	108	Freight
*via special order					

Foot Impulse Sealers

FEATURES:

- Ideal for higher volume sealing (up to 20 ppm)
- Keep hands free to hold bag during sealing process
- Sits on rectangular base for stability
- Option: Longer seal lengths available
- Option: Sliding cutters available (to make bags out of poly tubing)
- Option: Extended stand adding 10" in height



TISF-Series



KF-Series



FS-Series



W-Series Long Foot

NEW!



WNC-7510
10mm Seal Width



YC-Series:
Sliding Cutter



WNR-Series:
Sliding Cutter



WN-900C
Sliding Cutter



KS-FS-Series:
Automatic



WNS-450S
Automatic



W-300T / W-450T / W-600T
Double Impulse



WNC-905T-220V
Double Impulse

NEW!



WN-450BT:
Twin Elements



WN-280F:
Right Angle

Foot Impulse Sealers

Model #	Seal Length	Seal Width	Other	Weight (lbs)	Ships via
TISF-302	12"	2mm		44 / 7	UPS
TISF-305	12"	5mm		47 / 7	UPS
TISF-452	18"	2mm		49 / 7	UPS
TISF-455	18"	5mm		49 / 7	UPS
TISF-602	24"	2mm		52 / 7	UPS
TISF-605	24"	5mm		59 / 7	UPS
STE+PPSE-TEW			Add 10" in Height		UPS
KF-300F	12"	2.5mm		49	UPS
KF-305F	12"	5mm		46	UPS
KF-450F	18"	2.5mm		47	UPS
KF-455F	18"	5mm		48	UPS
KF-600F	24"	2.5mm		48	UPS
KF-605F	24"	5mm		50	UPS
STE+PPSE-KF			Add 10" in Height		UPS
FS-358F	14"	8mm	Value Option	63	UPS
FS-458F	18"	8mm	Value Option	65	UPS
FS-658F	26"	8mm	Value Option	68	UPS
WN-750F	30"	2.7mm	Longer Seal Length	73	UPS
WN-900F	35"	2.7mm	Longer Seal Length	77	UPS
WNC-7510	30"	10mm	Longer Seal Length; Pneumatic	132	Freight
WNC-1200*	47"	2.7mm	Longer Seal Length; Pneumatic	132	Freight
W-300T	12"	5mm	Double Impulse	34 / 29	UPS
W-450T	18"	5mm	Double Impulse	45 / 29	UPS
W-600T	24"	5mm	Double Impulse	49 / 29	UPS
WNC-905T-220V*	35"	5mm	Double Impulse; Pneumatic; 220V	165	Freight
KS-FS455	18"	5mm	Automatic	118	Freight
KS-FS605	24"	5mm	Automatic	130	Freight
KS-FS805	32"	5mm	Automatic	135	Freight
WNS-450*	18"	2.7mm	Automatic	86	Freight
YC-450FC	18"	3mm	Sliding Cutter	48	UPS
YC-600FC	24"	3mm	Sliding Cutter	66	UPS
WNR-450FC	18"	5mm	Sliding Cutter with Film Roller	98	Freight
WNR-600FC*	24"	5mm	Sliding Cutter with Film Roller	110	Freight
WN-900C	35"	2.7mm	Sliding Cutter	88	UPS
WN-280F*	11"	2.7mm	Right Angle	61	UPS
WN-450BT*	18"	0.8, 2.7, or 5mm	Twin Elements	95	Freight
*via special order					

NEW!

Table-Top Foot Sealers



FEATURES:

- Seal width: 1/4"
- Seal length: 20", 25", 30", 35", 50"
- Operated via footswitch
- External compressor required (6CFM@100PSI)

MADE
IN THE **USA**

Model #	Seal Length	Seal Width	Weight (lbs)	Ships via
AVP-20	20"	1/4"	40	FedEx
AVP-25	25"	1/4"	45	FedEx
AVP-30	30"	1/4"	60	FedEx
AVP-35	35"	1/4"	70	FedEx
AVP-50	50"	1/4"	106	FedEx

Pass Through Foot Impulse Sealers

WNC-SERIES

FEATURES:

- Available in lengths: 12", 18", 24", up to 47"
- Single or double impulse sealing
- Seal widths: 5mm or 10mm
- Open back frame allowing front to back pass thru capabilities
- Foot pedal cycle automation
- Work table included
- Pneumatically operated, quieter than automatic sealers
- Better sealing pressure vs. manual sealers
- External compressor required - air usage requirements: 100PSI (3-5CFM)

Custom units tailored for your needs. Please specify the following:

- Sealing length
- Seal width
- Single or double impulse sealing



Model #	Seal Length	Seal Width	Voltage	Single/Double	Ships via
WNC2-305*	12"	5mm	110V	Single	Freight
WNC2-3010*	12"	10mm	110V	Single	Freight
WNC2-455*	18"	5mm	110V	Single	Freight
WNC2-4510*	18"	10mm	110V	Single	Freight
WNC2-605*	24"	5mm	110V	Single	Freight
WNC2-610*	24"	10mm	110V	Single	Freight
WNC2-755*	30"	5mm	110V	Single	Freight
WNC2-7510*	30"	10mm	110V	Single	Freight
WNC2-1005*	40"	5mm	110V	Single	Freight
WNC2-1010*	40"	10mm	110V	Single	Freight
WNC2-305T	12"	5mm	110V	Double	Freight
WNC2-3010T*	12"	10mm	110V	Double	Freight
WNC2-455T*	18"	5mm	110V	Double	Freight
WNC2-4510T*	18"	10mm	110V	Double	Freight
WNC2-605T*	24"	5mm	110V	Double	Freight
WNC2-610T*	24"	10mm	220V	Double	Freight
WNC2-755T*	30"	5mm	220V	Double	Freight
WNC2-7510T*	30"	10mm	220V	Double	Freight
WNC2-905T*	35"	5mm	220V	Double	Freight
WNC2-1005T*	40"	5mm	220V	Double	Freight
WNC2-1255T*	47"	5mm	220V	Double	Freight
*via special order					

Hand Impulse Sealers

FEATURES:

- Ideal for basic sealing (up to 15ppm)
- Option: Longer seal lengths available
- Option: Round wire option available for seal and cut applications (i.e. shrink wrapping)

Cut and Seal Applications

- Often used in shrink wrapping applications
- Excess material above seal is cut off creating a clean seamless seal
- Most sealers available with round wire option
- To order, add letters "rnd" to the model #. (Example: KF-200Hrnd)




TISH-Series

- Manufactured by TEW



KF-Series

- Good mid point option
- 2mm seal width ETL Listed



FS-Series

- Value option



W-Series Long Hand

- Longer sealing length
- 30" seal length, 10mm seal width



FS-Series Long Hand

- Longer sealing length
- Value option



PFS-200B

- Seal width: 10mm
- Meshed seal

Hand Impulse Sealers

Model #	Seal Length	Seal Width	Other	Weight (lbs)	Ships via
TISH-100	4"	2mm		5	UPS
TISH-105	4"	5mm		5	UPS
TISH-200-220V	8"	2mm	Voltage: 220V	7	UPS
TISH-400-220V	16"	2mm	Voltage: 220V	13	UPS
KF-100H	4"	2mm	ETL Listed	5	UPS
KF-200H	8"	2mm	ETL Listed	7	UPS
KF-200H-WHITE	8"	2mm	ETL Listed; White Body	7	UPS
KF-205H	8"	5mm		7	UPS
KF-300H	12"	2mm	ETL Listed	10	UPS
KF-300H-WHITE	12"	2mm	ETL Listed; White Body	10	UPS
KF-305H	12"	5mm		12	UPS
KF-400H	16"	2.6mm	ETL Listed	12	UPS
KF-520H	20"	2.6mm	ETL Listed	15	UPS
KF-525H	20"	5mm		16	UPS
FS-100	4"	2mm	Value Option	5	UPS
FS-200	8"	2mm	Value Option	6	UPS
FS-205	8"	5mm	Value Option	8	UPS
FS-300	12"	3mm	Value Option	10	UPS
FS-305	12"	5mm	Value Option	10	UPS
FS-400	16"	2mm	Value Option	11	UPS
FS-405	16"	5mm	Value Option	11	UPS
FS-500	20"	3mm	Value Option	15	UPS
FS-505	20"	5mm	Value Option	15	UPS
PFS-200B	8"	10mm	Wider Seal Width	14	UPS
WN-500H-220V	20"	2.7mm	Voltage: 220V	31	UPS
WN-650H	26"	2.7mm		33	UPS
WN-650H-220V	26"	2.7mm	Voltage: 220V	33	UPS
WN-750H	30"	2.7mm		35	UPS
WN-7510H	30"	10mm	Wider Seal Width	35	UPS
WN-1000H	40"	2.7mm		40	UPS
WN-1300H	51"	2.7mm		42	UPS
WN-1500H	59"	2.7mm		110	Freight
FS-600H	24"	2.8mm	Value Option	15	UPS
FS-800H	32"	2.8mm	Value Option	20	UPS
FS-1000H	40"	2.8mm	Value Option	20	UPS

Hand Impulse Sealers w/ Sliding Cutter

FEATURES:

- Ideal with basic sealing (up to 15 packages per minute)
- Seal and trim poly bags or tubing



KF-Series

- 2mm seal width ETL listed



D-3010HCA

- Digital timer



W-Series Long Hand

- Longer seal lengths



W-Series I-Bar with Cutter

- Seal width: 2.7mm
- Includes film roller and heat gun holder

Model #	Seal Length	Seal Width	Other	Weight (lbs)	Ships via
KF-200HC	8"	2mm	ETL Listed	9	UPS
KF-205HC	8"	5mm		13	UPS
KF-210HC	8"	10mm	Wider Seal Width; White Body	13	UPS
KF-300HC	12"	2mm	ETL Listed	13	UPS
KF-305HC	12"	5mm		15	UPS
KF-400HC	16"	2.6mm	ETL Listed	16	UPS
KF-405HC	16"	5mm		18	UPS
KF-500HC	20"	2.6mm	ETL Listed	17	UPS
KF-505HC	20"	5mm		17	UPS
WN-500HC*	20"	2.7mm		33	UPS
WN-650HC	26"	2.7mm		35	UPS
WN-750HC	30"	2.7mm		37	UPS
WN-1000HC	40"	2.7mm		40	UPS
WN-1500HC	59"	2.7mm		97	Freight
W-350IC	14"	2.7mm	Includes Film Roller, Heat Gun Holder	38	UPS
W-500IC	20"	2.7mm	Includes Film Roller, Heat Gun Holder	45	UPS
W-650IC	26"	2.7mm	Includes Film Roller, Heat Gun Holder	53	UPS
W-750IC	30"	2.7mm	Includes Film Roller, Heat Gun Holder	55	UPS
W-900IC	35"	2.7mm	Includes Film Roller, Heat Gun Holder	64	UPS
D-3010HCA	13"	10mm	Medical Pouch Sealer; Digital Timer	29	UPS
*via special order					

L-Bar Sealers

FEATURES:

- For shrink wrapping - seal in one step



Table-top L-Bar Sealers
• See page 45



Standalone L-Bar Sealers
• See page 45



Combo Units
• See page 47

Open Back Impulse Sealers

FEATURES:

- Allows for pass through capabilities



WN-280F
• See page 22



WNC2-Series Pneumatic
• See page 25



UHSSF-Series
MADE IN THE USA
• Longer seal lengths up to 300"
• Clean room ready
• Contact us for more details

Tube Sealers

FEATURES:

- Ideal for laboratories, research facilities, R&D and quality control groups



Pneumatic
MADE IN THE USA
• See page 57

Portable Impulse Heat Sealers

Ideal for small or irregular packages



FKR-A-Series



WD-305HT




UHSSDC-Series

Model #	Seal Length	Seal Width	Other	Weight (lbs)	Ships via
FKR-200A	8"	5mm	Double Impulse	15	UPS
FKR-300A	12"	5mm	Double Impulse	19	UPS
FKR-400A	16"	5mm	Double Impulse	20	UPS
WD-305HT	12"	5mm	Double Impulse; Heavy Duty	28	UPS
UHSSDC-4*	4"	1/4"	Deep Clearance; USA Manufactured	30	UPS
UHSSDC-8*	8"	1/4"	Deep Clearance; USA Manufactured	30	UPS
UHSSDC-12*	12"	1/4"	Deep Clearance; USA Manufactured	30	UPS
*via special order					

Vacuum Sealers

FEATURES:

- Extracting air around a product and then sealing the product in an impermeable package



Nozzle Vacuum Sealers

- See page 61



Chamber Vacuum Sealers

- See page 62



Channel Vacuum Sealers

- See page 63



Vacuum Band Sealers

- See page 9



Vacuum Bags

- See page 92-96