


User's Guide

Vector H/HxH Stands and Equipment Combinations



EN

QG-49403
Rev 5
08/2026

Manufacturer's Information

Copyright

© Copyright 08/2026 by Alto-Shaam, Inc.

All rights reserved.

This manual or any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Alto-Shaam, Inc.

Trademarks

All trademarks referenced in this documentation are the property of their respective owners.

Manufacturer

Alto-Shaam, Inc.

P.O. Box 450

W164 N9221 Water Street

Menomonee Falls, WI 53052

Original instructions

The content in this manual is written in American English.

The information in this Guide was current at the time of publication. Scan or click the QR code below for the latest version.



Contents

Available Bottom Units.....	4
Combinations—21-1/2" [546mm] Wide Stands	9
Combinations—23" [584mm] Wide Stands.....	12
Combinations—25-1/2" [648mm] Wide Stands	16
Combinations—29-1/2" [749mm] Wide Stands.....	21
How to Attach the Oven to a Stand.....	27
How to Adjust the Side Racks (if applicable)	28
Stand Dimensions	29

How To Use This Guide

The stands in this guide are designed to accommodate Alto-Shaam Vector H or HxH series ovens with various Alto-Shaam units below.


[**Note:** Refer to Stands Guide QG-49404 for Vector Wide ovens.]

Stands are available in four widths: 21-1/2" [546mm], 23" [584mm], 25-1/2" [648mm], and 29-1/2" [749mm]. There is a section in this guide for each stand width.

Stands can be shipped either preassembled or unassembled (flat-packed). Part numbers in this Guide represent preassembled stands. To order an unassembled version, add an "R" to the part number when ordering.

Popular stands are identified with stars next to the part numbers.

Human figures are provided next to each combination to give a sense of the overall height of the oven on the stand. Detailed dimensional views of each stand can be found on pages 29–39.



Available Bottom Units

Note: Bottom units placed on lower shelves must be equipped with legs; not casters.

Number	Image	Model	Description
1		300-S	Low-Temperature Holding Cabinet
2		300-TH	Cook & Hold Oven
3		500-S	Low-Temperature Holding Cabinet
4		500-S [except ovens with 5" (127mm) casters]	Low-Temperature Holding Cabinet
5		500-TH	Cook & Hold Oven

Available Bottom Units [continued]**Note:** Bottom units placed on lower shelves must be equipped with legs; not casters.

Number	Image	Model	Description
6		750-TH	Cook & Hold Oven
7		750-S	Low-Temperature Holding Cabinet
8		750-S [except ovens with 5" [127mm] casters]	Low-Temperature Holding Cabinet
9		1000-S	Low-Temperature Holding Cabinet
10		1000-S [except ovens with 5" [127mm] casters]	Low-Temperature Holding Cabinet

Available Bottom Units [continued]**Note:** Bottom units placed on lower shelves must be equipped with legs; not casters.

Number	Image	Model	Description
11		1000-TH	Cook & Hold Oven
12		1200-S	Low-Temperature Holding Cabinet
13		500-1D	Drawer Warmer
14		500-2D	Drawer Warmer
15		500-2D [3" (76mm) casters only]	Drawer Warmer

Available Bottom Units [continued]**Note:** Bottom units placed on lower shelves must be equipped with legs; not casters.

Number	Image	Model	Description
16		500-3D	Drawer Warmer
17		500-2DI	Drawer Warmer
18		500-1DN	Drawer Warmer, Narrow
19		500-2DN	Drawer Warmer, Narrow
20		500-2DN [3" [76mm] casters only]	Drawer Warmer, Narrow
21		500-3DN	Drawer Warmer, Narrow


Available Bottom Units [continued]**Note:** Bottom units placed on lower shelves must be equipped with legs; not casters.

Number	Image	Model	Description
22		VMC-H2/H2H	Vector Multi-Cook Oven, 2 Chamber
23		VMC-H3/H3H	Vector Multi-Cook Oven, 3 Chamber
24		VMC-H4/H4H	Vector Multi-Cook Oven, 4 Chamber
25		VMC-H2HW	Vector H Series Multi-Cook Oven, 2 Chamber, Wide
26		VMC-H3HW	Vector H Series Multi-Cook Oven, 3 Chamber, Wide

Combinations—21-1/2" (546mm) Wide Stands

Notes: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number. A star symbol indicates a popular choice.

OVEN: VECTOR H/HH



STAND NUMBER:

5034113

5034114

★ 5034115


AVAILABLE BOTTOM UNITS



⑮ 500-1DN

Combinations—21-1/2" (546mm) Wide Stands [continued]

Notes: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number. A star symbol indicates a popular choice.



Combinations—21-1/2" (546mm) Wide Stands [continued]

Notes: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number. A star symbol indicates a popular choice.

OVEN: VECTOR H/HH

STAND NUMBER:	5034292	5034293	★ 5034294	


AVAILABLE BOTTOM UNITS

⑱ 500-1DN

⑲ 500-2DN


Combinations—23" [584mm] Wide Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number. A star symbol indicates a popular choice.



Combinations—23" (584mm) Wide Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number.



Combinations—23" (584mm) Wide Stands [continued]




Notes: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number.

OVEN: VECTOR H/HH

STAND NUMBER:	5033475	5033479	5033482	5033486
AVAILABLE BOTTOM UNITS	 ① 300-S	 ② 300-TH	 ③ 500-S	 ⑤ 500-TH
	 ⑱ 500-2DN	 ⑳ 500-3DN		 ⑱ 500-1DN


Combinations—23" (584mm) Wide Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number.

OVEN: VECTOR H/HH					
	STAND NUMBER:	5033489	5033492	5033495	
AVAILABLE BOTTOM UNITS	  ① 300-S	  ② 300-TH	  ③ 500-S	 ⑤ 500-TH	 ⑱ 500-1DN
	 ⑲ 500-2DN	 ㉑ 500-3DN			

Combinations—25-1/2" [648mm] Wide Stands

Notes: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number. A star symbol indicates a popular choice.



CAUTION This stand must be attached to floor.

STAND NUMBER:

★ 5033311

★ 5033314

5033337

5033340

AVAILABLE BOTTOM UNITS



① 300-S



② 300-TH



③ 500-S



⑤ 500-TH



⑱ 500-1DN



⑲ 500-2DN



⑳ 500-3DN



㉒ VMC-H2 / H2H



㉓ VMC-H3 / H3H



㉔ VMC-H4 / H4H

Combinations— 25-1/2" (648mm) Wide Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number.

OVEN: VECTOR H/HH

STAND NUMBER:	5033343	5033346	5033352	5033355	
AVAILABLE BOTTOM UNITS	 1 300-S	 2 300-TH	 4 500-S except ovens with 5" [127mm] casters	 5 500-TH	 18 500-1DN
	 19 500-2DN	 21 500-3DN	 22 VMC-H2 / H2H		

Combinations—25-1/2" [648mm] Wide Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number.

OVEN: VECTOR H/HH

STAND NUMBER:	5033498	5033501	5033504	5033507
---------------	---------	---------	---------	---------


AVAILABLE BOTTOM UNITS

18 500-1DN

20 500-2DN
with 3" [76mm]
casters only

Combinations—25-1/2" [648mm] Wide Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number.




AVAILABLE BOTTOM UNITS



⑮ 500-1DN

Combinations—25-1/2" (648mm) Wide Stands [continued]

Notes: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number.

OVEN: VECTOR H/HH		
	STAND NUMBER:	5033522 5033525
AVAILABLE BOTTOM UNITS	None	

Combinations—29-1/2" (749mm) Wide Stands

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number. A star symbol indicates a popular choice.


OVEN: VECTOR H/HH

STAND NUMBER:	5033317	5033358	* 5033384	5033394					
AVAILABLE BOTTOM UNITS	 1 300-S	 2 300-TH	 3 500-S	 4 500-S except ovens with 5" [127mm] casters	 5 500-TH	 6 750-TH	 7 750-S	 8 750-S except ovens with 5" [127mm] casters	 10 1000-S except ovens with 5" [127mm] casters
	 11 1000-TH	 13 500-ID	 14 500-2D	 16 500-3D	 17 500-2DI	 18 500-IDN	 19 500-2DN	 21 500-3DN	
	 22 VMC-H2 / H2H	 23 VMC-H3 / H3H	 25 VMC-H2HW	 26 VMC-H3HW					

Combinations—29-1/2" [749mm] Wide Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" [1651mm] and 6' [1829mm] tall. To order an unassembled stand, add an "R" to the part number.

OVEN: VECTOR H/HH



STAND NUMBER:

5033532

55033535

5033538

5033549

AVAILABLE BOTTOM UNITS



Combinations—29-1/2" (749mm) Wide Stands [continued]

Notes: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number.


OVEN: VECTOR H/HH

STAND NUMBER:	5033541	5033544	5033547	5033549	
AVAILABLE BOTTOM UNITS	 ① 300-S	 ② 300-TH	 ⑬ 500-1D	 ⑭ 500-2D	 ⑮ 500-2D with 3" (76mm) casters only
	 ⑰ 500-2DI	 ⑱ 500-1DN	 ⑲ 500-2DN	 ⑳ VMC-H2 / H2H	

Combinations—29-1/2" (749mm) Wide Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number.

OVEN: VECTOR H/HH



STAND NUMBER:

5033553

5033556

5033559

5033562

AVAILABLE BOTTOM UNITS



① 300-S



② 300-TH



⑬ 500-ID



⑭ 500-2D



⑰ 500-2DI




⑱ 500-IDN



⑲ 500-2DN


Combinations—29-1/2" (749mm) Wide Stands [continued]

Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number.



Combinations—29-1/2" (749mm) Wide Stands [continued]


Note: The human figures at left are provided for general height reference. They are depicted as 5'-5" (1651mm) and 6' (1829mm) tall. To order an unassembled stand, add an "R" to the part number.

OVEN: VECTOR H/HH			
	STAND NUMBER:	5033577	
AVAILABLE BOTTOM UNITS	None		


How to Attach the Oven to a Stand

Vector H/HxH stands are built with two distinct top panel styles. Each stand kit includes the stand itself and four mounting screws required to attach the oven to the stand. Service document SRV-20196 contains detailed information about mounting ovens to stands.

- Unscrew and remove the oven legs before attaching to the stand.
- Mounting screw holes align with existing threaded holes on the underside of the Vector H/HxH.
- Some top panels feature etched letters identifying the mounting screw knockout locations. Refer to View One below.
- Narrow stands designed exclusively for Vector H/HxH ovens are pre-drilled with mounting screw holes. Refer to View Two below.



View One



View Two


How to Adjust the Side Racks [if applicable]

Stands equipped with side racks allow the user to set the side racks at two different widths to accommodate pans or Vector multi-cook oven jet plates. The right side rack can be moved 2" [51mm] inward if desired. See the illustration below.

To move the right side rack:

- 1) Raise the rack above the lower shelf and rotate it toward the center of the stand until the top tabs are free.
- 2) Shift the top tabs to the inner slots on the underside of the top panel. Insert the top tabs into the inner slots.
- 3) Finally, rotate the rack back to the vertical position and lower it into the inner slots on the lower shelf.

Refer to service document SRV-20196 for additional help if necessary.




Stand Dimensions


Dimensional views of each stand are provided below and on the following pages.

NOTES: Length and width dimensions at the base refer to stand "footprints"; in other words, the overall floor space required.


Height dimensions refer to the maximum distance from the floor to the top of the stands because flanged feet are adjustable.




Stand Dimensions [continued]




Stand Dimensions [continued]









Stand Dimensions [continued]




Stand Dimensions [continued]




Stand Dimensions [continued]




Stand Dimensions [continued]




Stand Dimensions [continued]




5033544: VMC-H / HxH / HW




5033547: VMC-H / HxH / HW




5033549: VMC-H / HxH / HW



5033553: VMC-H / HxH / HW




5033556: VMC-H / HxH / HW





5033559: VMC-H / HxH / HW

Stand Dimensions [continued]



Stand Dimensions [continued]



Stand Dimensions [continued]



Menomonee Falls, WI U.S.A.

Phone 800-558-8744 | +1-262-251-3800 | alto-shaam.com