SAFETY DATA SHEET

Issuing Date 18-Apr-2013 Revision Date 18-Apr-2013 Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name BREAK ONE

Other means of identification

Product Code(s) LBRK

UN-Number UN1760

Synonyms LBRK

Recommended use of the chemical and restrictions on use

Recommended Use Institutional laundry detergent

Uses advised against No information available

Supplier's details

CHEMICAL INC.
2205 OLD PHILADELPHIA PIKE
LANCASTER, PA 17602
TEL: 1-888-256-6400

Emergency telephone number

Emergency Telephone CHEM-TEL, INC.

Number 24 Hour Emergency Contact 1-800-255-3924

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1 Subcategory 1A
Serious Eye Damage/Eye Irritation	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Clear

Physical State Liquid.

Odor No information available

Precautionary Statements

Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

General Advice

• Immediately call a POISON CENTER or doctor/physician

Eves

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse

Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Ingestion

• IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

Store locked up

Disposal

· Dispose of contents/container to an approved waste disposal plant

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Harmful to aquatic life with long lasting effects

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms SLBRK

Chemical Name	CAS-No	Weight %	Trade secret
Potassium hydroxide	1310-58-3	30-50	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FI	IRST	AID	MEA	٩SU	JR	ES
-------	------	-----	-----	-----	----	----

Description of necessary first-aid measures

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use. Immediate medical attention is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Immediate medical attention is required.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing. Stop leak if you can do it without risk. If spilled, take caution, as material

can cause surfaces to become very slippery.

Environmental Precautions

Environmental Precautions Dispose of contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Stop leak if you can do it without risk

Methods for Cleaning Up Contain spill, dilute with water and neutralize as required. Wash away small spills with

plenty of water. Large spillage: Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

HandlingHandle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not eat, drink or smoke when using

this product. Do not take internally. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room

temperature. Keep from freezing. Keep container closed when not in use.

Incompatible Products Strong oxidizing agents. Aluminium. Soft metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m³
1310-58-3			

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionChemical resistant goggles must be worn. Face-shield.
Skin and Body Protection
Rubber boots. Apron. Rubber gloves. Neoprene gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Clear

Odor No information available Odor Threshold No information available

Remarks/ - Method Property Values Hq 12.8 (4 % solution) Melting Point/Range No data available None known **Boiling Point/Boiling Range** > 100 °C /> 212 °F None known Flash Point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available lower flammability limit No data available **Vapor Pressure** No data available None known Vapor Density No data available None known **Relative Density** No data available None known Specific Gravity 1.22 None known **Water Solubility** 100% None known Solubility in other solvents No data available None known

Partition coefficient: n-octanol/water No data availableNone knownAutoignition TemperatureNo data availableNone knownDecomposition TemperatureNo data availableNone knownViscosity5 cpsNone known

Flammable Properties Not flammable

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available. **Chemical stability**

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Spills or careless handling. Incompatible products.

Incompatible materials

Strong oxidizing agents. Aluminium. Soft metals.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye ContactCauses serious eye damage.Skin ContactCauses severe skin burns.IngestionMay be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium hydroxide	= 214 mg/kg (Rat)	-	=

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

Revision Date 18-Apr-2013 WPS-ENV-005 - BREAK I

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive Toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Aspiration Hazard** No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 25000 mg/kg; Acute toxicity estimate **LD50 Dermal** 3034 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Potassium hydroxide		LC50 96 h: = 80 mg/L static		
		(Gambusia affinis)		

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow	
Potassium hydroxide	0.83	

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

Chemical Name	California Hazardous Waste
Potassium hydroxide	Toxic
, i	Corrosive

14. TRANSPORT INFORMATION

DOT

UN-Number UN1760

Proper shipping name Corrosive liquids, n.o.s.

Hazard Class Packing Group

Reportable Quantity (RQ) Potassium hydroxide: RQ kg= 22700.00

Description UN1760, Corrosive liquids, n.o.s. (Potassium hydroxide), 8, II, RQ

Emergency Response Guide

Number

154

TDG

UN-Number UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class Packing Group Ш

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

UN-Number UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group ||

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

<u>ICAO</u>

UN-Number UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group ||

Description UN1760, Corrosive liquid, n.o.s., 8, II

IATA

UN-Number UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
ERG Code 8L

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

IMDG/IMO

UN-Number UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
EmS No. F-A, S-B

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

RID

UN-Number UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group || Classification Code C9

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

<u>ADR</u>

UN-Number UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
Classification Code C9
Tunnel Restriction Code (E)

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II, (E)

ADR/RID-Labels 8

<u>ADN</u>

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class8Packing GroupIIClassification CodeC9Special Provisions274

Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

Limited Quantity 1 L

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL	Complies
NDSL	Complies
KECL	Complies
PICCS	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Potassium hydroxide	X	X	X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION							
NFPA	Health Hazard 3	Flammability 0	Instability 1	Physical and Chemical Hazards -			
HMIS	Health Hazard 3	Flammability 0	Physical Hazard 1	Personal Protection X			

Prepared By Product Stewardship

23 British American Blvd.

Latham, NY 12110 1-800-572-6501

Issuing Date18-Apr-2013Revision Date18-Apr-2013Revision NoteInitial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet
