

1: Identification

Product Identifier: Scum-B-Gone

Product Code: 148SCUMBGONE

Recommended Use: Foaming Germicidal Cleaner

Restrictions on Use: None known

Company Name: Clark Core Services, LLC

Company Address: 2205 Old Philadelphia Pike, Lancaster, PA 17602

Company Phone: 888-256-6400

Emergency Phone: 800-255-3924

2: Hazards Identification

Classification:

Flammable Aerosol: Category 2

Gases Under Pressure: Liquefied Gas

Hazard Statements:

WARNING: Flammable aerosol. Contains gas under pressure; may explode if heated. This product contains the following percentage of chemicals of unknown toxicity: N/A

Precautionary Statements:

Keep away form heat, sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 122°F/50°C. Store in a well-ventilated place.

Symbols:





Hazards Not Otherwise Classified: N/A



3: Composition/Information on Ingredients

Hazardous Ingredient	CAS-No	Percentage
n-Butane	106-97-8	1–5%
Propane	74-98-6	1–5%

4: First Aid Measures

Eyes: Immediately flush with water for 15 minutes while holding eyelids

open. Seek medical attention if irritation develops.

Ingestion: Do not induce vomiting unless directed by medical authority.

Immediately rinse mouth with water. Drink large quantities (1 qt., 2-4

glasses) of warm water. Seek immediate medical attention.

Inhalation: Move to fresh air. If breathing is difficult or unconscious, administer

oxygen. If not breathing, administer artificial respiration. Seek

medical attention if irritation persists.

Skin: Immediately wash with soap and water for 15 minutes. Remove

contaminated clothing and shoes immediately. Seek medical

attention if irritation develops.

Acute Health Hazards: Prolonged contact with skin may cause irritation. Contact with eyes

may cause irritation, redness, tearing. Inhalation of mist or vapor may

cause respiratory irritation. Ingestion may cause gastrointestinal

irritation, nausea, vomiting, and diarrhea.

Chronic Health Hazards: Prolonged inhalation may be harmful.

Note to Physician: Treatment of overexposure should be directed at the control of

symptoms and the clinical condition.

5: Fire-Fighting Measures

Extinguishing Media: Dry chemical, carbon dioxide, foam, water spray for cooling.

Unsuitable Extinguishing Media: N/A



Special Fire Fighting Procedures: Wear NIOSH-approved self contained breathing apparatus

with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Shut off all sources of ignition. Use water spray to disperse vapor and cool fire-exposed containers. Prevent run off from entering streams, sewers,

or drinking water supply.

Unusual Fire and Explosion Hazards: FLAMMABLE. Keep away from sparks, open flames, and

hot surfaces. No smoking. Do not spray on an open flame or other

ignition source.

Hazardous Combustion Products: Oxides of carbon and nitrogen.

6: Accidental Release Measures

Personal Protective Equipment: Refer to section 8 for proper personal protective equipment.

Spill: Eliminate all sources of ignition. Absorb with non-combustible

material like vermiculite, sand, or earth. Place waste in proper

containers for waste disposal.

Waste Disposal: Do not puncture or incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP

for disposal instructions.

RCRA Status: Product should be fully characterized prior to disposal (40 CFR 261).

7: Handling and Storage

Handling and Storage: Avoid contact with skin, eyes, and clothing. Store in a cool, dry area.

Do not use or store with strong oxidizers. Protect from sunlight. Store in a well-ventilated area. Do not expose to temperatures

exceeding 122°F/50°C. Pressurized container: Do not pierce or burn,

even after use.

Other Precautions: Keep out of the reach of children. Read and follow the directions on

the product label. They are the best guide to using the product in the most effective manner. The label also gives you the necessary

safety precautions to protect your health.

Incompatibility: Strong acids, strong alkalis, strong oxidizing agents.



8: Exposure Controls/Personal Protection

Hazardous Ingredient	OSHA PEL	ACGIH TLV
n-Butane	Not Established	1000 ppm
Propane	1000 ppm	1000 ppm

Engineering Controls/Ventilation: General ventilation and local exhaust recommended.

Respiratory Protection: Not required with normal use. Wear NIOSH/MSHA-approved

respiratory protection if exposure limits are exceeded.

Personal Protective Equipment: Safety glasses/goggles.

Additional Measures: Wash hands thoroughly after handling.

9: Physical and Chemical Properties

Appearance: White foam

Odor: Citrus scent, moderate ammonia odor

Odor Threshold: N/D

pH: 11.3 - 11.7

Melting/Freezing Point: < 32°F (0°C)

Initial Boiling Point and Boiling Range: > 212°F (100°C)

Flash Point: $> 130^{\circ}F (54^{\circ}C)$

Evaporation Rate: Slow

Flammability (Solid/Gas): Flammable Aerosol

Upper/Lower Flammability or Explosive Limits:

Lower Flammability Limit: N/D

Upper Flammability Limit: N/D

Explosive Limit Lower (%): N/D

Explosive Limit Upper (%): N/D

Vapor Pressure (mm Hg): N/D

Vapor Density (AIR = 1): N/D

Relative Density (H20 = 1): $0.99 - 1.01 @ 77^{\circ}F (25^{\circ}C)$



Solubility (IES): 100% Water

Partition Coefficient: n-Octanol/Water (Kow): N/D

Autoignition Temperature:N/DDecomposition Temperature:N/DViscosity:N/D

10: Stability and Reactivity

Reactivity: None known.

Chemical Stability: Stable.

Possible Hazardous Reactions: None known.

Conditions to Avoid: Temperatures greater than 122°F and sources of ignition.

Avoid incompatibles.

Incompatible Materials: Strong acids, strong alkalis, strong oxidizing agents.

Hazardous Decomposition Products: Oxides of carbon and nitrogen.

11: Toxicological Information

Toxicological Information: n-Butane (106-97-8): LC_{50} (Inhalation, Rat, 4h) 30957 mg/m³.

Propane (74-98-6): LC₅₀ (Inhalation, Rat, 4h) 658 mg/L.

Routes of Entry: Eyes, ingestion, inhalation, skin.

Eyes: Not classified for eye corrosion or irritation based on product testing results.

May cause irritation.

Ingestion: Not classified for acute oral toxicity based on product testing results. May

cause gastrointestinal irritation, abdominal cramps.

Inhalation: May cause respiratory tract irritation. Avoid breathing spray mist.

Skin: Not classified for acute dermal toxicity based on product testing results.

Not classified for skin corrosion or irritation based on product testing results. Not classified for skin sensitization based on product testing results. May cause irritation, dryness, redness with prolonged or repeated contact.

Medical Condition Aggravated: None known.



Acute Health Hazards: Prolonged contact with skin may cause irritation. Contact with

eyes may cause irritation, redness, tearing. Inhalation of mist or vapors may cause respiratory irritation. Ingestion may cause gastrointestinal irritation,

nausea, vomiting, and diarrhea.

Chronic Health Hazards: Prolonged inhalation may be harmful.

Carcinogenicity: OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

12: Ecological Information

Ecotoxicity: Avoid release to the environment.

Potassium Hydroxide (1310-58-3): LC₅₀ (gambusia affinis, 96h) 80 mg/L.

Persistence and Degradability: Component or components of this product are not biodegradable.

Bioaccumulative Potential: This product is not expected to bioaccumulate.

Mobility in Soil: This product is mobile in soil.

Other Adverse Effects: None known.

13: Disposal Considerations

Waste Disposal: Do not puncture or incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for

disposal instructions.

RCRA Status: Product should be fully characterized prior to disposal (40 CFR 261).

14: Transport Information

Proper Shipping Name: Aerosols, Ltd. Qty.

Hazard Class/Division: 2.1

UN/NA Number: UN1950

Packing Group: N/A

Air Shipment:

Proper Shipping Name: Aerosols, flammable.

Hazard Class/Division: 2.1

UN/NA Number: UN1950

Packing Group: N/A



Shipping by Water:

Proper Shipping Name: Aerosols.

Hazard Class/Division: 2.1

UN/NA Number: UN1950

Packing Group: N/A

Environmental Hazards Water: N/A

15: Regulatory Information

TSCA Status: All chemicals are listed or exempt.

CERCLA (Comprehensive Response Compensation, and Liability Act):

Ethylenediaminetetraacetic Acid (EDTA) (60-00-4) Reportable Quantity = 5000 pounds.

Potassium Hydroxide (1310-58-3) Reportable Quantity = 1,000 pounds.

Sodium Nitrite (7632-00-0) Reportable Quantity = 100 pounds.

Ammonium Hydroxide (1336-21-6) Reportable Quantity = 1,000 pounds.

SARA 311/312 Hazard Categories: Flammable (gases, aerosols, liquids, solids).

Gas under pressure.

SARA 313 Reportable Ingredients: This product does not contain any chemical components with known CAS numbers that exceed the threshold *(de minimus)* reporting levels established by SARA Title III, Section 313.

Clean Water Act: Ethylenediaminetetraacetic acid (EDTA) (60-00-4) is a hazardous substance.

State Regulations: California Proposition 65: This product contains no known chemicals regulated by California Proposition 65. 2-Butoxyethanol (111-76-2): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: MA, PA, RI. Isopropyl Alcohol (67-63-0): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: CT, FL, IL, MA, MN, NJ, PA, RI, TN. Ethylenediaminetetraacetic acid (EDTA) (60-00-4) Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: MA, PA. Potassium Hydroxide (1310-58-3): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: CA, IL, LA, MA, MN, NJ, NY, PA, RI. Sodium Nitrite (7632-00-0): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: MA, NJ, PA.

International Regulations: No information available.



Volatile Organic Compounds (VOC): 16%

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

EPA Reg. No. 44446-23-65239

NFPA HEALTH: 1

NFPA FLAMMABILITY: 1

NFPA REACTIVITY: 1

NFPA OTHER: None HMIS PROTECTION: A

16: Other Information

Preparation By: Alexander Wilcox

Date Prepared: 12/04/2013 **Revision Date:** 03/21/2024

N/A = Not Applicable N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. The information contained in this SDS was obtained from current and reliable sources; however, the data is proved without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage, and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the product's improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.