

# SAFETY DATA SHEET

Date Prepared : 05/01/2015

SDS No : Noble Chemical Inc.\_Sierra Instant Finish Emulsifier

## Sierra Instant Finish Emulsifier

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Sierra Instant Finish Emulsifier  
**GENERAL USE:** Floor finish remover  
**PRODUCT DESCRIPTION:** Instant Finish Emulsifier  
**CHEMICAL FAMILY:** Solvent/detergent Blend

#### DISTRIBUTOR

Noble Chemical Inc.  
2205 Old Philadelphia Pike  
Lancaster, PA 17602  
**Customer Service:** 1-888-256-6400

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

**CHEM-TEL (Medical and Transportation):** 800-255-3924  
**POISON CONTROL CENTER (Medical):** 800-222-1222

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

##### Health:

Eye Irritation, Category 2A  
Acute Toxicity (Oral), Category 4  
Skin Irritation, Category 2

##### Physical:

Combustible Liquid, Category 4

#### GHS LABEL



Exclamation  
mark

**SIGNAL WORD:** WARNING

#### HAZARD STATEMENTS

H319: Causes serious eye irritation.  
H315: Causes skin irritation.  
H302: Harmful if swallowed.  
H333: May be harmful if inhaled.  
H336: May cause drowsiness or dizziness.  
H227: Combustible liquid.

#### PRECAUTIONARY STATEMENT(S)

##### Prevention:

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P261: Avoid breathing fume, gas, mist, vapors, or spray.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P273: Avoid release to the environment.  
P102: Keep out of reach of children.  
P264: Wash hands thoroughly after handling.

##### Response:

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P310: Immediately call a POISON CENTER or doctor/physician.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P310: Immediately call a POISON CENTER or doctor/physician.

**Storage:**

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Disposal:**

P501: Dispose of contents/container according to all local, state and Federal regulations.

**EMERGENCY OVERVIEW**

**PHYSICAL APPEARANCE:** Yellow liquid

**IMMEDIATE CONCERNS:** Eye & Skin irritant

**POTENTIAL HEALTH EFFECTS**

**EYES:** Irritating, and may injure eye tissue if not removed promptly.

**SKIN:** Contact may cause moderate to severe irritation.

**SKIN ABSORPTION:** Harmful if absorbed through skin.

**INGESTION:** Harmful if swallowed.

**INHALATION:** High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches)

**REPRODUCTIVE TOXICITY**

**TERATOGENIC EFFECTS:** No listed substance

**CARCINOGENICITY:** Not Established

**MUTAGENICITY:** No listed substance

**ROUTES OF ENTRY:** Eye, skin, ingestion, Inhalation.

**TARGET ORGAN STATEMENT:** Blood, kidney, liver, Central nervous system

**CANCER STATEMENT:** None

**WARNING CAUTION LABELS:** Irritant

**PHYSICAL HAZARDS:** Combustible material.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name                            | Wt.%    | CAS       |
|--|---------|-----------|
| Ethylene glycol butyl ether              | 20 - 30 | 111-76-2  |
| Monoethanolamine                         | 0 - 5   | 141-43-5  |
| Nonylphenol Ethoxylate                   | 0 - 5   | 9016-45-9 |
| Isopropanol                              | 0 - 2   | 67-63-0   |
| Tetrasodium ethylenediamine tetraacetate | 0 - 5   | 64-02-8   |
| Fragrance                                | < 1     | N/A       |
| Dye                                      | 0 - 1   | N/A       |
| Water                                    | 60 - 70 | 7732-18-5 |

**4. FIRST AID MEASURES**

**EYES:** Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

**SKIN:** Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

#### **SIGNS AND SYMPTOMS OF OVEREXPOSURE**

**EYES:** Severe burning sensation, tearing, redness, swelling.

**SKIN:** Burning sensation, redness.

**INGESTION:** Irritation of mouth, throat, along with stomach upset, vomiting.

**INHALATION:** Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

**ACUTE TOXICITY:** Severely irritating to eyes. Causes moderate to severe skin irritation. Harmful if swallowed.

**CHRONIC EFFECTS:** Not Established

**NOTES TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

### **5. FIRE FIGHTING MEASURES**

**FLAMMABLE CLASS:** IIIA (140-200F)

**GENERAL HAZARD:** Combustible Liquid

**EXTINGUISHING MEDIA:** Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

**HAZARDOUS COMBUSTION PRODUCTS:** Alkaline vapors.

**EXPLOSION HAZARDS:** Fire exposed containers may burst due to increased pressure from heat.

**FIRE FIGHTING PROCEDURES:** Use an extinguishing agent suitable for surrounding fire.

**FIRE FIGHTING EQUIPMENT:** No special requirements.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Not Established

### **6. ACCIDENTAL RELEASE MEASURES**

**SMALL SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

**LARGE SPILL:** Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

#### **ENVIRONMENTAL PRECAUTIONS**

**WATER SPILL:** Avoid discharges into open waterways.

**LAND SPILL:** Avoid discharge to soil.

**AIR SPILL:** NA = Not Applicable

**GENERAL PROCEDURES:** Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

**RELEASE NOTES:** Eliminate all ignition sources. Ventilate area well.

**SPECIAL PROTECTIVE EQUIPMENT:** Eye protection, rubber gloves, rubber boots to protect feet.

### **7. HANDLING AND STORAGE**

**GENERAL PROCEDURES:** Close container after use.

**HANDLING:** Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities.

**STORAGE:** Store in closed container away from heat, spark or open flame.

**STORAGE TEMPERATURE:** (40°F) Minimum to (110°F) Maximum

**STORAGE PRESSURE:** Store at ambient atmospheric pressure.

### **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

## EXPOSURE GUIDELINES

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200) |      |                 |                   |           |                   |              |                   |
|---|------|-----------------|-------------------|-----------|-------------------|--------------|-------------------|
|   |      | EXPOSURE LIMITS |                   |           |                   |              |                   |
|   |      | OSHA PEL        |                   | ACGIH TLV |                   | Supplier OEL |                   |
| Chemical Name                               |      | ppm             | mg/m <sup>3</sup> | ppm       | mg/m <sup>3</sup> | ppm          | mg/m <sup>3</sup> |
| Ethylene glycol butyl ether                 | TWA  | 50              | 240               | 20        | 97                | NL           | NL                |
|   | STEL |                 |                   |           |                   | NL           | NL                |
| Monoethanolamine                            | TWA  | 3               | 6                 | 3         | 7.5               | NL           | NL                |
|   | STEL |                 |                   | 6         | 15                | NL           | NL                |
| Isopropanol                                 | TWA  | 400             | 980               | 200       | 490               | NL           | NL                |
|   | STEL |                 |                   | 400       | 960               | NL           | NL                |

**ENGINEERING CONTROLS:** Provide mechanical ventilation when used in confined areas, or areas with poor ventilation.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Chemical splash goggles and full face-shield.

**SKIN:** Rubber or other chemical resistant gloves.

**RESPIRATORY:** A respirator is not needed under normal and intended conditions of product use.

**WORK HYGIENIC PRACTICES:** Wash with soap and water after handling. Do not eat, drink or smoke while using product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Solvent, characteristic

**ODOR THRESHOLD:** Not Established

**COLOR:** Yellow

**pH:** 11.5 to 12.5

**PERCENT VOLATILE:** >90

**FLASH POINT AND METHOD:** 64°C (148°F) Tag Closed Cup (TCC)

**FLAMMABLE LIMITS:** 1.3 to 10.6

**AUTOIGNITION TEMPERATURE:** NA = Not Applicable

**VAPOR PRESSURE:** ~ 0.9 mm Hg at 20°C (68°F)

**VAPOR DENSITY:** > 1 Air = 1

**BOILING POINT:** 212° F; 100° C

**FREEZING POINT:** 32° F; 0° C

**MELTING POINT:** Not Available

**THERMAL DECOMPOSITION:** Not Available

**SOLUBILITY IN WATER:** Complete

**EVAPORATION RATE:** (Water =1) 1.0

**DENSITY:** 8.22 at 20°C (68°F)

**SPECIFIC GRAVITY:** ~ 0.985 grams/ml.

**VISCOSITY:** Water thin.

**(VOC):** 22.240 % by weight

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Yes

**HAZARDOUS POLYMERIZATION:** Will not occur.

**STABILITY:** Stable under normal storage and use conditions.

**CONDITIONS TO AVOID:** None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**INCOMPATIBLE MATERIALS:** Strong acids, oxidizers.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

| Chemical Name                            | ORAL LD <sub>50</sub><br>(rat) | DERMAL LD <sub>50</sub><br>(rabbit) | INHALATION<br>LC <sub>50</sub> (rat) |
|--|--------------------------------|-------------------------------------|--------------------------------------|
| Ethylene glycol butyl ether              | 1300 mg/kg<br>(rat)            | > 2000 mg/kg<br>(rabbit)            | > 3.1 mg/l                           |
| Monoethanolamine                         | 1089 mg/kg<br>(rat)            | 2504 mg/kg<br>(rabbit)              | ~ 1.48 mg/l                          |
| Nonylphenol Ethoxylate                   | 16000 mg/kg<br>(rat)           | 4490 mg/kg<br>(rabbit)              |                                      |
| Isopropanol                              | 5045 mg/kg<br>(rat)            | 12800 mg/kg<br>(rabbit)             | 16000 ppm                            |
| Tetrasodium ethylenediamine tetraacetate | 3030 mg/kg<br>(rat)            | > 5000 mg/kg<br>(rabbit)            |                                      |

**EYES:** Causes eye irritation.

**DERMAL LD<sub>50</sub>:** > 2000 mg/kg guinea pig

**SKIN ABSORPTION:** Not Established

**ORAL LD<sub>50</sub>:** ~ 1300 mg/kg Male and Female rats.

**INHALATION LC<sub>50</sub>:** > 3.1 mg/L (vapor) Guinea pig

**EYE EFFECTS:** Severe eye irritant.

**SKIN EFFECTS:** Moderate skin irritant.

### CARCINOGENICITY

| Chemical Name               | NTP<br>Status          | IARC Status  | OSHA<br>Status         |
|-----------------------------|------------------------|--|------------------------|
| Ethylene glycol butyl ether | No listed<br>substance | Group 3 - Not<br>classifiable as<br>to its<br>carcinogenicity<br>to Humans | No listed<br>substance |

**IARC:** 3-Group 3: Not classifiable as to its carcinogenicity to humans.

**IRRITATION:** Irritant

**CORROSIVITY:** No data available. Contact Env. Dept.

**SENSITIZATION:** No products were found.

**NEUROTOXICITY:** Central nervous system effects marked by dizziness, headache, nausea, unconsciousness.

**GENETIC EFFECTS:** No known significant effects or critical hazards.

**REPRODUCTIVE EFFECTS:** No known significant effects or critical hazards.

**TARGET ORGANS:** May cause damage to blood, Kidney, liver with prolonged or repeated exposure to high concentrations of vapors.

**MUTAGENICITY:** No known significant effects or critical hazards.

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** Not Established

**ECOTOXICOLOGICAL INFORMATION:** No known significant effects or critical hazards noted.

**AQUATIC TOXICITY (ACUTE):** No known significant effects or critical hazards.

**96-HOUR LC<sub>50</sub>:** Not Established

**96-HOUR EC<sub>50</sub>:** Not Established

**Notes:** Practically nontoxic

**CHEMICAL FATE INFORMATION:** This product is biodegradable.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of ignitability as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

**FOR LARGE SPILLS:** Consult with local and state authorities for large volume disposal.

**PRODUCT DISPOSAL:** Small quantities (less than 1 gallon) of used material may be flushed to sanitary sewer with copious amounts of water. Larger quantities must be disposed of by a licensed disposal company.

**EMPTY CONTAINER:** Rinse container with clear water. Offer container for recycling, or dispose of in trash.

**RCRA/EPA WASTE INFORMATION:** Ignitability, corrosive

**RCRA HAZARD CLASS:** Not yet Determined

## 14. TRANSPORT INFORMATION

### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** Compound, Cleaning Liquid

**TECHNICAL NAME:** NA = Not Applicable

**PRIMARY HAZARD CLASS/DIVISION:** NA = Not Applicable

**PLACARDS:** NA = Not Applicable

**LABEL:** No special requirements.

**OTHER SHIPPING INFORMATION:** None

**SPECIAL SHIPPING NOTES:** None

### AIR (ICAO/IATA)

**SHIPPING NAME:** Not Established

### VESSEL (IMO/IMDG)

**SHIPPING NAME:** Cleaning Compound, not regulated.

## 15. REGULATORY INFORMATION

### UNITED STATES

#### DOT LABEL SYMBOL AND HAZARD CLASSIFICATION

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**311/312 HAZARD CATEGORIES:** Health - Acute

**FIRE:** Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** Yes

**313 REPORTABLE INGREDIENTS:** 2-butoxyethanol 111-76-2 (Category: N230 Certain Glycol Ethers)

#### EPCRA SECTION 313 SUPPLIER NOTIFICATION

| Chemical Name               | Wt.%    | CAS      |
|-----------------------------|---------|----------|
| Ethylene glycol butyl ether | 20 - 30 | 111-76-2 |

**302/304 EMERGENCY PLANNING**

**EMERGENCY PLAN:** No listed substance

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

**TSCA REGULATORY:** All ingredients are listed on the TSCA Chemical Inventory.

**STATES WITH SPECIAL REQUIREMENTS**

| Chemical Name               | Requirements  |
|-----------------------------|---|
| Ethylene glycol butyl ether | Massachusetts Right to Know Substance<br>Pennsylvania Right to Know Substance<br>New Jersey Right To Know Substance                                     |
| Monoethanolamine            | Massachusetts Right to Know Substance<br>New Jersey Right To Know Substance<br>New York Right to Know Substance<br>Pennsylvania Right to Know Substance |
| Nonylphenol Ethoxylate      | Massachusetts Right to Know Substance<br>New Jersey Right To Know Substance<br>Pennsylvania Right to Know Substance                                     |
| Isopropanol                 | Massachusetts Right to Know Substance<br>New Jersey Right To Know Substance<br>Pennsylvania Right to Know Substance                                     |

**CALIFORNIA PROPOSITION 65:** No listed substance

**CARCINOGEN:** Contains an ingredient listed under IARC Group 3.

**16. OTHER INFORMATION**


**PREPARED BY:** Regulatory Affairs Department

**Date Prepared:** 05/01/2015

**HMIS RATING**

|                            |                          |          |
|----------------------------|--------------------------|----------|
| <b>HEALTH</b>              | <input type="checkbox"/> | <b>3</b> |
| <b>FLAMMABILITY</b>        | <input type="checkbox"/> | <b>2</b> |
| <b>PHYSICAL HAZARD</b>     | <input type="checkbox"/> | <b>0</b> |
| <b>PERSONAL PROTECTION</b> | <input type="checkbox"/> | <b>D</b> |

**NFPA CODES**



**MANUFACTURER DISCLAIMER:** This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.