# Safety Data Sheet

## Classified in accordance 29 CFR 1910.1200

## 1. Product Identification

Product Information: 1000045938

Product Identifier: WHITE CAP BAKERY RELEASE

Recommended Use: Food Preparation

Manufacturer/Importer/Distributor Information: VENTURA FOODS, LLC.

6000 INDUSTRIAL ROAD ST. JOSEPH, MO 64504

US

909-975-4642

Emergency Telephone: 1-866-836-8855

## 2. Hazard(s) identification

#### Classification

Flammable Aerosol, category 1

## Label elements

#### **HAZARD PICTOGRAMS**



**SIGNAL WORD** 

Danger

#### **GHS HAZARD STATEMENTS**

H222 Extremely flammable aerosol.

#### **GHS PRECAUTIONARY STATEMENTS**

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Response

None

Storage

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

**Disposal** None

#### Other Information

None

8636 Page 1 / 7

## 3. Composition/Information on Ingredients

#### **Mixtures**

Chemical Identity	CAS Number	Content in Percent (%)*
Isobutane	75-28-5	10-25
Propane	74-98-6	2.5-10

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

## 4. First-aid Measures

SKIN CONTACT: Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

EYE CONTACT: Rinse immediately with plenty of water.

**INHALATION:** Move to fresh air.

INGESTION: Rinse mouth.

IMPORTANT SYMPTOMS: No data available

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms

occur.

## 5. Fire-fighting Measures

**EXTINGUISHING MEDIA:** Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Extremely flammable aerosol. Contents under pressure. Keep away from ignition sources and open flames. Prolonged exposure to temperatures above 120°F may cause cans to burst. Vapors may travel considerable distance to a source of ignition and flash back. Combustion may produce carbon dioxide and carbon monoxide.

SPECIAL FIREFIGHTING PROCEDURES: No data available

### Accidental Release Measures

**PERSONAL PRECAUTIONS:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP:** Leaking cans should be placed in a plastic bag or open pail away from ignition sources until the pressure has dissipated. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.

**ENVIRONMENTAL PRECAUTIONS:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

## 7. Handling and Storage

**HANDLING:** Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**SAFE HANDLING ADVICE:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**STORAGE:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

NFPA 30B: Aerosol Cooking Spray

8636 Page 2 / 7

## 8. Exposure Controls/Personal Protection

#### Ingredients with Occupational Exposure Limits

Chemical Name	TLV-TWA	TLV-STEL	PEL-TWA	PEL-CEILING
Isobutane	N.E.	1000 ppm	N.E.	N.E.
Propane	N.E.	N.E.	1000 ppm	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

**ENGINEERING CONTROLS:** No data available

**Personal Protection** 

EYE/FACE PROTECTION: Wear goggles/face shield.

SKIN PROTECTION: No data available

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: When using do not smoke. Observe good industrial hygiene practices.

## 9. Physical and Chemical Properties

#### Appearance:

Physical State: Liquid

Form: Spray Aerosol
Color: No data available
Odor: No data available
Odor Threshold: No data available
pH: No data available
Freeze Point, °C: No data available

Boiling Point, °C: 201
Flash Point, °C: -91

Flammability (solid, gas):

Evaporation Rate:

No data available

No Data Available

Supports Combustion

Explosive Limits, %: 1.8 - 9.5 Vapor Pressure @20°C, PSI: 40-60

Vapor Density:

Relative Density:

No data available

No data available

No data available

No data available

Partition Coefficient, n-octanol/water:

Auto-Ignition Temperature, °C:

No data available

Decomposition temperature, °C:

No data available

No data available

No data available

## 10. Stability and Reactivity

**REACTIVITY:** Not reactive under normal conditions of use.

8636 Page 3 / 7

STABILITY: Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

**CONDITIONS TO AVOID:** Keep away from heat, sparks, flames, and other sources of ignition. Do not puncture or incinerate containers. Dropping containers may cause bursting.

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may produce carbon dioxide and carbon monoxide.

## 11. Toxicological Information

### Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause irritation on prolonged or repeated contact.

EYE CONTACT EFFECTS: May cause slight irritation with tearing.

**INHALATION EFFECTS:** Inhalation of high concentrations of mists may cause irritation of the nose throat and upper respiratory tract.

INGESTION EFFECTS: Ingestion may cause irritation of the mucous membranes, esophagus and stomach.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC, ACGIH, NTP or OSHA.

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

ATE ORAL 31,316 mg/kg

ATE DERMAL 31,316 mg/kg

ATE INHALATION Not classified for acute toxicity based on available data.

## **Acute Toxicity Values**

The acute effects of this product have not been tested. Data on individual components are tabulated below

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
75-28-5	Isobutane	5,000 mg/kg	5000 mg/kg	100 mg/l
74-98-6	Propane	5,000 mg/kg	5,000 mg/kg	100 mg/l

N.I. = No Information

Skin Corrosion & Irritation:

Product: No data available

Serious Eye Damage & Irritation:

Product: No data available

Respiratory or Skin Sensitization:

Product: No data available

STOT-Single Exposure:

Product: No data available

STOT-Repeated Exposure:

Product: No data available

**Aspiration Hazard:** 

Product: No data available

Carcinogenicity:

Product: No data available

8636 Page 4 / 7

Reproductive Toxicity:

Product: No data available

Germ Cell Mutagenicity:

Product: No data available

## 12. Ecological Information

**ECOLOGICAL INFORMATION:** No data available

PERSISTENCE: No data available
BIOACCUMULATE: No data available
MOBILITY IN SOIL: No data available
OTHER ECOLOGICAL: No data available

## 13. Disposal Information

**DISPOSAL INFORMATION:** Consult with your local, regional and federal agencies for information on proper disposal. **CONTAMINATED PACKAGING:** Consult with your local, regional and federal agencies for information on proper disposal.

## 14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

DOT

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk N/A
Packing Group: N/A

**IATA** 

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk: N/A
Packing Group: N/A

**IMDG** 

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk: N/A
Packing Group: N/A

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

8636 Page 5 / 7

## 15. Regulatory Information

#### **CHEMICAL INVENTORY STATUS:**

**TSCA** On or in compliance with the inventory

**DSL** This product contains ingredients listed on the NDSL.

#### The following components are listed on the Non-Domestic Substance List (NDSL)

<u>Description</u>	<u>CAS</u>	<u>Percentage</u>
Glycerides, soya mono- and di-, phosphates, sodium salts	455943-22-3	3.528 %
Fatty acids, C16-18, Calcium salts (NAM;SYN)	85251-71-4	0.008 %

#### **CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:**

No Proposition 65 chemicals present or warning required.

## 16. Other Information

Revision Date: 6/9/2023

Datasheet produced by: Regulatory Department

#### Legend

- N/A. Not Applicable, N.E. Not Established, N.D. Not Determined, N.I. No Information
- TLV Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
- PEL Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended
- TSCA U.S. Toxic Substance Control Act
- DSL Canada Environmental Protection Act: Domestic Substance List

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further Information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.

8636 Page 6 / 7

8636 Page 7 / 7