



# SAFETY DATA SHEET

## 1. Product and Company Identification

|                               |                                                                                                                                              |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Product identifier            | Special HD CalClean (4143-01, 4143-06, 4143-08, 4823-08)                                                                                     |
| Other means of identification | Not available                                                                                                                                |
| Recommended use               | Heavy duty cleaner                                                                                                                           |
| Recommended restrictions      | None known.                                                                                                                                  |
| Manufacturer information      | Nu-Calgon<br>2611 Schuetz Road<br>St. Louis, MO 63043 US<br>Phone: 314-469-7000 / 800-554-5499<br>Emergency Phone: 1-800-424-9300 (CHEMTREC) |
| Supplier                      | See above.                                                                                                                                   |

## 2. Hazards Identification

|                            |                                   |            |
|----------------------------|-----------------------------------|------------|
| Physical hazards           | Corrosive to metals               | Category 1 |
| Health hazards             | Skin corrosion/irritation         | Category 1 |
|                            | Serious eye damage/eye irritation | Category 1 |
| Environmental hazards      | Not classified.                   |            |
| WHMIS 2015 defined hazards | Not classified                    |            |
| Label elements             |                                   |            |



Signal word Danger

Hazard statement May be corrosive to metals. Causes severe skin burns and eye damage.

### Precautionary statement

#### Prevention

Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection. Keep only in original packaging.

#### Response

Absorb spillage to prevent material-damage.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Storage

Store locked up. Store in a corrosion resistant container with a resistant inner liner.

#### Disposal

Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

None known

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

## 3. Composition/Information on Ingredients

### Mixture

| Chemical name                                          | Common name and synonyms | CAS number | %    |
|--------------------------------------------------------|--------------------------|------------|------|
| Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- |                          | 34398-01-1 | 1-5* |
| Potassium hydroxide                                    |                          | 1310-58-3  | 1-5* |
| Sodium lauriminodipropionate                           |                          | 14960-06-6 | 1-5* |

| Chemical name           | Common name and synonyms | CAS number | %    |
|-------------------------|--------------------------|------------|------|
| Sodium metasilicate     |                          | 6834-92-0  | 3-7* |
| Sodium tripolyphosphate |                          | 7758-29-4  | 3-7* |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.  
\*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First Aid Measures

|                                                                               |                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                                                             | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.                                                                                                                                                                                             |
| <b>Skin contact</b>                                                           | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. Specific treatment (see information on this label).                                                                              |
| <b>Eye contact</b>                                                            | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.                                                                                                                                       |
| <b>Ingestion</b>                                                              | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.                                                                                                                                                                                                                     |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.                                                                                                    |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically.                                                                                                                                                                                                                                                     |
| <b>General information</b>                                                    | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children. |

#### 5. Fire Fighting Measures

|                                                                      |                                                                                               |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide.                                         |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.                                         |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| <b>Fire-fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk.                                 |
| <b>Specific methods</b>                                              | Use standard firefighting procedures and consider the hazards of other involved materials.    |
| <b>General fire hazards</b>                                          | No unusual fire or explosion hazards noted.                                                   |
| <b>Hazardous combustion products</b>                                 | May include and are not limited to: Oxides of nitrogen. Oxides of carbon.                     |

#### 6. Accidental Release Measures

|                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.                                                  |
| <b>Methods and materials for containment and cleaning up</b>               | Prevent entry into waterways, sewer, basements or confined areas.<br><br>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.<br><br>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| <b>Environmental precautions</b>                                           | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Do not discharge into lakes, streams, ponds or public waters.                                                                                                                                                                                                                                                                                                                                       |

## 7. Handling and Storage

|                                                                     |                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Precautions for safe handling</b>                                | Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. Store in a corrosion resistant container with a resistant inner liner.                                                    |

## 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                     |         |         |
|-------------------------------------|---------|---------|
| Potassium hydroxide (CAS 1310-58-3) | Ceiling | 2 mg/m3 |
|-------------------------------------|---------|---------|

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                     |         |         |
|-------------------------------------|---------|---------|
| Potassium hydroxide (CAS 1310-58-3) | Ceiling | 2 mg/m3 |
|-------------------------------------|---------|---------|

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                     |         |         |
|-------------------------------------|---------|---------|
| Potassium hydroxide (CAS 1310-58-3) | Ceiling | 2 mg/m3 |
|-------------------------------------|---------|---------|

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                     |         |         |
|-------------------------------------|---------|---------|
| Potassium hydroxide (CAS 1310-58-3) | Ceiling | 2 mg/m3 |
|-------------------------------------|---------|---------|

#### Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                     |         |         |
|-------------------------------------|---------|---------|
| Potassium hydroxide (CAS 1310-58-3) | Ceiling | 2 mg/m3 |
|-------------------------------------|---------|---------|

#### Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                     |         |         |
|-------------------------------------|---------|---------|
| Potassium hydroxide (CAS 1310-58-3) | Ceiling | 2 mg/m3 |
|-------------------------------------|---------|---------|

#### US. ACGIH Threshold Limit Values

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                     |         |         |
|-------------------------------------|---------|---------|
| Potassium hydroxide (CAS 1310-58-3) | Ceiling | 2 mg/m3 |
|-------------------------------------|---------|---------|

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                     |         |         |
|-------------------------------------|---------|---------|
| Potassium hydroxide (CAS 1310-58-3) | Ceiling | 2 mg/m3 |
|-------------------------------------|---------|---------|

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields.

#### Skin protection

##### Hand protection

Impervious gloves. Confirm with reputable supplier first.

##### Other

As required by employer code. Use of an impervious apron is recommended.

#### Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

#### Thermal hazards

Not applicable.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

---

**9. Physical and Chemical Properties**

---

|                                                     |                 |
|-----------------------------------------------------|-----------------|
| Appearance                                          | Clear           |
| Physical state                                      | Liquid.         |
| Form                                                | Liquid          |
| Color                                               | Yellow          |
| Odor                                                | Fresh           |
| Odor threshold                                      | Not available.  |
| pH                                                  | 13.5            |
| Melting point/freezing point                        | Not available.  |
| Initial boiling point and boiling range             | Not available.  |
| Pour point                                          | Not available.  |
| Specific gravity                                    | Not available.  |
| Partition coefficient (n-octanol/water)             | Not available   |
| Flash point                                         | Not available.  |
| Evaporation rate                                    | Not available.  |
| Flammability (solid, gas)                           | Not applicable. |
| <b>Upper/lower flammability or explosive limits</b> |                 |
| Flammability limit - lower (%)                      | Not available   |
| Flammability limit - upper (%)                      | Not available   |
| Explosive limit - lower (%)                         | Not available.  |
| Explosive limit - upper (%)                         | Not available.  |
| Vapor pressure                                      | Not available   |
| Vapor density                                       | Not available   |
| Relative density                                    | 9.36 lb/gal     |
| Solubility(ies)                                     | Not available.  |
| Auto-ignition temperature                           | Not available   |
| Decomposition temperature                           | Not available.  |
| Viscosity                                           | Not available.  |
| <b>Other information</b>                            |                 |
| Explosive properties                                | Not explosive.  |
| Oxidizing properties                                | Not oxidizing.  |

---

**10. Stability and Reactivity**

---

|                                    |                                                                                   |
|------------------------------------|-----------------------------------------------------------------------------------|
| Reactivity                         | This product may react with strong oxidizing agents. Reacts violently with acids. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use.                       |
| Chemical stability                 | Material is stable under normal conditions.                                       |
| Conditions to avoid                | Do not mix with other chemicals.                                                  |
| Incompatible materials             | Strong oxidizing agents. Acids.                                                   |
| Hazardous decomposition products   | May include and are not limited to: Oxides of carbon. Oxides of nitrogen.         |

---

**11. Toxicological Information**

---

|                                                 |                                                                               |
|-------------------------------------------------|-------------------------------------------------------------------------------|
| Routes of exposure                              | Eye, Skin contact, Inhalation, Ingestion.                                     |
| <b>Information on likely routes of exposure</b> |                                                                               |
| Ingestion                                       | Causes digestive tract burns. May cause stomach distress, nausea or vomiting. |
| Inhalation                                      | May cause irritation to the respiratory system.                               |
| Skin contact                                    | Causes severe skin burns.                                                     |

|                                                                              |                                                                                                                                                                                                                 |                                                       |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| Eye contact                                                                  | Causes serious eye damage.                                                                                                                                                                                      |                                                       |
| Symptoms related to the physical, chemical and toxicological characteristics | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. |                                                       |
| Information on toxicological effects                                         |                                                                                                                                                                                                                 |                                                       |
| Acute toxicity                                                               |                                                                                                                                                                                                                 |                                                       |
| Components                                                                   | Species                                                                                                                                                                                                         | Test Results                                          |
| Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- (CAS 34398-01-1)      |                                                                                                                                                                                                                 |                                                       |
| Acute                                                                        |                                                                                                                                                                                                                 |                                                       |
| Dermal                                                                       |                                                                                                                                                                                                                 |                                                       |
| LD50                                                                         | Rabbit                                                                                                                                                                                                          | > 2000 mg/kg, West Penetone                           |
| Inhalation                                                                   |                                                                                                                                                                                                                 |                                                       |
| LC50                                                                         | Not available                                                                                                                                                                                                   |                                                       |
| Oral                                                                         |                                                                                                                                                                                                                 |                                                       |
| LD50                                                                         |                                                                                                                                                                                                                 | > 1400 mg/kg, Koch Membrane Systems                   |
|                                                                              | Rabbit                                                                                                                                                                                                          | > 2000 mg/kg, West Penetone                           |
|                                                                              | Rat                                                                                                                                                                                                             | 1700 mg/kg, West Penetone                             |
| Potassium hydroxide (CAS 1310-58-3)                                          |                                                                                                                                                                                                                 |                                                       |
| Acute                                                                        |                                                                                                                                                                                                                 |                                                       |
| Dermal                                                                       |                                                                                                                                                                                                                 |                                                       |
| LD50                                                                         | Not available                                                                                                                                                                                                   |                                                       |
| Inhalation                                                                   |                                                                                                                                                                                                                 |                                                       |
| LC50                                                                         | Not available                                                                                                                                                                                                   |                                                       |
| Oral                                                                         |                                                                                                                                                                                                                 |                                                       |
| LD50                                                                         | Rat                                                                                                                                                                                                             | 388 mg/kg, ECHA                                       |
|                                                                              |                                                                                                                                                                                                                 | 365 mg/kg, ECHA                                       |
|                                                                              |                                                                                                                                                                                                                 | 333 mg/kg, ECHA                                       |
|                                                                              |                                                                                                                                                                                                                 | 273 mg/kg                                             |
| Sodium lauriminodipropionate (CAS 14960-06-6)                                |                                                                                                                                                                                                                 |                                                       |
| Acute                                                                        |                                                                                                                                                                                                                 |                                                       |
| Dermal                                                                       |                                                                                                                                                                                                                 |                                                       |
| LD50                                                                         | Rabbit                                                                                                                                                                                                          | > 20 g/kg, 24 Hours, ECHA                             |
|                                                                              | Rat                                                                                                                                                                                                             | > 2000 mg/kg, 24 Hours, ECHA                          |
| Inhalation                                                                   |                                                                                                                                                                                                                 |                                                       |
| LC50                                                                         | Not available                                                                                                                                                                                                   |                                                       |
| Oral                                                                         |                                                                                                                                                                                                                 |                                                       |
| LD50                                                                         | Rat                                                                                                                                                                                                             | > 10000 mg/kg                                         |
| Sodium metasilicate (CAS 6834-92-0)                                          |                                                                                                                                                                                                                 |                                                       |
| Acute                                                                        |                                                                                                                                                                                                                 |                                                       |
| Dermal                                                                       |                                                                                                                                                                                                                 |                                                       |
| LD50                                                                         | Rat                                                                                                                                                                                                             | > 5000 mg/kg, 24 Hours                                |
| Inhalation                                                                   |                                                                                                                                                                                                                 |                                                       |
| LC50                                                                         | Rat                                                                                                                                                                                                             | > 2.1 mg/L, 4 Hours                                   |
| Oral                                                                         |                                                                                                                                                                                                                 |                                                       |
| LD50                                                                         | Mouse                                                                                                                                                                                                           | 770 - 820 mg/kg, ECHA                                 |
|                                                                              |                                                                                                                                                                                                                 | 666.7 - 1008.6 mg/kg, ECHA                            |
|                                                                              |                                                                                                                                                                                                                 | 2400 mg/kg, Patty's Industrial Hygiene and Toxicology |
|                                                                              |                                                                                                                                                                                                                 | 770 - 820 mg/kg, ECHA                                 |
|                                                                              |                                                                                                                                                                                                                 | 666.7 - 1008.6 mg/kg, ECHA                            |
|                                                                              |                                                                                                                                                                                                                 | 661.5 - 896.3 mg/kg                                   |
|                                                                              | Rat                                                                                                                                                                                                             | 1189.6 - 1530 mg/kg, ECHA                             |
|                                                                              |                                                                                                                                                                                                                 | 1152 - 1349 mg/kg, ECHA                               |

| Components                                                                | Species                                                                                                          | Test Results                                          |
|---------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
|                                                                           |                                                                                                                  | 1280 mg/kg, Patty's Industrial Hygiene and Toxicology |
|                                                                           |                                                                                                                  | 1189.6 - 1530 mg/kg, ECHA                             |
|                                                                           |                                                                                                                  | 1152 - 1349 mg/kg, ECHA                               |
|                                                                           |                                                                                                                  | 994.7 - 1335.9 mg/kg                                  |
| Sodium tripolyphosphate (CAS 7758-29-4)                                   |                                                                                                                  |                                                       |
| <b>Acute</b>                                                              |                                                                                                                  |                                                       |
| <i>Dermal</i>                                                             |                                                                                                                  |                                                       |
| LD50                                                                      | Rabbit                                                                                                           | > 4640 mg/kg, 24 Hours, ECHA                          |
| <i>Inhalation</i>                                                         |                                                                                                                  |                                                       |
| LC50                                                                      | Rat                                                                                                              | > 0.4 mg/L, 4 Hours, ECHA                             |
| <i>Oral</i>                                                               |                                                                                                                  |                                                       |
| LD50                                                                      | Mouse                                                                                                            | 3150 mg/kg, ECHA                                      |
|                                                                           | Rat                                                                                                              | > 2000 mg/kg, ECHA                                    |
|                                                                           |                                                                                                                  | 6340 mg/kg, ECHA                                      |
|                                                                           |                                                                                                                  | 5010 mg/kg, ECHA                                      |
|                                                                           |                                                                                                                  | 4750 mg/kg, ECHA                                      |
|                                                                           |                                                                                                                  | 3000 mg/kg, ECHA                                      |
|                                                                           |                                                                                                                  | 2300 mg/kg, ECHA                                      |
| <b>Skin corrosion/irritation</b>                                          | Causes severe skin burns and eye damage.                                                                         |                                                       |
| <b>Exposure minutes</b>                                                   | Not available.                                                                                                   |                                                       |
| <b>Erythema value</b>                                                     | Not available.                                                                                                   |                                                       |
| <b>Oedema value</b>                                                       | Not available.                                                                                                   |                                                       |
| <b>Serious eye damage/eye irritation</b>                                  | Causes serious eye damage.                                                                                       |                                                       |
| <b>Corneal opacity value</b>                                              | Not available.                                                                                                   |                                                       |
| <b>Iris lesion value</b>                                                  | Not available.                                                                                                   |                                                       |
| <b>Conjunctival reddening value</b>                                       | Not available.                                                                                                   |                                                       |
| <b>Conjunctival oedema value</b>                                          | Not available.                                                                                                   |                                                       |
| <b>Recover days</b>                                                       | Not available.                                                                                                   |                                                       |
| <b>Respiratory or skin sensitization</b>                                  |                                                                                                                  |                                                       |
| <b>Canada - Alberta OELs: Irritant</b>                                    |                                                                                                                  |                                                       |
| Potassium hydroxide (CAS 1310-58-3)                                       | Irritant                                                                                                         |                                                       |
| <b>Respiratory sensitization</b>                                          | Not a respiratory sensitizer.                                                                                    |                                                       |
| <b>Skin sensitization</b>                                                 | This product is not expected to cause skin sensitization.                                                        |                                                       |
| <b>Mutagenicity</b>                                                       | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |                                                       |
| <b>Carcinogenicity</b>                                                    | See below.                                                                                                       |                                                       |
| <b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b> |                                                                                                                  |                                                       |
| Not listed.                                                               |                                                                                                                  |                                                       |
| <b>Reproductive toxicity</b>                                              | This product is not expected to cause reproductive or developmental effects.                                     |                                                       |
| <b>Teratogenicity</b>                                                     | Not available.                                                                                                   |                                                       |
| <b>Specific target organ toxicity - single exposure</b>                   | Not classified.                                                                                                  |                                                       |
| <b>Specific target organ toxicity - repeated exposure</b>                 | Not classified.                                                                                                  |                                                       |
| <b>Aspiration hazard</b>                                                  | Not an aspiration hazard.                                                                                        |                                                       |

## 12. Ecological Information

**Ecotoxicity** See below

**Ecotoxicological data**

| Components                                                              | Species                                                                                                                                                                                 |                                         | Test Results                   |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------|
| Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- (CAS 34398-01-1) |                                                                                                                                                                                         |                                         |                                |
| Aquatic                                                                 |                                                                                                                                                                                         |                                         |                                |
| Crustacea                                                               | EC50                                                                                                                                                                                    | Water flea (Daphnia magna)              | 1.6 - 2.5 mg/L, 48 hours       |
| Fish                                                                    | LC50                                                                                                                                                                                    | Fathead minnow (Pimephales promelas)    | 3.2 - 5 mg/L, 96 hours         |
| Potassium hydroxide (CAS 1310-58-3)                                     |                                                                                                                                                                                         |                                         |                                |
| Aquatic                                                                 |                                                                                                                                                                                         |                                         |                                |
| Fish                                                                    | LC50                                                                                                                                                                                    | Western mosquitofish (Gambusia affinis) | 80 mg/L, 96 hours              |
| Sodium metasilicate (CAS 6834-92-0)                                     |                                                                                                                                                                                         |                                         |                                |
| Aquatic                                                                 |                                                                                                                                                                                         |                                         |                                |
| Crustacea                                                               | EC50                                                                                                                                                                                    | Water flea (Ceriodaphnia dubia)         | 0.28 - 0.57 mg/L, 48 hours     |
| Fish                                                                    | LC50                                                                                                                                                                                    | Western mosquitofish (Gambusia affinis) | 1800 mg/L, 96 hours            |
| Sodium tripolyphosphate (CAS 7758-29-4)                                 |                                                                                                                                                                                         |                                         |                                |
| Aquatic                                                                 |                                                                                                                                                                                         |                                         |                                |
| Crustacea                                                               | EC50                                                                                                                                                                                    | Water flea (Ceriodaphnia dubia)         | 238.35 - 321.01 mg/L, 48 hours |
| Persistence and degradability                                           | No data is available on the degradability of this product.                                                                                                                              |                                         |                                |
| Bioaccumulative potential                                               | No data available.                                                                                                                                                                      |                                         |                                |
| Mobility in soil                                                        | No data available.                                                                                                                                                                      |                                         |                                |
| Mobility in general                                                     | Not available.                                                                                                                                                                          |                                         |                                |
| Other adverse effects                                                   | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |                                         |                                |

**13. Disposal Considerations**

|                                              |                                                                                                                                                                                                                  |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.                         |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.                                                                                                                                                           |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.                                                                                                   |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.       |

**14. Transport Information**

|                                                                   |                                                                                                                                                                                                                      |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transport of Dangerous Goods (TDG) Proof of Classification</b> | Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below. |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**U.S. Department of Transportation (DOT)****Basic shipping requirements:**

|                             |                                            |
|-----------------------------|--------------------------------------------|
| <b>UN number</b>            | UN3266                                     |
| <b>Proper shipping name</b> | Corrosive liquid, basic, inorganic, n.o.s. |
| <b>Technical name</b>       | Sodium metasilicate                        |
| <b>Hazard class</b>         | 8                                          |
| <b>Packing group</b>        | II                                         |
| <b>Special provisions</b>   | 386, B2, IB2, T11, TP2, TP27               |
| <b>Packaging exceptions</b> | <1L - Limited Quantity                     |

**Transportation of Dangerous Goods (TDG - Canada)****Basic shipping requirements:**

|                             |                                            |
|-----------------------------|--------------------------------------------|
| <b>UN number</b>            | UN3266                                     |
| <b>Proper shipping name</b> | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. |
| <b>Technical name</b>       | Sodium metasilicate                        |
| <b>Hazard class</b>         | 8                                          |
| <b>Packing group</b>        | II                                         |
| <b>Special provisions</b>   | 16                                         |
| <b>Packaging exceptions</b> | <1L - Limited Quantity                     |

**IATA/ICAO (Air)****Basic shipping requirements:**

|                      |                                            |
|----------------------|--------------------------------------------|
| UN number            | UN3266                                     |
| Proper shipping name | Corrosive liquid, basic, inorganic, n.o.s. |
| Technical name       | Sodium metasilicate                        |
| Hazard class         | 8                                          |
| Packing group        | II                                         |

**IMDG (Marine Transport)****Basic shipping requirements:**

|                      |                                            |
|----------------------|--------------------------------------------|
| UN number            | UN3266                                     |
| Proper shipping name | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. |
| Technical name       | Sodium metasilicate                        |
| Hazard class         | 8                                          |
| Packing group        | II                                         |

**DOT****IATA; IMDG; TDG**

---

**15. Regulatory Information**

---

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**WHMIS 2015 Exemptions** Not applicable

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Potassium hydroxide (CAS 1310-58-3) Listed.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

|                          |                        |
|--------------------------|------------------------|
| <b>Hazard categories</b> | Immediate Hazard - Yes |
|                          | Delayed Hazard - No    |
|                          | Fire Hazard - No       |
|                          | Pressure Hazard - No   |
|                          | Reactivity Hazard - No |

|                                               |    |
|-----------------------------------------------|----|
| <b>SARA 302 Extremely hazardous substance</b> | No |
|-----------------------------------------------|----|

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)  
Not regulated.

#### Other federal regulations

##### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

##### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA)  
Section 112(r) (40 CFR 68.130)  
Hazardous substance

US state regulations See below

##### US - California Hazardous Substances (Director's): Listed substance

Potassium hydroxide (CAS 1310-58-3) Listed.  
Sodium tripolyphosphate (CAS 7758-29-4) Listed.

##### US - Illinois Chemical Safety Act: Listed substance

Potassium hydroxide (CAS 1310-58-3)  
Sodium tripolyphosphate (CAS 7758-29-4)

##### US - Louisiana Spill Reporting: Listed substance

Potassium hydroxide (CAS 1310-58-3) Listed.  
Sodium tripolyphosphate (CAS 7758-29-4) Listed.

##### US - Minnesota Haz Subs: Listed substance

Potassium hydroxide (CAS 1310-58-3) Listed.

##### US - New Jersey RTK - Substances: Listed substance

Potassium hydroxide (CAS 1310-58-3)

##### US - Texas Effects Screening Levels: Listed substance

Poly(oxy-1,2-ethanediyl),  
alpha-undecyl-omega-hydroxy- (CAS 34398-01-1) Listed.  
Potassium hydroxide (CAS 1310-58-3) Listed.  
Sodium lauriminodipropionate (CAS 14960-06-6) Listed.  
Sodium metasilicate (CAS 6834-92-0) Listed.  
Sodium tripolyphosphate (CAS 7758-29-4) Listed.

##### US. Massachusetts RTK - Substance List

Potassium hydroxide (CAS 1310-58-3)  
Sodium tripolyphosphate (CAS 7758-29-4)

##### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

##### US. Pennsylvania Worker and Community Right-to-Know Law

Potassium hydroxide (CAS 1310-58-3)  
Sodium tripolyphosphate (CAS 7758-29-4)

##### US. Rhode Island RTK

Potassium hydroxide (CAS 1310-58-3)

##### US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

#### Inventory status


| Country(s) or region        | Inventory name                                | On inventory (yes/no)* |
|-----------------------------|-----------------------------------------------|------------------------|
| Canada                      | Domestic Substances List (DSL)                | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)           | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other Information

| LEGEND   |   |
|----------|---|
| Severe   | 4 |
| Serious  | 3 |
| Moderate | 2 |
| Slight   | 1 |
| Minimal  | 0 |

|                     |     |
|---------------------|-----|
| HEALTH              | / 3 |
| FLAMMABILITY        | 0   |
| PHYSICAL HAZARD     | 0   |
| PERSONAL PROTECTION | X   |



**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

12-March-2019

**Version #**

05

**Effective date**

12-March-2019

**Prepared by**

Nu-Calgon Technical Service Phone: (314) 469-7000

**Other information**

For an updated SDS, please contact the supplier/manufacture listed on the first page of the document.