Material Safety Data Sheet



IDENTITY	Rapid Aid Instant Hot Pack	A MANAGEMENT AND A STATE OF THE
	The second secon	V.

Section I

Manufacturer's Name Rapid Aid Ltd.	Emergency Telephone Number 905-820-4788
Address 4120 A Sladeview Crescent Units 1-4	Telephone Number for Information 905-820-4788
Mississauga, Ontario	Date Prepared 29 January 2001
L5L 5Z3	Signature of Preparer (optional)

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended %(optional)
Calcium Chloride		N/A	Oral (LD50) 1000 mg/kg [rat]
Sodium Chloride		N/A	Oral (LD50) 3000 mg/kg [rat]
Potassium Chloride		N/A	Oral (LD50) 2600 mg/kg [rat]

Section III - Physical/Chemical Characteristics

Boiling Point	347°F	Specific Gravity (H ₂ O = 1)	1.850					
Vapor Pressure (mm Hg.)	Not applicable	Melting Point	345°F					
Vapor Density (AIR = 1) Not applicable Evaporation Rate(Butyl Acetate = 1) Not applic								
Solubility in Water: Complete								
Appearance and Odour: White, Odourless solid chemical with water bag								

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) Non Flammable	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media Not Applicable			or an around a state of the sta
Special Fire Fighting Procedures Not Applicable			
Unusual Fire and Explosion Hazards Not Applicable			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	None	
Chemical from	Materials to Avoid, m damaged ho and sulphuric	t pa	ck may be corrosive to some metals. Avoid contact with
Hazardous Decor	nposition or Bypro	duct	S
Hazardous May Occur Polymerization			Conditions to Avoid
	Will Not Occur	X	None

Section VI - Health Hazard Data

Route(s) of Entry:	Eye contact; Skin contact; Inhalation; Ingestion										
Health Hazards (Acute and	Health Hazards (Acute and Chronic)										
Carcinogenicity: N/A											
Eye contact with dry chem Skin contact with dry chem burns.	Signs and Symptoms of Exposure Eye contact with dry chemical result in stinging, tearing, redness and swelling of eyes. Skin contact with dry chemical may result in redness and burning of skin. Contact with damp skin can result in burns. Swallowing large amounts of dry chemical may be harmful.										
Medical Conditions General Not Available	ally Aggravated by Exposure										

Emergency and First Aid Procedures (for dry chemical of the Hot Pack)

Eyes

If material gets into the eyes, immediately flush eyes gently with water for at least 15 minutes while holding eyelids apart. Seek immediate medical attention.

Skin

Remove contaminated clothing. Flush exposed area with large amounts of water. If skin is damaged, seek immediate medical attention. If skin is not damaged and symptoms persist, seek medical attention. Launder clothing before reuse.

MATERIAL SAFETY DATA SHEET Identity: Eye Wash / Wound Irrigation Sterile, Buffered, Isotonic, Saline (Blue Label) **Section 1** Manufacturer: Aaxis Pacific FAX **Emergency Telephone** Andedoraensesst by: Fax: +61 2 9838 8616 Date Prepared: 21/12/2004 1/30-32 Foundry Rd, Seven Hills. NSW Sher Soa 2147, Australia Telephone: +61 2 9838 9588 Components (Chemical OTHE Names & Common Name) ACGIH OSHA R Hazardous Component 1% or CAS No. % PEL TLV LIMIT greater, Carcinogens 0.1% or S greater. Sodium Chloride 7647-14-5 1 - 0.1Potassium Dihydrogen 1 - 0.17778-77-0 Phosphate Sodium Hydroxide 1310-73-2 1 - 0.1Physical State: LIQUID Specific Gravity (H2O = 1) ≥ 1 **Boiling Point:** 100°C Melting Point: N/A Vapour Pressure (mm Hg); N/A Evaporation Rate (Water =1) ≥ 1 Vapour Density (Air =1) Unknown Water Reactive: None 7.0-7. Solubility in Water; Good Percent Volatile: N/A pH: 4 Appearance and Odour: Clear, Colourless Liquid, Odourless Flash Point Non-Flammable Flammability Limits in Air % by Volume: N/A Extinguisher Media: Carbon Dioxide, Water, Foam Special Fire Fighting Procedure: Auto Ignition Temprature N/A None Unusual Fire and Explosion Hazards: None LEL: N/A UEL: N/A Stability Unstable; No Conditions to None Avoid: Stable: Yes Incompability (Materials to N/A Avoid): Hazardous Decomposition N/A Products:

Hazardous Polymerization	May O	May Occur		Conditions to Avoid:	None		
May Occur:	May N	ot Occur:	Yes				
Eye Contact:	DUCT IS INTEN	IDED FOR	USE IN OCULAR A	AREA			
Skin Contact	PRC	PRODUCT HAS NO EFFECT					
Inhalation: PRC		DUCT HAS NO	EEFECT				
Ingestion MAY CAUSE STOMACH DISCOM IF LARGE AMOUNT INGESTED	AY CAUSE STOMACH DISCOMFORT						

Identity:		Eye Wa	ash	Sterile, I	Buffered, Is	sotonic, §	Saline (Blue	e Label)
Emergency First A Procedure	TREAT	SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION AND SUPPORT AS NECESSARY						
Eye Contact;		NONE F	RE	QUIRED				
Skin Contact;		NONE F	RE	QUIRED				
Inhalation;		NONE F	RE	QUIRED				
Ingestion;		CALL A			N, IF STOM	IACH DI	SCOMFOR	Т
Respiratory protection (Spec Type):	cify	NONE						
Protection Gloves:		NONE				Eye Pr	otection	NONE
Ventilation to be Used:	L	₋ocal Exh	าลน	ıst	N/A		Special:	N/A
		Mechanic General)	al		N/A		Other:	N/A
Other protective Clothing ar Equipment:	nd	NOT RE	OT REQUIRED					
Hygienic Work Practices:			EP CONTAINER CLOSED WHEN NOT IN USE. NAYS READ LABEL BEFORE USE.					
Steps to be taken if Materi Released:	al is	Spilled of	or	MOP UF SEWER		MOD H	N SANITAR	Υ
Waste Disposal Methods:				IN ACCORDANCE WITH MUNICIPAL, PROVINCIAL AND FEDERAL REGULATION				ATION
Precaution to be taken in Storage:	har	ndling an	d	KEEP AT ROOM TEMPERATURE (15-30°C)				-30°C)
Othe Precaution and/or Spo	s:	KEEP FROM FREEZING READ LABEL BEFORE USING.				L		
HMIS Rating: Health:0 Flammability:		mmabili	0		Reactivit y	0	Personal Protectio n	0
NFPA Rating: Health:0	Fla ty	mmabili	0		Reactivit y	0	Personal Protectio n	0

MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.				HMIS HAZARD RAT	ING		
	HEAL	_TH	1	0 =	INSIGNIFIC	ANT	3 = HIGH
	FLAN	MABILITY	1	1 =	SLIGHT		4 = EXTREME
		CTIVITY	0	2 =	MODERATE	:	
SAFETEC OF AMERICA	\		TRA	NSPORTATION INFO	RMATION		
	PROF	PER SHIPPING NA	AME	Safetec Triple Antibi	otic Ointmen	t	
	HAZA	ARD CLASS / PK	G. GRP.	Not applicable	REF.	Not	applicable
	IDEN	TIFICATION NUM	MBER	Not applicable	LABEL	Non	e Required Ground
SECTION 1 - PRODUCT / COMPANY	/ IDEN	TIFICATIO	N				
IDENTITY (AS USED ON LABEL AND LIST)							Page 1 of 2
Medi-First Triple Antibiotic Ointment							
MANUFACTURER'S NAME				EMERGENCY TELEPI	HONE NUMB	ER (24	Hours)
Safetec of America, Inc.		(800) 255-3924					
ADDRESS (NUMBER, STREET, P.O. BOX)				TELEPHONE NUMBE	R FOR INFOR	RMATI	ON
887 Kensington Ave. @ William L. Gaiter F	kwy.			(716) 895-1822			
(CITY, STATE AND ZIP CODE)	-			DATE PREPARED	Mar	ch 13,	, 2009
Buffalo, NY 14215			SUPERSEDES	Sep	tembe	r 24, 2007	
SECTION 2 - HAZARDOUS INGRED	ENTS	/ IDENTITY	INFOR	MATION			
HAZARDOUS COMPONENTS C	AS#	% (wt.)		ACGIH TI	_V/TWA/S	TEL	
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))		(OPTIONAL)		PPM		М	G/M ³

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR 372 at or above minimal amounts.

SECTION 3 - HEALTH HAZARD DATA	
ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE	EMERGENCY AND FIRST AID PROCEDURES
INHALATION: Not likely due to the physical state of the product.	Remove to fresh air. Give artificial respiration if necessary.
EYES: Use only specified ophthalmic ointment in eyes. Topical ointment will cause eye irritation.	Flush eyes with copious amounts of water for at least 15 minutes.
INGESTION: May cause kidney, liver, and gastro-intestinal impairment; may induce dizziness, incoordination, sensory loss and deafness.	Induce vomiting. Do not give anything to an unconscious person.
SKIN: Non-toxic under standard application.	Wash with soap and water.
HEALTH HAZARDS (ACUTE AND CHRONIC): Acute: Allerg sensory loss, deafness, nausea, vomiting and diarrhea. Chronic: Repeated or prolonged exposure may cause allerg	
CARCINOGENICITY NTP? No	IARC MONOGRAPHS? No OSHA REGULATED? No
No additional information	
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EX reaction	POSURE: Susceptible individuals may have an allergic

MATERIAL SAFETY DATA SHEET

IDENTITY (AS USED ON LABEL AND LIST)

Textilease Medique's Triple Antibiotic Ointment

Page 2 of 2

Date: September 24, 2007

SECTION 4 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED) FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component) Not available LEL: Not available UEL: Not available

EXTINGUISHING MEDIA

Use extinguishing media appropriate for the surrounding fire. Use alcohol foam, dry chemical or CO2.

SPECIAL FIRE FIGHTING PROCEDURES

Wear full protective clothing.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS

May emit toxic fumes.

SECTION 5 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED

Assure slippery conditions are nullified. Add sand or dirt. Scoop up and remove. Wash area with soap and water. Dispose in accordance with federal, state, and local regulations.

WASTE DISPOSAL METHODS

Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any chemicals.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Keep containers closed when not in use. Do not handle or store near heat, flames or oxidizers.

Reep containers closed when not in use. Do not handle of store hear hear, harnes of oxidizers.								
SECTION 6 - EXPO	SURE CONTROLS /	PERSON	AL PROTECTION					
RESPIRATORY PROTEC	CTION		VENTILATION	LOCAL EXHAUST:	Recommended			
Not required				MECHANICAL (GENERAL):	Not required			
PROTECTIVE GLOVES			EYE PROTECTION					
Not required for nor	mal use		Not required for	r normal use				
OTHER PROTECTIVE C	LOTHING OR EQUIPMEN	ΝT	WORK / HYGIENIC	PRACTICES				
Eye wash stations s	hould be nearby and ready	for use.	Practice safe w	ork habits. Use according to la	bel instructions.			
SECTION 7 - PHYS	ICAL / CHEMICAL P	ROPERT	IES					
BOILING POINT			SPECIFIC GRAVITY	(WATER = 1)	_			
343°C (650 °F)			Approx. 0.85					
VAPOR PRESSURE (mr	n Hg)		MELTING POINT					
No data			54°C (130 °F)					
VAPOR DENSITY (AIR:	= 1)		PH (1% solution in water)					
No data			No data					
SOLUBILITY IN WATER	}		EVAPORATION RATE (IPA = 1)					
Insoluble			No data					
APPEARANCE AND OD	OOR		% VOLATILES (BY VOLUME)					
White to off- white	ointment		No data					
SECTION 8 - STAB	ILITY AND REACTIV	ΊΤΥ						
STABILITY	UNSTABLE:		CONDITIONS TO A	VOID	_			
	STABLE: XXX	<u>,</u>	Heat and oxidiz	ing				
INCOMPATIBILITIES (M	(ATERIALS TO AVOID)			·				
Extreme heat, spark	Extreme heat, sparks, open flame, oxidizers, strong acids and alkalies.							
HAZARDOUS DECOMPO	SITION OR BYPRODUCT	S		·				
Mary mirror off frances	Many plans off frances of earliest resolution and earliest districts							

May give off fumes of carbon monoxide and carbon dioxide.

HAZARDOUS POLYMERIZATION MAY OCCUR:		CONDITIONS TO AVOID
WILL NOT OCCUR:	XXX	Temperatures above 300°C,

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.



Chemwatch Material Safety Data Sheet (Conforms to 91/155/EEC - 2001/58/EC) Issue Date: 28-Jun-2007

NA160TCP

CHEMWATCH 0706281 CD 2006/4 Page 1 of 7

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

INSTANT COLD PACK WITH UREA

SUPPLIER

Company: SHANGHAI CHUANGSHI INDUSTRY CO., LTD.

Address:

4F, BLOCK 2, NO.27, LANE 258, CAOXIROAD, SHANGHAI,

CHINA.

PRODUCT USE

SHJ0010837


SYNONYMS

NAME	CAS RN	INT HAZ	%
water	7732-18-5	None	50
EC NO: 231-791-2			
urea	57-13-6	None	50
EC NO: 200-315-5			

STATEMENT OF HAZARDOUS NATURE

Not considered a dangerous substance according to directive 1999/45/EC and its amendments.

HAZARD RATINGS



POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects (as classified under EC Directives), the material may still be damaging to the health of the individual,

Chemwatch Material Safety Data Sheet (Conforms to 91/155/EEC - 2001/58/EC) Issue Date: 28-Jun-2007 NA160TCP

CHEMWATCH 0706281 CD 2006/4 Page 2 of 7 Section 3 - HAZARDS IDENTIFICATION

following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing morbidly father than those producing morbidly (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern

FYF

Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

CHRONIC HEALTH EFFECTS

Section 4 - FIRST AID MEASURES

No data for this material

Section 5 - FIRE FIGHTING MEASURES

No data for this material.

PERSONAL PROTECTION

Glasses:

Gloves:

Respirator:

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY RESPONSE PLANNING GUIDELINES (ERPG)

The maximum airborne concentration below which it is believed that nearly all individuals could be exposed for up to one hour WITHOUT experiencing or developing

life-threatening health effects is: water 500 mg/m

urea 500 mg/m

irreversible or other serious effects or symptoms which could impair an individual's ability to take protective action is:

water 500 mg/m

urea 15 mg/m

other than mild, transient adverse effects without perceiving a clearly defined odour is:

Chemwatch Material Safety Data Sheet (Conforms to 91/155/EEC - 2001/58/EC) Issue Date: 28-Jun-2007

> CD 2006/4 Page 3 of 7 Section 6 - ACCIDENTAL RELEASE MEASURES

CHEMWATCH 0706281

water 500 mg/m

NA160TCP

2 mg/m urea

The threshold concentration below which most people will experience no appreciable risk of health effects: water 500 mg/m

urea 0.6 mg/m

American Industrial Hygiene Association (AIHA)

Ingredients considered according to the following cutoffs

Very Toxic (T+) >= 0.1% Toxic (T) >= 3.0% R50 >= 0.25% Corrosive (C) >= 5.0%

R51 >= 2.5% >= 10%

where percentage is percentage of ingredient found in the mixture

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



- May be stored together
- 0: May be stored together with specific preventions

Must not be stored together

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

No data for this material. No data for this material.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

The following materials had no OELs on our records

· water: CAS:7732-18-5

· urea: CAS:57-13-6

MATERIAL DATA

Not available. Refer to individual constituents.

INGREDIENT DATA

UREA: WATER:

No exposure limits set by NOHSC or ACGIH.

WATER:

URFA-

CEL TWA: 10 mg/m3 (compare WEEL-TWA)

Chemwatch Material Safety Data Sheet (Conforms to 91/155/EEC - 2001/58/EC) Issue Date: 28-Jun-2007 NA160TCP

CHEMWATCH 0706281 CD 2006/4 Page 4 of 7

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Even if individuals inhaled 10 mg/m3 of urea through the whole workday, they would only inhale 100 mg/day. This increment, even if totally absorbed, would be insignificant when compared to the 30 g/day normal excretion rate. The workplace environmental exposure limit (WEEL) established by the AIHA is protective against the effects of urea as a nuisance dust.

PERSONAL PROTECTION



OTHER

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required. For further information consult site specific CHEMWATCH data (if available), or your Occupational Health and Safety Advisor.

ENGINEERING CONTROLS

No data for this material.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL PROPERTIES

Molecular Weight:
Melting Range (*C):
Solubility in water (g/L):
pH (1% solution);
Volatile Component (%vol):
Relative Vapour Density (air=1):
Lower Explosive Limit (%):
Autoignition Temp (*C):
State:

APPEARANCE

Boiling Range (°C): Specific Gravity (water=1): ph (as supplied;) Vapour Pressure (RPa): Evaporation Rate: Flash Point (°C): Upper Explosive Limit (%): Decomposition Temp (°C): Not available Viscosity: Not available

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

No data for this material

Section 11 - TOXICOLOGICAL INFORMATION

INSTANT COLD PACK WITH UREA

Not available. Refer to individual constituents. unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances

continued...

Chemwatch Material Safety Data Sheet (Conforms to 91/155/EEC - 2001/58/EC)

Issue Date: 28-Jun-2007

NA160TCP

CHEMWATCH 0706281 CD 2006/4 Page 5 of 7 Section 11 - TOXICOLOGICAL INFORMATION

IRRITATION

Skin (human): 22 mg/3 d (I)- Mild

WATER:

No significant acute toxicological data identified in literature search.

UREA:

TOXICITY

Oral (rat) LD50: 8471 mg/kg

Intraperitoneal (rat) LD50: >5000 mg/kg Subcutaneous (rat) LD50: 8200 mg/kg Intratracheal (rat) LD50: 567 mg/kg Oral (mouse) LD50: 11000 mg/kg

Subcutaneous (mouse) LD50: 9200 mg/kg Intravenous (mouse) LD50: 4600 mg/kg

NOTE: Substance has been shown to be mutagenic in at least one assay, cr belongs to a family of chemicals producing damage or change to cellular DNA.

Altered sleep time, change in motor activity, antipsychosis, dyspnea,

methaemoglobinaemia, convulsions, lymphomas recorded.

Carcinogenic by RTECS criteria.

Section 12 - ECOLOGICAL INFORMATION

No data for INSTANT COLD PACK WITH UREA. Refer to data for ingredients, which follows:

UREA:

Algae IC50 (72hr.) (mg/l): 10000 log Kow (Prager 1995): - 1.09 log Kow (Sangster 1997): log Pow (Verschueren 1983): - 2.11 1.31415929

log Kow: -2.97- -2.26

Section 13 - DISPOSAL CONSIDERATIONS

According to the European Waste Catalogue, Waste Codes are not product specific but application specific. Waste Codes should be assigned by the User based on the application in which the product is used.

Section 14 - TRANSPORTATION INFORMATION

HAZCHEM: None

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:ADR, IATA, IMDG

Section 15 - REGULATORY INFORMATION

risk

None under normal operating conditions.

Chemwatch Material Safety Data Sheet (Conforms to 91/155/EEC - 2001/58/EC)

Issue Date: 28-Jun-2007

NA160TCP

CHEMWATCH 0706281 CD 2006/4 Page 6 of 7 Section 15 - REGULATORY INFORMATION

REGULATIONS

water (CAS: 7732-18-5) is found on the following regulatory lists; OECD Representative List of High Production Volume (HPV) Chemicals

urea (CAS: 57-13-6) is found on the following regulatory lists; IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances OECD Representative List of High Production Volume (HPV) Chemicals

This safety data sheet is in compliance with the following EU legislation and its adaptations – as far as applicable -: 67/548/EEC, 1999/45/EC, 76/769/EEC, 98/24/EC, 92/85/EEC, 94/33/EC, 91/689/EEC, 1999/13/EC, as well as the following British legislation:

 The Control of Substances Hazardous to Health Regulations (COSHH) 2002

- COSHH Essentials
- The Management of Health and Safety at Work Regulations 1999

Section 16 - OTHER INFORMATION

RISK

Explanation of Risk Codes used in the Ingredient Table
Risk Codes Risk Phrases

REPRODUCTIVE HEALTH GUIDELINES

These exposure guidelines have been derived from a screening level of risk assessment and should not be construed as unequivocally safe limits. ORGS represent an 8-hour time -weighted average unless specified otherwise.

CR = Cancer Risk/10000; UF = Uncertainty factor:

TLV believed to be adequate to protect reproductive health:

LOD: Limit of detection

Toxic endpoints have also been identified as:

D = Developmental; R = Reproductive; TC = Transplacental carcinogen Jankovic J., Drake F.: A Screening Method for Occupational Reproductive American Industrial Hygiene Association Journal 57: 641-649 (1996).

EXPOSURE STANDARD FOR MIXTURES

"Worst Case" computer-aided prediction of spray/ mist or fume/ dust components and concentration:

Composite Exposure Standard for Mixture (TWA):18.1818 mg/m3.

Operations which produce a spray/mist or fume/dust, introduce particulates to the breathing zone.

If the breathing zone concentration of ANY of the components listed below s exceeded,

"Worst Case" considerations deem the individual to be overexposed.

Component Breathing Zone ppm Breathing Zone mg/m3 Mixture Conc (%).

Component Breathing Zone

Mixture Conc (%)

urea

(mg/m? 9.0909

50.0

Issue Date: 28-Jun-2007

continued...

Chemwatch Material Safety Data Sheet (Conforms to 91/155/EEC - 2001/58/EC) Issue Date: 28-Jun-2007 NA160TCP

CHEMWATCH 0706281 CD 2006/4 Page 7 of 7 Section 16 - OTHER INFORMATION

Print Date: 29-Jun-2007

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Material Safety Data Sheet Medique Products

Section 1: Product and Company Information

Manufactured by:

ProCore Laboratories Tel: (972) 393-9400 1025 South Belt Line Rd, #100 Fax: (972) 462-8406

Coppell, TX 75019 Website: www.procorelabs.com

Manufactured for:

Medique Products Tel: (800) 634-7680 Fort Myers, FL 33967 Fax: (800) 442-5540

Website: www.mediqueproducts.com

Product: Sani-Safe II Foaming Hand Sanitizer

Product Class: OTC

Section 2: Composition/Ingredient Information

Proprietary aqueous solution containing benzethonium chloride to be used as a hand sanitizer.

Section 3: Hazards Identification

Threshold Limit: Not Determined

Emergency and First Aid:

Eyes: Will irritate eyes. Prolonged contact may damage cornea.

Ingestion: Single dose oral toxicity is considered to be low. Ingestion may cause nausea,

upset stomach, diarrhea and vomiting.

Skin: Does not irritate skin under normal conditions. However, if irritation develops

discontinue use.

Inhalation: Unlikely to occur due to physical properties of product.

Carcinogenicity: None known, not listed in NTP or IARC. Not OSHA regulated.

Chronic: No chronic effects are known.

Section 4: First Aid

Eye: Flush eyes with copious amounts of running water for at least 15 minutes. Seek medical

attention.

Ingestion: Seek medical attention if swallowed. Do not induce vomiting unless directed by medical

personnel.

Skin: Product is for skin contact. If irritation develops discontinue use. Wash area with soap

and water. Seek medical attention if irritation continues.

Inhalation: Remove to fresh air. If not breathing, perform CPR and seek medical attention.

Section 5: Fire Fighting Measures

Flashpoint: None

Flammable Limits: Not flammable.
General Hazard: Slippery when spilled.

Fire Fighting Measures: Avoid breathing fumes, smoke or vapor. Wear protective gear.

Extinguishing Media: Foam, carbon dioxide or dry chemical

Hazardous Combustion Products: None known

NFPA Rating: Health – 1 Flammability – 0

Reactivity – 0

Material Safety Data Sheet Medique Products

Section 6: Accidental Release and Disposal Measures

Spilled material is very slippery, use caution when cleaning. Wear protective clothing. Dike spill and contain. Keep spills and runoffs out of waterways. Cover with inert non-combustible absorbent material. Scoop and remove to approved disposal containers. Dispose of in accordance with local, state and federal regulations.

Section 7: Storage and Handling

Storage: It is recommended that this material be stored in a cool, well-ventilated area.

Recommended temperature 20°C to 25 °C.

Handling: Use with adequate ventilation. Do not eat or swallow. Do not get into eyes.

Section 8: Exposure Controls and Personal Protection

Eyes: Wear protective eye goggles.

Respiratory: In well ventilated area, respiratory protection is not required. In poorly ventilated areas an

NIOSH-approved respirator may be required.

Apparel: The use of chemical resistant gloves is recommended. Acceptable industrial hygiene

practices should be maintained.

Ventilation: Provide adequate ventilation. Use an exhaust fan as necessary.

Section 9: Physical and Chemical Properties

Physical State: Water clear liquid Boiling Point: Approx 100° C

Freezing Point: 0° C

Odor: Unfragranced Specific Gravity: 0.98 – 1.02 pH: 4.35 – 4.85 Water Solubility: Miscible

Section 10: Stability and Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Incompatible Materials: Avoid strong oxidizers
Conditions to Avoid: Do not freeze; avoid heat

Reactivity with Water: None

Section 11: Toxicological Information

Acute Toxicological Data:

Carcinogenicity:

No data available

No data available

Reproductive Effects:

No data available

Epidemiology: May cause slight rash or irritation upon long term exposure

Section 12: Ecological Information

Ecotoxicity: No data available

Physical/Chemical: Product is stable under normal conditions. No bioconcentration is expected because of the relatively high water miscibility.

Material Safety Data Sheet Medique Products

Section 13: State, Federal and International Regulatory Requirements

US DOT: This product is not a Hazardous Material according to the Hazardous

Materials Transportation Act and DOT regulations in 49 CFR. Proper Shipping Name: See product description

Applicable Labeling Regulations: 21 CFR 201

TSCA: Components of this product are listed on the TSCA inventory.

Sara Title III: None known

California Prop 65: As a reproductive hazard: None known

Massachusetts Right to Know:
Michigan Critical Materials:
New Jersey Right to Know:
Pennsylvania Right to Know:
None known
None known
None known

MSDS Creation Date: 7/22/08 Updated Date: 11/11/08

Created By: ProCore Laboratories

The information contained on this MSDS is based upon data considered to be true and accurate. No warranties, express or implied are made as to the accuracy, completeness or reliability of the information. The information is intended for use by persons with professional knowledge or the subject matter or with access to such persons. It is the user's responsibility to assume liability for loss, injury, damage or expense resulting from the improper use of this product.

Material-Sa	fety-Data-She	et	U.S. Department of Labor					
May be used to	comply with		Occupational Safety and Health Administration					
OSHA's Hazard	Communication Sta	andard	(Non-Mandatory Form)					
29 CFR 1910.1	200. Standard must	Form Approve	ed					
consulted for specific requirements.			OMB No. 1218-0072					
IDENTITY (As Used on Label and List)			Note: Blank spaces are not permitted. If any item is not applicable, or no					
	Matches, Safety	information is av	information is available, the space must be marked to indicate that.					
Section I								
Manufacturer's Nam	ne		Emergency Tele	hone Number				
D. D. BEAN & SONS Co.				00-535-5053				
Address(Number, S	Street, City, State, and ZI	Telephone Numb	er for Information					
	P. O. BOX 348	6	03-532-8311					
	JAFFREY, NH (03452	Date Prepared	January 1, 200	9			
	603-532-8311		Signature of Prep	arer (<i>optional)</i>	JULIA	BARTL	ETT	
Section II - Ha	azardous Ingredi	ents/Identity Information	on					
		•			Other Limit	S		
Hazardous compo	nents(Specific Chemica	I Identity: Common Names(s))	OSHA PEL	ACGIH TLV	Recomme		% (optional)	
Potassium Ch	lorate	3811-04-9	NE NE			<.01%		
	Sulfur 7704-34-9			<.01%				
Amorphous Re	ed Phosphorus	7723-14-0	NE			<.01%		
NE = None Establi	ished							
	Physical/Chemical	Characteristics	1					
Boiling Point		NA	Specific Gravity	H 0 -1) 1.3			NA	
Vapor Pressure (mr	m Hg.)	NA	Melting Point				NA	
Vapor Density (AR	- 1)	NA	Evaporation Rate	(Butyl Acetate-1)			NA	
Solubility in Water								
A		ADS ARE SOLUBLE IN	WATER					
Appearance and Ode	or NA							
Section IV - F	ire and Explosion	n Hazard Data						
Flash Point(Method	•		Flammable Limits		LEL	UEL		
	NA		IN EXCESS	OF 375 F				
Extinguishing Media	WATER							
Special Fire Fighting								
,	NA							
Unusual Fire and Ex	plosion Hazards	AUTO IGNITION AT	TEMP IN EX	CESS OF 375	'F OR			
		IF EXPOSED TO FL	AME					
(Reproduce locally)					OSHA 17/	, Sept. 1985	<u> </u>	
(1 reproduce locally)					OSITA 174	, o c pi. 1800	,	

Section V - Re	eactivity Dat	ta							
Stability	01.0100.0		Conditions	to Avoid					
	Stable	Χ							
Incompatibility (Materials to Avoid) None			None	one					
Hazardous Decomposition or Byproducts		MATCHES - OXYGEN, OXIDES OF SULFUR							
			STRIKE	R - OXIDE	S OF PHO	SPHORU	JS		
Hazardous May Occur			Conditions t	o Avoid					
Polymerization	Will Not Occur	Х							
Section VI - H	ealth Hazard	d Data							
Route(s) of Entry:			Inhalation?	YES	Skin?	NO	Ingestion? NO		
Health Hazards (Acu	te and Chronic)		NONE						
Carcinogenicity:	NONE	NTP?	NA		IARC Monogi	raphs?	OSHA Regulated?		
Signs and Symptoms of Exposure COUG				ING FROM	SMOKE				
Medical Conditions	by Evposure		RESPIR	ATORY All	MENTS M	IAV RE A	GGRAVATED BY IGNIT	ION FLIMES	
Emergency and First Aid Procedures TRE				SPIRATORY AILMENTS MAY BE AGGRAVATED BY IGNITION FUMES EAT BURNS ACCORDINGLY					
				MOVE TO FRESH AIR					
Section VII - P	recautions	for Saf			urt				
Steps to Be Taken in				ig and osc	WET WI	TH WATE	=R		
Waste Disposal Meth	nod		SAT	IIRATE WIT			SPOSE AT LANDFILL (OR INCINERATE	
							DERAL, STATE AND LO		
Precautions to Be Take	n in Handling & St	oring					·		
		AVOID TEMPERATURES IN EXCESS OF 375 F/STORE IN COOL, DRY PLACE MATCHES SAFETY BOOK LIN1944 DOT 49 SUBPARTS 173 186 (C)							
Other Dressutions			MATCHES, SAFETY, BOOK UN1944, DOT 49 SUBPARTS 173.186 (C) EP MATCHES AWAY FROM CHILDREN, DISCARD IF WET						
Continu VIII 4	Dambual Maa		NEEP IV	IATORES A	WATERO	IN CHILD	INEN, DISCAND IF WE	l	
Section VIII - (Respiratory Protection			NONE						
Ventilation	Local Exhaust	/		REQUIRED	Special				
	Mechanical (Ge	eneral)	NONE		Other		E IN COOL DRY PLACE		
NONE Protective Gloves	Widomariida (GC		NA	Fyo	Protection	NA			
Other Protective Clo	thing or Equipme	ont .	NA	Work/Hygienic		NA			
			NA	WorkTrygleriic	Tractices		NA		
Section VIX - UN 1944, 4.1, III	ransportat	ion we	asures	A "		470 400	(0) 0 (;	W. C. W	
Matches, Safety, Book			According to 49 CFR 173.186(C) Safety matches and wax "Vesta" matches						
•		must be tightly packed in securely closed inner packagings to prevent accidental							
DOT 49 CFR 173.186(C) NO PLACARDS REQUIRED			ignition under conditions normally incident to transportation, and further packed in outer fiberboard, wooden, or other equivalent outer packagings. These matched in outer packages not exceeding 23 Kg (50 pounds) gross weight are not subject to any other rquirement (exept marking) of this subchapter. These matches may be packed in the same outer packaging with materials not subject to this subchapter.						

While the information and recommendations contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. It is the responsibility of the user to comply with all Federal, State and Local regulations.

Page 2 of 2

*U.S.O.P.O.:1988-491-529/45775