Printing date 20.09.2013 Revision: 19.09.2013

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Fountain Machine Drain Cleaner
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Chemco Corporation 300 Canal St. Lawrence MA 01840 USA Telephone (978) 687-9000 Toll-Free (800) 458-8010

· 1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



🔁 C; Corrosive

R35: Causes severe burns.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



(Contd. on page 2)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labelling:

phosphoric acid glycollic acid

Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection.

P264 Wash thoroughly after handling. Do not breathe mist/vapours/spray. P260

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

· Additional information:

Keep out of the reach of children

- · Hazard description:
- · WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



· NFPA ratings (scale 0 - 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3 Fire = 0

· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

(Contd. on page 3)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

(Contd. of page 2)

3 Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7664-38-2	phosphoric acid	25-50%
EINECS: 231-633-2	C R34	
Index number: 015-011-00-6	Skin Corr. 1B, H314	
CAS: 79-14-1	glycollic acid	<10%
EINECS: 201-180-5	© C R34; Xn R22	
	Skin Corr. 1B, H314	
	Acute Tox. 4, H302	

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · **General information:** Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Cramp

Nausea

Coughing

Breathing difficulty

- · Hazards Danger of gastric perforation.
- 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary oedema.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

(Contd. of page 3)

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- · 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Cool endangered receptacles with water fog or haze.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use calcium oxide as a neutralizing agent.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with alkalis (caustic solutions).

Store away from metals.

Store away from foodstuffs.

· Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

	Ingredients with limit values that require monitoring at the workplace:				
Ī	7664-38-2 ph	664-38-2 phosphoric acid			
	IOELV (EU)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³			
İ	PEL (USA)	Long-term value: 1 mg/m³			
	REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
	TLV (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
	EL (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
	EV (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Ensure that washing facilities are available at the work place.

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Suitable respiratory protective device recommended.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

(Contd. on page 6)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

· Material of gloves

(Contd. of page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR Neoprene gloves

PVC gloves

Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves

· Eve protection:

Contact lenses should not be worn.



Safety glasses

· Body protection:



Apron

Acid resistant protective clothing

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Colour: Clear

Characteristic · Odour: · Odour threshold: Not determined.

· pH-value at 20 °C: 2

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 7)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

		(Contd. of page
Boiling point/Boiling range:	212 °F / 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
· Density: · Relative density · Vapour density · Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with water:	Fully miscible.	
· Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity: Dynamic: Kinematic: · 9.2 Other information	Not determined. Not determined. No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with metals forming hydrogen.

Reacts with amines.

Reacts with powdered metals.

Corrosive action on metals.

Reacts with alkali (lyes).

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Phosphorus compounds

(Contd. on page 8)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

(Contd. of page 7)

Phosphorus oxides (e.g. P2O5)

Hydrogen

Carbon monoxide and carbon dioxide

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

79-14-1 glycollic acid

Oral LD50 1950 mg/kg (rat)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability biodegradable
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

Must not reach sewage water or drainage ditch undiluted or unneutralized.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 9)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

(Contd. of page 8)

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water only.

14 Transport information

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

UN3264

- · 14.2 UN proper shipping name
- · DOT



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 5 L (1.3 gal).

Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid solution, glycollic acid)

· ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,

N.O.S. (PHOSPHORIC ACID, SOLUTION, glycollic

acid)

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(PHOSPHORIC ACID, SOLUTION, glycollic acid)

- · 14.3 Transport hazard class(es)
- · DOT





Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 5 L (1.3 gal).

· Class 8 Corrosive substances.

(Contd. on page 10)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

	(Contd. of page
Label	8
· ADR	
Class	8 (C1) Corrosive substances.
Label	8
· IMDG, IATA	
· Class	8 Corrosive substances.
Label	8
· 14.4 Packing group · DOT, ADR, IMDG, IATA	III
14.5 Environmental hazards:	Na
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler): · EMS Number:	80 F-A,S-B
Segregation groups	Acids
· 14.7 Transport in bulk according to Anne	v II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	Е
UN "Model Regulation":	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC N.O.S. (PHOSPHORIC ACID, SOLUTION, glycoll acid), 8, III

15 Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- **United States (USA)**
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 11)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

(Contd. of page 10)

· Section 313 (Specific toxic chemical listings):

7664-38-2 phosphoric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

7664-38-2 phosphoric acid

79-14-1 glycollic acid

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)

Printing date 20.09.2013 Revision: 19.09.2013

Trade name: Fountain Machine Drain Cleaner

(Contd. of page 11)

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

R22 Harmful if swallowed.

R34 Causes burns.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com