



Report No.: MMICOPJW42483716

MSDS Report

Sample Description

& Model

Dry Battery AAA R03P UM4 1.5V

Applicant

Shenzhen Naccon Power Technology Co., Ltd.

Address

6F, Block A, DongShanGang Industrial Park, Xixiang St. Bao'An District, Shenzhen, China

> No.: MMICOPJW42483716 Code: x369b8hthn



上海实验室: (021)64851999

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 天津实验室: (022)27360730 郑州实验室: (0371)69350670

石家庄实验室: (0311)85376660 西安实验室: (029)89608785 呼和浩特实验室: (0471)3450025 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

武汉实验室: (027)83997127 合肥实验室: (0551)63843474 广州实验室: (020)89224310 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 1 of 12

Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.7 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical product identification Sample Description: Dry Battery Trade Name: NO.7 Dry Battery

Sample Model: AAA R03P UM4 1.5V

Recommended Uses: N/A Restrictions on use: N/A

Supplier name: Shenzhen Naccon Power Technology Co., Ltd.

Address: 6F, Block A, DongShanGang Industrial Park, Xixiang St. Bao'An District,

Shenzhen, China

Phone number: 0755-82991613

FAX: 0755-82979379

E-mail: 1659776942@gg.com

Emergency phone number: 0755-89605706

Section 2 - Hazards Identification

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the below hazards exist.

CAS# 7440-66-6

Classification according to GHS

Serious eye damage/eye irritation (2B) Hazardous to the aquatic environment, long-term hazard (1)

Label elements

Hazard pictogram(s):

北京实验室: (010)82618116

Signal word: Warning

Hazard statement(s):



www.ponytest.com

Pony Testing International Group Shenzhen Co., Ltd. Address: 1F., Building 6, Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen, Guangdong, China

上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 天津实验室: (022)27360730 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

西安实验室: (029)89608785 杭州实验室: (0571)87219096 宁波实验室: (0574)87736499

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 合肥实验室: (0551)63843474 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 2 of 12

Pony Testing International Group

H320 Causes eye irritation

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s):

Prevention:

P264 Wash skin and clothing thoroughly after handling.

P273 Avoid release to the environment.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

P391 Collect spillage.

Storage

None

Disposal:

P501 Contents handling to approved waste treatment plants.

CAS# 7440-50-8

Classification according to GHS

Sensitisation, skin (1, 1A, 1B)

Specific target organ toxicity, single exposure (1) (digestive system)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H317 May cause an allergic skin reaction

H370 Causes damage to organs (digestive system)

H335 May cause respiratory irritation

Precautionary statement(s):

Prevention:

P260 Do not breathe dust, fume.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

P264 Wash skin and clothing thoroughly after handling.



北京实验室: (010)82618116

上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618

天津实验室: (022)27360730 郑州实验室: (0371)69350670

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

合肥实验室: (0551)63843474 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 3 of 12

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

Response:

P302 + P352 IF ON SKIN: Wash with plenty water.

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P321 Specific treatment (See additional emergency instructions).

P362 + P364 Take off contaminated clothing and wash it before reuse.

P308 + P311 IF exposed or concerned: Call a POISON CENTER.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER if you feel unwell.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Contents handling to approved waste treatment plants.

CAS# 1333-86-4

Classification according to GHS

Carcinogenicity (2)

Specific target organ toxicity, repeated exposure (1) (respiratory system)

Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H351 Suspected of causing cancer

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)

Precautionary statement(s):

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.



北京实验室: (010)82618116

上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 天津实验室: (022)27360730 郑州实验室: (0371)69350670

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

合肥实验室: (0551)63843474 深圳实验室: (0755)26050909 哈尔滨实验室: (045)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 4 of 12

Response:

P308 + P313 IF exposed or concerned: Get medical advice.

P314 Get medical advice if you feel unwell.

Storage

P405 Store locked up.

Disposal:

P501 Contents handling to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 Environmental hazards: See Section 12

Section 3 - Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)	
Manganese	7439-96-5	231-105-1	28	
Zinc	7440-66-6	231-175-3	33	
Copper	7440-50-8	231-159-6	6	
Iron	7439-89-6	231-096-4	10	
Water	7732-18-5	231-791-2	5	
Graphite	7782-42-5	231-955-3	7	
Carbon black	1333-86-4	215-609-9	11	

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse

www.ponytest.com

Pony Testing International Group Shenzhen Co., Ltd. Address: 1F., Building 6, Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen, Guangdong, China

北京实验室: (010)82618116 上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

天津实验室: (022)27360730 郑州实验室: (0371)69350670

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

合肥实验室: (0551)63843474 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 5 of 12

thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders:

No data available.

Most important symptoms/effects, acute and delayed:

No data available.

Indication of immediate medical attention and special treatment needed:

No data available.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment . Such as dry powder, CO2.

Unsuitable extinguishing media:

No data available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Protective equipment:

No data available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Address: 1F., Building 6, Zhongxing Industry City, Chuangye

Road, Nanshan District, Shenzhen, Guangdong, China

北京实验室: (010)82618116





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 6 of 12

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No data available.

Section 8 - Exposure Controls/Personal Protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
7439-96-5 TLV-TWA 0.2mg/m ³		REL-TWA 1mg/m ³ REL-STEL 3mg/m ³	N/A
7440-66-6	N/A	N/A	N/A

Road, Nanshan District, Shenzhen, Guangdong, China





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 7 of 12

7440-50-8	TLV-TWA 0.2mg/m ³	REL-TWA 1mg/m ³	PEL-TWA 0.1mg/m ³
7440-30-0	TLV-TWA 1mg/m ³	REL-TWA 0.1mg/m ³	PEL-TWA 1mg/m ³
7439-89-6	N/A	N/A	N/A
7732-18-5	N/A	N/A	N/A
7782-42-5 TLV-TWA	TLV-TWA 2mg/m ³	REL-TWA 2.5mg/m ³	PEL-TWA 15mppcf
	TEV-TVVA Zilig/ili	INCLE TWA 2.5HIg/III	PEL-TWA 20mppcf
1333-86-4	TLV-TWA 3.5mg/m ³	REL-TWA 3.5mg/m ³	PEL-TWA 3.5mg/m ³

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

General information

Appearance: Black and red. Form: Cylindrical. Not available. Odour: Not available. Odour threshold: Not available. :Ha Melting point/freezing point: Not available. Not available. Initial boiling point and boiling range:



宁波实验室: (0574)87736499

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 合肥实验室: (0551)63843474 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 8 of 12

Not available. Flash Point: Not available. Evaporation rate: Not available. Flammability (solid, gas): Explosion Limits (vol% in air): Not available. Vapour pressure, kPa at 20°C: Not available. Not available. Vapor density: Density/Relative density (water = 1): Not available. Not available. Solubility(ies): Not available. Partition coefficient: n-octanol/water: Auto-ignition temperature: Not available. Decomposition temperature: Not available. Not available. Viscosity:

Other information:

Voltage 1.5V

Section 10 - Stability and Reactivity

Reactivity: No data available. Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	No. LC50/LD50		
7439-96-5	LD50 Rat (oral): 9000mg/kg		
7440-66-6	LD50 Rat (oral): >2000mg/kg		
7440-50-8	No data available.		
7439-89-6	No data available.		
7732-18-5	No data available.		
7782-42-5	No data available.		
1333-86-4	LD50 Rat (oral): 15400mg/kg		

宁波实验室: (0574)87736499

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 合肥实验室: (0551)63843474 广州实验室: (020)89224310 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 9 of 12

Skin irritation/corrosion:

Eye danage/irritation: No data available.

Respiratory or Skin sensitisation: No data available. Reproductive Cell Mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive Toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available. Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Potential Health Effects: No data available.

Inhalation: No data available. Skin contact: No data available. Eye contact: No data available. Ingestion: No data available.

Section 12 - Ecological Information

Ecological Toxicity:

CAS# 7440-66-6

ErC50: 0.15 mg/L - Algae (Pseudokirchneriella subcapitata) - 72h

Persistence and degradability: No data available. Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13 - Disposal Considerations

Disposal methods:

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information



Road, Nanshan District, Shenzhen, Guangdong, China

www.ponytest.com

Pony Testing International Group Shenzhen Co., Ltd. Address: 1F., Building 6, Zhongxing Industry City, Chuangye 北京实验室: (010)82618116 上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 天津实验室: (022)27360730 郑州实验室: (0371)69350670

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

合肥实验室: (0551)63843474 广州实验室: (020)89224310 厦门实验室: (0592)5568048 成都实验室: (028)87702708





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 10 of 12

UN Number	
IATA, IMDG, Model Regulation	N/A
UN Proper shipping name	
IATA, IMDG, Model Regulation	N/A ·
Transport hazard class(es)	
IATA, IMDG, Model Regulation	Not Subjected for transport of dangerous goods
Packing group	
IATA, IMDG, Model Regulation	N/A
Packaging Sign	
IATA, IMDG, Model Regulation	N/A
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.

Transport information: Dry Battery AAA R03P UM4 1.5V is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) DGR 59th, IATA Special Provisions A123, International Martine Dangerous Goods Regulations (IMDG) (38-16), or the « Recommendations on the Transport of Dangerous Goods Model Regulations (20th).

S.P.A123 This entry applies to Batteries, electric storage, not otherwise listed in Subsection 4.2-List of Dangerous Goods. Examples of such batteries are: alkali-manganese, zinc-carbon and nickel-cadmium batteries. Any electrical battery or battery powered device, equipment or vehicle having the potential of a dangerous evolution of heat must be prepared for transport so as to prevent

- (a) a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or, in the case of equipment, by disconnection of the battery and protection of exposed terminals); and
- (b) accidental activation

The words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.

Transport Fashion: By air, by sea, by railway, by road.

Road, Nanshan District, Shenzhen, Guangdong, China





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 11 of 12

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
7439-96-5	Listed	Listed	Listed DSL	Listed
7440-66-6	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
7439-89-6	Listed	Listed	Listed DSL	Listed
7732-18-5	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
1333-86-4	Listed	Listed	Listed DSL	Listed

Section 16 - Other Information

Issue Time: 2018-02-07

Issue Department: Technical department

Modification record: Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value) TWA: (Time Weighted Average); STEL: (Short Term Exposure Limit);



Road, Nanshan District, Shenzhen, Guangdong, China





Report No.: MMICOPJW42483716 Date: 02.07.2018 Page 12 of 12

Pony Testing International Group

PEL: (Permissible Exposure Level):

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-time weighted average);

PC-TWA: (Permissible concentration-short time exposure limit);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model

Regulations):

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada)

End of report

Pony Testing International Group Shenzhen Co., Ltd.

Road, Nanshan District, Shenzhen, Guangdong, China

Address: 1F., Building 6, Zhongxing Industry City, Chuangye