

Report No.: W07023032916D~1

MSDS Report

Samples

Nickel Metal Hydride Battery (Ni-MH SC battery)

Client

Dongguan Victory Battery Technology Co., LTD

Client Address

Huilong Industrial Area, Huilong Rd., Dakan Village, Huangjiang Town, Dongguan City, Guangdong Provice, PRC 523760

> No.: W07023032916D Code: p6ucm0

PONY as indirect L."PON "PONY

, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and own in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and e of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This inditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

e, namely, each code corresponds with only one "Test Report". 1g paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. curity print under any circumstances ith watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com

@Hotline 400-819-5688

Road, Haidian District, Beijing (010)82618116 Fax: (010)82619629 E-mail: pony@ponytest.com

(021)64856403

YingzhiBuilding,No.49-3,Suzhou Road, HaidianDistrict,Beijing XuhuiDistrict,Shanghai ChuangyeRoad,NanshanDistrict,Shenzhen (010)82618116 (021)64851999 (0755)26050909 (0755)26068336 sz@ponytest.com

No.2-1,KeyuanWeiRoad3,Hi-tech Park,LaoshanDistrict,Qingdao (0532)88706866 (0532)88706877 qd@ponytest.com

Pony Testing International Group

csh@ponytest.com



Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: Nickel Metal Hydride Battery

Battery Type: Ni-MH SC battery

Sample Photo:



Manufacturer: Dongguan Victory Battery Technology Co., LTD

Address: Huilong Industrial Area, Huilong Rd., Dakan Village, Huangjiang Town,

Dongguan City, Guangdong Provice, PRC 523760

Post Code: 523760 Tel: 0769-82605822

Emergency Telephone: 0769-82605822

Fax: 0769-82605811

E-mail: lily@victorybattery.com.cn

Section 2 - Composition/Information on Ingredient

Chemical Composition	Molecular Formula	CAS No.	Weight (%)
Nickel hydroxide	12054-48-7	235-008-5	11 ~ 26
Iron	7439-89-6	231-096-4	12 ~ 13
Cobalt oxide	11104-61-3	215-154-6	8 ~ 15
Lithium hydroxide	1310-65-2	215-183-4	3~10
Potassium hydroxide (Liquid)	1310-58-3	215-181-3	<5
Sodium hydroxide	1310-73-2	212-185-5	<2

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com CHotline 400-819-5688

Tel: (010)82618116 (010)82619629 E-mail: pony@ponytest.com XuhuiDistrict,Shanghai (021)64851999 (021)64856403 csh@ponytest.com

ChuangyeRoad,NanshanDistrict,Shenzhen (0755)26050909 (0755)26068336

No.2-1, Keyuan Wei Road3, Hi-tech Park,LaoshanDistrict,Qingdao (0532)88706866 (0532)88706877



Pony Testing International Group

Hydrogen storage alloy powder	-	-	11 ~ 26
Nylon	_		<2
Others	<u></u> -	<u> </u>	<1

Section 3 - Hazards Identification

No specific health hazards for normal use.

Routes of Entry

Eyes, Skin, Inhalation, Ingestion.

Health Hazards

These chemicals are contained in a sealed can. Risk of exposure occurs only if the battery is mechanically or electrically abused. The most likely risk is acute exposure when a battery vents. Leaking material exposure to skin, eyes may cause irritation. Inhalation of fumes my cause respiratory irritation.

Sign/Symptoms of Exposure

Leaking can cause thermal and chemical burns upon contact with the skin.

Section 4 - First Aid Measures

Eyes

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin

Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.

Inhalation

Remove from exposure and move to fresh air immediately. Use oxygen if available.

Ingestion

Do not induce vomiting. Call a physician immediately.

Section 5 - Fire Fighting Measures

Flash Point: N/A.

Auto-Ignition Temperature: N/A.

Extinguishing Media

CO2, dry chemical.

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

E-mail: pony@ponytest.com

(010)82619629

(021)64856403 csh@ponytest.com

Add: VingzhiBuilding,No.49-3,Suzhou Road, HaidianDistrict,Beijing Road, HaidianDistrict,Beijing Road, MaibuilDistrict,Shanghai ChuangyeRoad,NanshanDistrict,Shenzhen (021)64851999 (0755)26050909 (0755)26068336

No.2-1.KeyuanWeiRoad3,Hi-tech Park, Laoshan District, Qingdao (0532)88706866 (0532)88706877

Special Fire-Fighting Procedures

Self-contained breathing apparatus.

Unusual Fire and Explosion Hazards

Cell may vent when subjected to excessive heat-exposing battery contents.

Hazardous Combustion Products

Carbon monoxide, carbon dioxide, other metallic oxide fumes.

Section 6 - Accidental Release Measures

Steps to be Taken in case Material is Released or Spilled

If the battery is accidental broken and leaks out, wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can. The preferred response is to leave the area and allow the batteries to cool and vapors to dissipate. Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapors. Remove spilled material with absorbent.

Waste Disposal Method

It is recommended to discharge the battery to the end, recycle copper and other metal, handing in the abandoned batteries to related department unified, dispose of the batteries in accordance with approved local, state, and federal requirements. Consult state environmental protection agency and/or federal EPA.

Section 7 - Handling and Storage

The batteries should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

Precautions to be taken in handling and storing

Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

Other Precautions

Do not short or install with incorrect polarity.

Section 8 - Exposure Controls, Personal Protection

Respiratory Protection

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full of part. This Report is insued by PONY subject to its General Conditions of Service, Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report"

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

3."PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

csh@ponytest.com



In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting batteries. Respiratory Protection is not necessary under conditions of normal use.

Other Protective Clothing or Equipment

Not necessary under conditions of normal use.

Personal Protection is recommended for venting batteries: Respiratory Protection, Protective Gloves, Protective Clothing and Safety Glass with side shields.

Section 9 - Physical and Chemical Properties

Nominal Voltage: 7.2V Rated Capacity: 1800mAh.

Appearance Characters: Sliver, Cylindrical, odorless, solid battery.

Section 10 - Stability and Reactivity

Stability

Stable.

Conditions to Avoid

Heating, fire, mechanical abuse and electrical abuse.

Hazardous Decomposition Products

When exposed to fire or extreme heat, batteries may emit toxic fumes.

Section 11 - Toxicological Information

Inhalation, skin contact and eye contact are possible when the battery is opened. Exposure to internal contents, the corrosive fumes will be irritation to skin, eyes and mucous membranes. Overexposure can cause symptoms of non-fibroid lung injury and membrane irritation.

Section 12 - Ecological Information

Environment Effect

When promptly used or disposed the battery does not present environmental hazard. When disposed, keep away from water, rain and snow.

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without a special seal as for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report"

"PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

@Hotline 400-819-5688 www.ponytest.com

Section 13 - Disposal Considerations

Appropriate Method of Disposal of Substance or Preparation

Dispose of the batteries in accordance with approved local, state, and federal requirements. Consult state environmental agency.

Section 14 - Transport Information

Nickel Metal Hydride Battery (Ni-MH SC battery)is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA), International Martine Dangerous Goods Regulations (IMDG), or the 《Recommendations on the Transport of Dangerous Goods Model Regulations ...

Separate batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport.

Note: Products weighing less than 100kg in the Container. (By sea).

Transport Fashion: By air, by sea, by railway, by road.

Section 15 - Regulatory Information

Law Information

《Dangerous Goods Regulation》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《International Maritime Dangerous Goods》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《Classification and code of dangerous goods》

《Occupational Safety and Health Act》 (OSHA)

《Toxic Substances Control Act》 (TSCA)

《Consumer Product Safety Act》(CPSA)

《Federal Environmental Pollution Control Act》 (FEPCA)

《The Oil Pollution Act》(OPA)

《Superfund Amendments and Reauthorization Act Title III (302/311/312/313)》(SARA)

《Resource Conservation and Recovery Act》(RCRA)

《Safety Drinking Water Act》(CWA)

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of a approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit 1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report"

"PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector. www.ponytest.com CHotline 400-819-5688

Road, Haidian District, Beijing

YingzhiBuilding,No.49-3,Suzhou Building35,No.680,GuipingRoad, Building6ofZhongxingIndustryCity, ChuangyeRoad,NanshanDistrict,Shenzhen (0755)26050909

No.2-1,KeyuanWeiRoad3,Hi-tech Park, Laoshan District, Qingdao (0532) 88706866 (0532)88706877



《California Proposition 65》 《Code of Federal Regulations》(CFR) In accordance with all Federal, State and Local laws.

Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Prepared by: Zuojing jing Checked by: Wangzhimin

Approved by:

MSDS Creation Date: July 6, 2012

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

E-mail: pony@ponytest.com

csh@ponytest.com

sz@ponytest.com