

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 18 March 2024

Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name HEAVY DUTY DEGREASER

Other means of identification

Product Code(s) 147HDDEGRS1G, 147HDDEGRS5G, 147HDDEGRS2HG

UN-Number UN1760

Synonyms NDEG

Recommended use of the chemical and restrictions on use

Recommended Use Institutional detergent

Uses advised against No information available

Supplier's details

Manufactured for:
Clark Core Services, LLC
2205 Old Philadelphia Pike
Lancaster, PA 17602
TEL: 1-888-256-6400

Emergency telephone number

Emergency Telephone CHEM-TEL, INC.

Number 24 Hour Emergency Contact 1-800-255-3924

2. HAZARDS IDENTIFICATION

Classification

Signal Word**Danger****Hazard Statements**

- Causes severe skin burns and eye damage

**Appearance** Clear**Physical State** Liquid.**Odor** No information available**Precautionary Statements****Prevention**

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

General Advice

- Immediately call a POISON CENTER or doctor/physician

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Ingestion

- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

- Store locked up

Disposal

- Dispose of contents/container to an approved waste disposal plant

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Harmful to aquatic life with long lasting effects

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Synonyms**

NDEG

Chemical Name	CAS-No	Weight %	Trade secret
2-Butoxyethanol	111-76-2	5-10	*
Potassium Hydroxide	1310-58-3	5-10	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.

Skin Contact Wash off with warm water and soap. Remove and wash contaminated clothing before re-use. If symptoms persist, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, seek medical attention.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Stop leak if you can do it without risk. If spilled, take caution, as material can cause surfaces to become very slippery.

Environmental Precautions

Environmental Precautions Dispose of contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Stop leak if you can do it without risk

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.
Skin and Body Protection Lightweight protective clothing. Impervious gloves.
Respiratory Protection None required under normal usage. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Clear
Odor	No information available	Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>	
pH	12.0	None known	
Melting Point/Range	No data available	None known	
Boiling Point/Boiling Range	>100 °C / >212 °F	None known	
Flash Point	No data available	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	lower flammability limit	No data
Flammability Limits in Air		available Vapor Pressure	No data
upper flammability limit	No data available	available Vapor Density	No data

available

None known

None known
None known

Relative Density	No data available	None known
Specific Gravity	1.044	None known
Water Solubility	100	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known
Flammable Properties	Not flammable	
Explosive Properties	No data available	
Oxidizing Properties	No data available	
<u>Other information</u>		
VOC Content (%)	No data available	

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	No known effect based on information supplied.
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation.
Ingestion	No known effect based on information supplied

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit) = 2270 mg/kg (Rat)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Diethylene glycol monobutyl ether	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-

Potassium hydroxide	= 214 mg/kg (Rat)	-	-
---------------------	---------------------	---	---

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 3: Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration Hazard No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 5850 mg/kg; Acute toxicity estimate

LD50 Dermal 13391 mg/kg; Acute toxicity estimate

Inhalation dust/mist 33.9 mg/L; Acute toxicity estimate

Vapor 249 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
2-Butoxyethanol 111-76-2		LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus)		EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna)
Diethylene glycol monobutyl ether 112-34-5	EC50 96 h: > 100 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 1300 mg/L static (Lepomis macrochirus)		EC50 24 h: = 2850 mg/L (Daphnia magna) EC50 48 h: > 100 mg/L (Daphnia magna)
Potassium hydroxide 1310-58-3		LC50 96 h: = 80 mg/L static (Gambusia affinis)		

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
2-Butoxyethanol	0.81
Potassium hydroxide	0.83

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Potassium hydroxide	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT

UN-Number UN1760
Proper shipping name Corrosive liquids, n.o.s.
Hazard Class 8
Packing Group II
Reportable Quantity (RQ) Potassium hydroxide: RQ kg= 22700.00
Description UN1760, Corrosive liquids, n.o.s. (Potassium hydroxide), 8, II, RQ
Emergency Response Guide Number 154

TDG

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

ICAO

UN-Number UN1760
Proper shipping name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
Description UN1760, Corrosive liquid, n.o.s., 8, II

IATA

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
ERG Code 8L
Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

IMDG/IMO

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
EmS No. F-A, S-B
Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

RID

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
Classification Code C9
Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

ADR

UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C9
Tunnel Restriction Code	(E)
Description	UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II, (E)
ADR/RID-Labels	8

ADN

Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C9
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II
Limited Quantity	1 L

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	Complies
EINECS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	5-10	1.0
Diethylene glycol monobutyl ether	112-34-5	5-10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
----------------------	------------------------------------	-------------------------------	----------------------------------	-----------------------------------

Potassium hydroxide	1000 lb			X
---------------------	---------	--	--	---

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
2-Butoxyethanol	X	X	X	X	X
Diethylene glycol monobutyl ether	X		X	X	
Potassium hydroxide	X	X	X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 2	Flammability 0	Physical Hazard 0	Personal Protection X

Revision Date

18 MARCH 2024

Revision Note

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet