



# Hometown Provisions All Purpose Cooking Spray (1001195818)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 4/14/2026

Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Hometown Provisions All Purpose Cooking Spray (1001195818)

**Product Code:** Includes all sizes and Product Codes

#### 1.2. Intended Use of the Product

Cooking Spray (food grade)

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

Conagra Brands®

9 Conagra Dr.

Omaha, NE 68102

United States

[www.conagra.com](http://www.conagra.com)

Customer Service: US 1-877-CONAGRA or Canada 1-800-461-4556

#### 1.4. Emergency Telephone Number

**Emergency Number** : 1-800-424-9300

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US/CA Classification

Flam. Aerosol 1            H222

Press. Gas (Diss.)        H280

Simple Asphy

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label Elements

##### GHS-US/CA Labeling

**Hazard Pictograms (GHS-US/CA)** :



**Signal Word (GHS-US/CA)** : Danger

**Hazard Statements (GHS-US/CA)** : H222 - Extremely flammable aerosol.  
H280 - Contains gas under pressure; may explode if heated.  
May displace oxygen and cause rapid suffocation.

**Precautionary Statements (GHS-US/CA)** : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P403 - Store in a well-ventilated place.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other Hazards

Use only as directed. Deliberately concentrating and inhaling the contents can be harmful or fatal. Intentional inhalation may cause narcotic-like effects resulting in oxygen deficiency, a risk of unconsciousness as well as central nervous system depression. Symptoms include headache, dizziness, or loss of breath. For more education about product abuse, contact the Alliance for Consumer Education at [www.consumered.org](http://www.consumered.org). Contents under pressure. Do not expose to temperatures above 50°C/ 122°F. Do not puncture or incinerate

# Hometown Provisions All Purpose Cooking Spray (1001195818)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

can. Keep out of the reach of children. Choking hazard; cap contains small parts. Exposure may aggravate pre-existing eye, skin, or respiratory conditions. Contact with gas escaping the container can cause frostbite.

### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Canola oil	Oils, glyceridic, canola / Low erucic acid rapeseed oil / CANOLA OIL / Rapeseed oil, low erucic acid	(CAS-No.) 120962-03-0	60-100	Not classified
Petroleum gases, liquefied, sweetened	Petroleum gases, liquefied, sweetened / Petroleum gases, liquefied, sweetened - petroleum gas / Petroleum gases, liquefied, sweetened (A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3-7 and boiling in the range of approximately -40 to 80°C.) / Petroleum gases, liquefied, sweetened (A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3-7 and boiling in the range of approximately -40-80°C.) / Liquefied petroleum gas, sweetened / Petroleum gases, liquefied, sweetened; Petroleum gas [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40°C to 80°C (-40°F to 176°F).]	(CAS-No.) 68476-86-8	10-30	Flam. Gas 1, H220 Press. Gas (Liq.), H280
Lecithins	Soybean lecithin / Lecithin / Lecithins (The complex combination of diglycerides of fatty acids linked to the choline ester of phosphoric acid.) / LECITHIN / L-.alpha.-Lecithin, soybean / L-.alpha.-Lecithin	(CAS-No.) 8002-43-5	3-7	Not classified

Full text of H-statements: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Immediately remove contaminated clothing. Wash with plenty of soap and water. Obtain medical attention if irritation develops or persists. **If frostbite or freezing from exposure to aerosol occurs:** Thaw frosted parts with lukewarm water. Do not rub affected area.

**Eye Contact:** Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Contact with gas escaping the container can cause frostbite. Asphyxia by lack of oxygen: risk of death.

**Inhalation:** In elevated concentrations may cause asphyxiation, central nervous system effects, and increased breathing rate.

Symptoms of asphyxiation include headache, dizziness, rapid breathing, increased pulse, mood changes, tremors, cyanosis, muscular weakness, narcosis, numbness of the extremities, unconsciousness and death.

**Skin Contact:** Contact with gas/liquid escaping the container can cause frostbite and freeze burns.

**Eye Contact:** Contact with gas/liquid escaping the container can cause frostbite, freeze burns, and permanent eye damage.

# Hometown Provisions All Purpose Cooking Spray (1001195818)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Ingestion:** Not considered a potential route of exposure, but contact with gas/liquid escaping the container can cause freeze burns and frostbite.

**Chronic Symptoms:** None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, dry chemical, or sand.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Flammable aerosol.

**Explosion Hazard:** Container may explode in heat of fire. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

**Reactivity:** Reacts violently with strong oxidizers. Increased risk of fire or explosion.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Fight fire remotely due to the risk of explosion. DO NOT fight fire when fire reaches containers. Evacuate area.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Under fire conditions this material may produce hazardous carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), various low molecular weight hydrocarbons, and smoke.

### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors, spray.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Eliminate ignition sources first, then ventilate the area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Evacuate unnecessary personnel, isolate, and ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Stop leak, if possible without risk. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Stop the source of the release, if possible and safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Clean up spills immediately and dispose of waste safely. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Do not pressurize, cut, or weld containers. Ruptured cylinders may rocket. Pressurized container: may burst if heated. Do not pierce or burn, even after use. Asphyxiating gas at high concentrations. Slips and falls may occur in areas where overspray has occurred.

# Hometown Provisions All Purpose Cooking Spray (1001195818)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Precautions for Safe Handling:** Take precaution to prevent slips and falls in and around areas of repeated use, where drift of aerosolized oil may collect. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Do not spray on an open flame or other ignition source. Do not breathe gas/mists/spray/vapors.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

**Storage Conditions:** Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Keep only in the original container in a cool, well ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

**Storage Temperature:** < 50°C / 122°F. Store product according to NFPA 30B Guidance for Aerosol Cooking Sprays.

### 7.3. Specific End Use(s)

Cooking Spray (food grade)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. If exceeding applicable exposure limit(s), use local exhaust ventilation, when possible, to remove and prevent buildup of any aerosolized oils and vapors generated from the use or handling of this product.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles or safety glasses with side shields.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** Respiratory protection not normally required. NIOSH/MSHA approved positive-pressure self-contained breathing apparatus (SCBA) or Type C positive-pressure supplied air with escape bottle must be used for Gas concentrations above occupational exposure limits, for potential of uncontrolled release, if exposure levels are not known, or in an oxygen-deficient atmosphere. Refer to OSHA 29 CFR 1910.134, ANSI Z88.2-1992, NIOSH Respirator Decision Logic, and the manufacturer for additional guidance on respiratory protection selection.

**Thermal Hazard Protection:** If material is cold, wear thermally resistant protective gloves.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Gas
Appearance	: Clear to light yellow aerosol
Odor	: Odorless
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available

# Hometown Provisions All Purpose Cooking Spray (1001195818)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

<b>Flammability (solid, gas)</b>	: No data available
<b>Lower Flammable Limit</b>	: No data available
<b>Upper Flammable Limit</b>	: No data available
<b>Vapor Pressure</b>	: 3.22 – 3.81 atm [46-56 psia] (21 °C / 70 °F)
<b>Relative Vapor Density at 20°C</b>	: > 1 [Air = 1]
<b>Relative Density</b>	: No data available
<b>Density</b>	: 6.8679 lb/gal
<b>Specific Gravity</b>	: No data available
<b>Solubility</b>	: Water: Slight
<b>Partition Coefficient: N-Octanol/Water</b>	: No data available
<b>Viscosity</b>	: No data available
<b>Explosive Properties</b>	: Contains gas under pressure; may explode if heated

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity:

Reacts violently with strong oxidizers. Increased risk of fire or explosion.

### 10.2. Chemical Stability:

Contains gas under pressure; may explode if heated. Flammable aerosol. Pressurized container: may burst if heated.

### 10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, open flames, sources of ignition and incompatible materials. Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

### 10.5. Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

### 10.6. Hazardous Decomposition Products:

Under fire conditions this material may produce hazardous carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), various low molecular weight hydrocarbons, and smoke.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

**LD50 and LC50 Data:** No additional information available

**Skin Corrosion/Irritation:** Not classified

**Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** In elevated concentrations may cause asphyxiation, central nervous system effects, and increased breathing rate. Symptoms of asphyxiation include headache, dizziness, rapid breathing, increased pulse, mood changes, tremors, cyanosis, muscular weakness, narcosis, numbness of the extremities, unconsciousness and death.

**Symptoms/Injuries After Skin Contact:** Contact with gas/liquid escaping the container can cause frostbite and freeze burns.

**Symptoms/Injuries After Eye Contact:** Contact with gas/liquid escaping the container can cause frostbite, freeze burns, and permanent eye damage.

**Symptoms/Injuries After Ingestion:** Not considered a potential route of exposure, but contact with gas/liquid escaping the container can cause freeze burns and frostbite.

**Chronic Symptoms:** None expected under normal conditions of use.

**Potential Adverse human health effects and symptoms:** Based on available data, the classification criteria are not met.

### 11.2. Information on Toxicological Effects - Ingredient(s)

# Hometown Provisions All Purpose Cooking Spray (1001195818)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LD50 and LC50 Data: No additional information available

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecology - General: Not classified.

### 12.2. Persistence and Degradability

Hometown Provisions All Purpose Cooking Spray (1001195818)

Persistence and Degradability	Not established.
-------------------------------	------------------

### 12.3. Bioaccumulative Potential

Hometown Provisions All Purpose Cooking Spray (1001195818)

Bioaccumulative Potential	Not expected to bioaccumulate.
---------------------------	--------------------------------

Petroleum gases, liquefied, sweetened (68476-86-8)

Partition coefficient n-octanol/water (Log Pow)	≤ 2.8
---	-------

### 12.4. Mobility in Soil

Hometown Provisions All Purpose Cooking Spray (1001195818)

Ecology - Soil	Binds to clay particles. Floats on water.
----------------	---

### 12.5. Other Adverse Effects

Other Adverse Effects: None known.

Other Information: Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Treatment Methods:** Incineration is the preferred method for disposal of waste product. . Can be landfilled, when in compliance with local regulations.

**Sewage Disposal Recommendations:** Disposal must be done according to official regulations.

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations, Do not pierce or burn, even after use

**Additional Information:** Do not puncture or incinerate container.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

Proper Shipping Name : AEROSOLS

Hazard Class : 2.1

Identification Number : UN1950

Label Codes : 2.1

ERG Number : 126



### 14.2. In Accordance with IMDG

Proper Shipping Name : AEROSOLS

Hazard Class : 2.1

Identification Number : UN1950

Label Codes : 2.1

EmS-No. (Fire) : F-D

EmS-No. (Spillage) : S-U



### 14.3. In Accordance with IATA

Proper Shipping Name : AEROSOLS, FLAMMABLE

Hazard Class : 2.1

Identification Number : UN1950

Label Codes : 2.1

ERG Code (IATA) : 10L



### 14.4. In Accordance with TDG

# Hometown Provisions All Purpose Cooking Spray (1001195818)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Proper Shipping Name : AEROSOLS  
 Hazard Class : 2.1  
 Identification Number : UN1950  
 Label Codes : 2.1



## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

<b>Hometown Provisions All Purpose Cooking Spray (1001195818)</b>	
<b>SARA Section 311/312 Hazard Classes</b>	Physical hazard - Gas under pressure Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Simple asphyxiant
<b>Petroleum gases, liquefied, sweetened (68476-86-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>Canola oil (120962-03-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
<b>EPA TSCA Regulatory Flag</b>	PMN - PMN - indicates a commenced PMN substance.
<b>Lecithins (8002-43-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	

### 15.2. US State Regulations

<b>Hometown Provisions All Purpose Cooking Spray (1001195818)</b>
State or local regulations

### 15.3. Canadian Regulations

<b>Petroleum gases, liquefied, sweetened (68476-86-8)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Canola oil (120962-03-0)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
<b>Lecithins (8002-43-5)</b>	
Listed on the Canadian DSL (Domestic Substances List)	


## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 05/04/2022  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

### GHS Full Text Phrases:

Flam. Aerosol 1	Flammable aerosol Category 1
Flam. Gas 1	Flammable gases Category 1
Press. Gas (Diss.)	Gases under pressure Dissolved gas
Press. Gas (Liq.)	Gases under pressure Liquefied gas
Simple Asphy	Simple Asphyxiant
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H280	Contains gas under pressure; may explode if heated

**NFPA Health Hazard** : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.  
**NFPA Fire Hazard** : 4 - Materials that rapidly or completely vaporize at atmospheric pressure and normal ambient temperature or that are readily dispersed in air and burn readily.  
**NFPA Reactivity Hazard** : 0 - Material that in themselves are normally stable, even under fire conditions.



# Hometown Provisions All Purpose Cooking Spray (1001195818)

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS 2015 (Can, US)