

Revision Date: 09/24/2020 SDS_US - 000000106337

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: RUM EXT IMIT

Other means of identification

 SDS number:
 000000106337

 Pack Codes
 930638, 900057899

Recommended use and restriction on use Recommended use: Food Ingredient

Restrictions on use: For Manufacturing Use Only

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: McCormick and Company, Inc Address: 24 Schilling Road, Suite 1 Hunt Valley, Maryland 21031

USA

Telephone: (410) 771-7500 Fax: (410) 527-6442

Emergency telephone number: 1-800-424-9300 (Chemtrec - North America)

001-703-527-3887 (Chemtrec - International)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 3

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

Unknown toxicity - Health

Acute toxicity, oral 25.07 %
Acute toxicity, dermal 26.06 %
Acute toxicity, inhalation, vapor 26.43 %
Acute toxicity, inhalation, dust or mist 55.53 %

Label Elements

Hazard Symbol:

Product identifier: RUM EXT IMIT

1/13



Revision Date: 09/24/2020 SDS_US - 000000106337



Signal Word: Warning

Hazard Statement: Flammable liquid and vapor.

Causes serious eye irritation.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container tightly closed. Ground and bond

container and receiving equipment. Use explosion-proof

[electrical/ventilating/lighting] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. In case of fire: Use alcohol resistant foam to extinguish. Use carbon dioxide to extinguish. Use dry chemical powder to extinguish. Use water to extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

Static accumulating flammable liquid can become electrostatically charged

even in bonded and grounded equipment.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Ethyl Alcohol	64-17-5	20 - <50%
Trade Secret	Trade Secret	0.1 - <1%
Trade Secret	Trade Secret	0.1 - <1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Trade secret information: A specific chemical identity and/or percentage of composition has been

withheld as a trade secret.

4. First-aid measures



Revision Date: 09/24/2020 SDS_US - 000000106337

Description of necessary first-aid measures

Inhalation: Move to fresh air.

Skin Contact: Get medical attention if symptoms occur. Take off immediately all

contaminated clothing. Rinse skin with water [or shower].

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Get medical attention.

Ingestion: Rinse mouth thoroughly.

Personal Protection for First-

aid Responders:

Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Water may be

ineffective in fighting the fire. Fight fire from a protected location. Move

containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Use fire-

extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of

vapors or gases to explosive concentrations.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

Product identifier: RUM EXT IMIT 3/13



Revision Date: 09/24/2020 SDS US - 000000106337

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Accidental release measures: Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and

disposal. In case of leakage, eliminate all ignition sources.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation):

No data available.

Safe handling advice: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. EMPTY CONTAINER WARNING: Empty containers may retain residue (including vapors) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to refill or clean container since residue is difficult to remove. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. All containers should be disposed of in an

environmentally safe manner and in accordance with government

regulations.

Contact avoidance measures: No data available.

Hygiene measures: Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke.

Storage

Safe storage conditions: Store in a well-ventilated place. Store in a cool place.

Safe packaging materials: No data available.

Storage Temperature: No data available.

Product identifier: RUM EXT IMIT 4/13



Revision Date: 09/24/2020 SDS_US - 000000106337

8. Exposure controls/personal protection

Control Parameters Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values		Source
Ethyl Alcohol	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	1,000 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
	ST ESL		1,910 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL		1,880 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL		1,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	STESL		1,010 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	TWA PEL	1,000 ppm	1,900 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
Trade Secret	TWA	400 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	400 ppm	1,400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	400 ppm	1,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	400 ppm	1,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	400 ppm	1,400 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
	STESL		390 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL		400 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL		1,440 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	STESL		1,400 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	TWA PEL	400 ppm	1,400 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended



Revision Date: 09/24/2020 SDS_US - 000000106337

STEL	100 ppm		US. ACGIH Threshold Limit Values, as amended
REL	100 ppm	300 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
PEL	100 ppm	300 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
TWA	100 ppm	300 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
TWA	100 ppm	300 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
STESL		3,000 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
AN ESL	-	300 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
ST ESL		1,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
AN ESL	-	100 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
TWA PI	EL 100 ppm	300 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended

Please refer to the latest edition of the appropriate source text and consult an industrial hygienist or similar professional, or local agencies, for further information.

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels

to an acceptable level. Use explosion-proof ventilation equipment.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Skin and Body Protection: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Product identifier: RUM EXT IMIT 6/13



Revision Date: 09/24/2020 SDS_US - 000000106337

9. Physical and chemical properties

Appearance

Physical state: Liquid Form: Liquid

Color: Clear, Light orange
Odor: Rum-like, Creamy
Odor Threshold: No data available.
pH: No data available.
Freezing point: No data available.
Boiling Point: No data available.

Flash Point: 82 °F

Evaporation Rate: No data available. Flammability (solid, gas): No data available. No data available. **Explosive limit - upper: Explosive limit - lower:** No data available. Vapor pressure: No data available. Vapor density (air=1): No data available. Density: No data available. Relative density: No data available.

Solubility in Water: The product is soluble in water.

Solubility (other): No data available. Partition coefficient (n-octanol/water): No data available. **Self Ignition Temperature:** No data available. **Decomposition Temperature:** No data available. No data available. Kinematic viscosity: Dynamic viscosity: No data available. **Explosive properties:** No data available. Oxidizing properties: No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Heat, sparks, flames.

Incompatible Materials: No data available.

Hazardous Decomposition

No data available.

Products:

Product identifier: RUM EXT IMIT 7/13



Revision Date: 09/24/2020 SDS_US - 000000106337

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: Causes serious eye irritation.

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 9,032.2 mg/kg

Dermal

Product: ATEmix: 5,804.07 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Components:

Trade Secret NOAEL (Mouse(Male), Oral, 90 d): < 9,700 mg/kg Oral Read-across from

supporting substance (structural analogue or surrogate), Supporting study NOAEL (Rat(female), Oral, 90 d): < 4,400 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Supporting study NOAEL (Rat(Male), Inhalation, 13 Weeks): > 1,500 ppm(m) Inhalation

Experimental result, Supporting study

LOAEL (Rabbit, Inhalation): 5 mg/l Inhalation Experimental result,

Supporting study

NOAEL (Rat(Female, Male), Oral, 90 - 92 d): 900 mg/kg Oral Experimental

result, Key study

Skin Corrosion/Irritation

Product: No data available.

Components:

Product identifier: RUM EXT IMIT 8/13



Revision Date: 09/24/2020 SDS_US - 000000106337

Ethyl Alcohol in vivo (Rabbit): Not irritating

in vivo (Human): Not irritating in vivo (Rabbit): Not irritating

in vivo (Rabbit): Moderately irritating

in vivo (Rabbit): Not irritating

in vivo (Rabbit): Moderately irritating

in vivo (Human): Not irritating in vivo (Rabbit): Not irritating

in vivo (Rabbit): Moderately irritating in vivo (Rabbit): Moderately irritating in vivo (Rabbit): Slightly irritating in vivo (Rabbit): ambiguous in vivo (Rabbit): Not irritating in vivo (Rabbit): Slightly irritating

in vivo (Rabbit): not irritating (but reversibility not established due to short

observation period)

in vivo (Rabbit): Not irritating

in vivo (Human): slightly irritating under extreme repeat dose situations

in vivo (Rabbit): Slightly irritating in vivo (Rabbit): ambiguous in vivo (Rabbit): Not irritating in vivo (Rabbit): Not irritating

in vivo (Rabbit): not irritating (but reversibility not established due to short

observation period)

in vivo (Rabbit): ambiguous in vivo (Rabbit): Not irritating in vivo (Rabbit): Slightly irritating

in vivo (Rabbit): not irritating (but reversibility not established due to short

observation period)

in vivo (Rabbit): ambiguous in vivo (Rabbit): Not irritant

in vivo (Rabbit): Slightly irritating in vivo (Rabbit): Slightly irritating in vivo (Rabbit): Not irritant in vivo (Rabbit): unreliable

in vivo (Rabbit): Not irritant

Irritating **Trade Secret**

Serious Eye Damage/Eye Irritation

Trade Secret

Product: No data available.

Components:

Ethyl Alcohol Rabbit, 24 - 72 hrs: Category 2A

Irritating Trade Secret

Slightly irritating

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

9/13 Product identifier: RUM EXT IMIT



Revision Date: 09/24/2020 SDS_US - 000000106337

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Components:

Trade Secret LC 50 (Fathead minnow (Pimephales promelas), 24 h): 180 - 320 mg/l

Mortality

LC 50 (Medaka, high-eyes (Oryzias latipes), 24 h): 1,500 mg/l Mortality LC 50 (Indian catfish (Heteropneustes fossilis), 24 h): 300.65 - 324.81 mg/l

Mortality

LC 50 (Fathead minnow (Pimephales promelas), 24 h): 340 mg/l Mortality LC 50 (Medaka, high-eyes (Oryzias latipes), 24 h): 900 mg/l Mortality

Aquatic Invertebrates

Product identifier: RUM EXT IMIT 10/13



Revision Date: 09/24/2020 SDS_US - 000000106337

Product: No data available.

Components:

Trade Secret EC 50 (Water flea (Daphnia magna), 24 h): 2,306 mg/l Intoxication

EC 50 (Brine shrimp (Artemia salina), 24 h): 306.9 - 389.9 mg/l Intoxication EC 50 (Brine shrimp (Artemia salina), 24 h): 588.8 - 704.7 mg/l Intoxication

LC 50 (Water flea (Daphnia magna), 48 h): 786 mg/l Mortality LC 50 (Water flea (Daphnia magna), 48 h): 819 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Components:

Trade Secret NOAEL (Pimephales promelas, 32 d): > 75.6 mg/l Experimental result,

Weight of Evidence study

NOAEL (Pimephales promelas, 32 d): < 9.65 mg/l Experimental result,

Weight of Evidence study

Aquatic Invertebrates

Product: No data available.

Components:

Trade Secret EC 50 (Daphnia magna, 24 h): 2,306 mg/l Experimental result, Key study

NOAEL (Daphnia magna, 21 d): 2.4 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Components:

Trade Secret Green algae (Chlorella fusca vacuolata), Bioconcentration Factor (BCF):

13,500 (Static)

Leuciscus idus, Bioconcentration Factor (BCF): 30 Aquatic sediment

Experimental result, Key study

Rat, Bioconcentration Factor (BCF): 8.6 Terrestrial Experimental result,

Supporting study

Bioconcentration Factor (BCF): 3,300 Aquatic sediment Experimental result,

Supporting study

Chlorella fusca var. vacuolata, Bioconcentration Factor (BCF): 13,500

Aquatic sediment Experimental result, Supporting study

Product identifier: RUM EXT IMIT 11/13



Revision Date: 09/24/2020 SDS_US - 000000106337

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Components:

Ethyl Alcohol Log Kow: -0.31

Trade Secret Log Kow: 0.73

Log Kow: > 0.66 - < 0.73 25 °C No Other, Supporting study

Mobility in soil: No data available.

Components:

Ethyl Alcohol No data available.
Trade Secret No data available.
Trade Secret No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1197

UN Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

Transport Hazard Class(es)

Class: 3 Label(s): LTQT

EmS No.:

Packing Group:

Special precautions for user: Not regulated.

IATA Cargo

UN Number: UN 1197

UN Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

Transport Hazard Class(es):

Class:

Label(s): LTQT, AELG, PKOR, PSN1, UN1

Packing Group: III
Environmental Hazards: No
Marine Pollutant No

Product identifier: RUM EXT IMIT 12/13



Revision Date: 09/24/2020 SDS_US - 000000106337

Special precautions for user: Not regulated. Cargo aircraft : Allowed. Y344

IMDG

UN Number: UN 1197

UN Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

Transport Hazard Class(es)

Class:

Label(s): LTQT, PKOR, PSN1, UN1

EmS No.: F-E, S-D Packing Group III

Special precautions for user: Not regulated.

15. Regulatory information

If you have any questions regarding regulatory information relative to this product, including State or national inventories, please contact McCormick at either Regulatory@McCormick.com or 410-771-7665.

16.Other information, including date of preparation or last revision

Issue Date: 09/24/2020

Version #: 00001.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.