according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

Date of last issue: 29.10.2019 Version Revision Date: Print Date: Date of first issue: 19.12.2016 19.06.2020 2.4 07.04.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Klüberpaste UH1 84-201

Article-No. 005113

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Lubricant

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company Klüber Lubrication München

> Geisenhausenerstr. 7 81379 München Deutschland

Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333 info@klueber.com

E-mail address of person mcm@klueber.com

responsible for the SDS Material Compliance Management

National contact Klüber Lubrication Deutschland

Geisenhausenerstraße 7

81379 München Deutschland

Tel.: +49 89 7876 0 Fax: +49 89 7876 565

customer.service.de@klueber.com

www.klueber.com

1.4 Emergency telephone number

Emergency telephone num- : +49 89 7876 700 (24 hrs)

ber

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

 Version
 Revision Date:
 Date of last issue: 29.10.2019
 Print Date:

 2.4
 07.04.2020
 Date of first issue: 19.12.2016
 19.06.2020

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting ef-

fects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

PTFE

solid lubricant

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
sodium benzoate	532-32-1 208-534-8 01-2119460683-35- XXXX	Eye Irrit.2; H319		>= 1 - < 10
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	95-38-5 202-414-9 01-2119777867-13- XXXX	Acute Tox.4; H302 Skin Corr.1C; H314 Eye Dam.1; H318 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/1	>= 0,25 - < 1
N-methyl-N-[C18- (unsaturat- ed)alkanoyl]glycine	701-177-3 01-2119488991-20- XXXX	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic3;	M-Factor: 1/	>= 0,25 - < 1



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

		H412	
Substances with a work	place exposure limit:		
Ethylene, tetrafluoro-, polymer	9002-84-0 618-337-2	Not classified	>= 20 - < 30
magnesium oxide	1309-48-4 215-171-9	Not classified	>= 10 - < 20

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Remove contaminated clothing. If irritation develops, get med-

ical attention.

Wash off with soap and water. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Fire may cause evolution of:

Carbon oxides

Halogenated compounds

Metal oxides

Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### **Occupational Exposure Limits**

•				
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethylene, tetrafluo- ro-, polymer	9002-84-0	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900 (2014-04-02)
Peak-limit: excur- sion factor (catego-	2;(II)			



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

ry)	I			
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900 (2014-04-02)
Peak-limit: excursion factor (category)	2;(II)			
magnesium oxide	1309-48-4	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900 (2014-04-02)
Peak-limit: excursion factor (category)	2;(II)			
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900 (2014-04-02)
Peak-limit: excursion factor (category)	2;(II)			
sodium benzoate	532-32-1	AGW (Inhalable fraction)	10 mg/m3 (benzoate)	DE TRGS 900 (2018-05-02)
Peak-limit: excursion factor (category)	2;(II)			
Further information	Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
N-methyl-N-[C18- (unsaturat- ed)alkanoyl]glycine	Not As- signed	AGW (Inhalable fraction)	0,05 mg/m3	DE TRGS 900 (2019-03-29)
Peak-limit: excursion factor (category)	2;(II)			

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium benzoate	Workers	Inhalation	Long-term systemic effects	3 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,1 mg/m3
	Workers	Skin contact	Long-term systemic effects	62,5 mg/kg bw/day
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	Workers	Skin contact	Long-term systemic effects	0,06 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,46 mg/m3
	Workers	Skin contact	Acute systemic effects	2 mg/kg
	Workers	Inhalation	Acute systemic effects	14 mg/m3



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

N-methyl-N-[C18- (unsaturat- ed)alkanoyl]glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
sodium benzoate	Fresh water	0,13 mg/l
	Marine water	0,013 mg/l
	Intermittent use/release	0,305 mg/l
	Microbiological Activity in Sewage Treat- ment Systems	10 mg/l
	Fresh water sediment	1,76 mg/kg
	Marine sediment	0,176 mg/kg
	Soil	0,276 mg/kg dry weight (d.w.)
	Oral	300 mg/kg
2-(2-heptadec-8-enyl-2- imidazolin-1-yl)ethanol	Fresh water	0,00003 mg/l
	Marine water	0,000003 mg/l
	Fresh water sediment	0,376 mg/kg
	Marine sediment	0,0376 mg/kg
	Soil	0,075 mg/kg
N-methyl-N-[C18- (unsaturated)alkanoyl]glycine	Fresh water	0,00043 mg/l
	Marine water	0,000043 mg/l
	Microbiological Activity in Sewage Treat-	1 mg/l
	ment Systems	
	Fresh water sediment	0,007 mg/kg
	Marine sediment	0,001 mg/kg
	Soil	1,71 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

none

### Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374



according to Regulation (EC) No. 1907/2006 - DE



Klüberpaste UH1 84-201

Version Revision Date: Date of last issue: 29.10.2019 Print Date: 2.4 07.04.2020 Date of first issue: 19.12.2016 19.06.2020

derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : white

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Density : 1,13 g/cm3

(20 °C)

according to Regulation (EC) No. 1907/2006 - DE



Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

## 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

#### 10.6 Hazardous decomposition products



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

Hazardous decomposition

products

: >280 °C danger of forming toxic fluorine-containing pyrolysis

products.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### **Acute toxicity**

**Product:** 

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

**Components:** 

sodium benzoate:

Acute oral toxicity : LD50 (Rat): 3.450 mg/kg

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Acute oral toxicity : LD50 (Rat): 1.265 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 1,05 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Ethylene, tetrafluoro-, polymer:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

magnesium oxide:

Acute oral toxicity : LD50 (Rat, male): 3.870 mg/kg



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

#### Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

sodium benzoate:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive, category 1C - where responses occur after expo-

sures between 1 hour and 4 hours and observations up to 14

days.

GLP : yes

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit

Assessment : Irritating to skin. Result : Irritating to skin.

Ethylene, tetrafluoro-, polymer:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

sodium benzoate:

Species : Rabbit

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Result : Irritating to eyes.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Rabbit Assessment : Corrosive



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

Version Revision Date: Date of last issue: 29.10.2019 Print Date: 2.4 07.04.2020 Date of first issue: 19.12.2016 19.06.2020

Method : OECD Test Guideline 405

Result : Corrosive

## N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit

Assessment : Risk of serious damage to eyes. Result : Risk of serious damage to eyes.

### Ethylene, tetrafluoro-, polymer:

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

### Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

#### Components:

#### sodium benzoate:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals. Result : Did not cause sensitisation on laboratory animals.

#### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

#### Ethylene, tetrafluoro-, polymer:

Assessment : Did not cause sensitisation on laboratory animals. Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available



according to Regulation (EC) No. 1907/2006 - DE



Klüberpaste UH1 84-201

Version Revision Date: Date of last issue: 29.10.2019 Print Date: 2.4 07.04.2020 Date of first issue: 19.12.2016 19.06.2020

Genotoxicity in vivo : Remarks: No data available

**Components:** 

sodium benzoate:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Species: Rat

Method: OECD Test Guideline 475

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

sodium benzoate:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Ethylene, tetrafluoro-, polymer:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

**Components:** 

sodium benzoate:



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

Reproductive toxicity - As- : No toxicity to reproduction sessment : No effects on or via lactation

### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Reproductive toxicity - Assessment
: Animal testing did not show any effects on fertility.
Did not show teratogenic effects in animal experiments.

### STOT - single exposure

### **Components:**

## Ethylene, tetrafluoro-, polymer:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

### STOT - repeated exposure

#### **Components:**

# 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Exposure routes : Ingestion

Target Organs : Digestive organs, thymus gland

Assessment : May cause damage to organs through prolonged or repeated

exposure.

#### Ethylene, tetrafluoro-, polymer:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

## Repeated dose toxicity

#### **Product:**

Remarks : This information is not available.

#### **Components:**

#### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Rat

: 100 mg/kg : 20 mg/kg

NOAEL : 20 mg/kg Application Route : Oral

#### **Aspiration toxicity**

#### **Product:**

This information is not available.



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

#### **Components:**

### Ethylene, tetrafluoro-, polymer:

No aspiration toxicity classification

#### **Further information**

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

## **Components:**

sodium benzoate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 484 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 650 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (microalgae)): > 30,5

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

#### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

according to Regulation (EC) No. 1907/2006 - DE



Klüberpaste UH1 84-201

Version Revision Date: Date of last issue: 29.10.2019 Print Date: 2.4 07.04.2020 Date of first issue: 19.12.2016 19.06.2020

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,3 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,163 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 0,03 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 (activated sludge): 26 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

1

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,43 mg/l

Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,43 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 6,3 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

1

## **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical removabil- : Remarks: No data available

ity

**Components:** 

sodium benzoate:

Biodegradability : Result: rapidly biodegradable

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Biodegradability : Test Type: Primary biodegradation

Result: Not rapidly biodegradable Method: OECD Test Guideline 301B

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 85,2 % Exposure time: 28 d

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

sodium benzoate:

Partition coefficient: n- : log Pow: 1,88

octanol/water

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Bioaccumulation : Bioconcentration factor (BCF): 371,8

Remarks: Does not accumulate in organisms.

Partition coefficient: n-

octanol/water

: log Pow: > 6



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

Version Revision Date: Date of last issue: 29.10.2019 Print Date: 2.4 07.04.2020 Date of first issue: 19.12.2016 19.06.2020

## N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Partition coefficient: n-

octanol/water

: log Pow: 3,5 - 4,2

magnesium oxide:

Partition coefficient: n-

octanol/water

Remarks: Not applicable

## 12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

**Components:** 

sodium benzoate:

Assessment : Non-classified PBT substance. Non-classified vPvB sub-

stance.

Ethylene, tetrafluoro-, polymer:

Assessment : Non-classified vPvB substance. Non-classified PBT sub-

stance.

#### 12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

Harmful to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

according to Regulation (EC) No. 1907/2006 - DE



Klüberpaste UH1 84-201

Version Revision Date: Date of last issue: 29.10.2019 Print Date: 2.4 07.04.2020 Date of first issue: 19.12.2016 19.06.2020

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

## **SECTION 14: Transport information**

14.1 UN number

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

IMDG : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - DE



Klüberpaste UH1 84-201

Date of last issue: 29.10.2019 Version **Revision Date:** Print Date: Date of first issue: 19.12.2016 2.4 07.04.2020 19.06.2020

14.5 Environmental hazards

ADR Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA (Passenger) Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regu-

lation (EC) No 1907/2006 (REACH),

Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances.

preparations and articles (Annex XVII)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water contaminating class

WGK 3 highly hazardous to water

(Germany)

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) Total dust:

others: 44,08 %

Inorganic substances in powdered form:

Not applicable



according to Regulation (EC) No. 1907/2006 - DE



# Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020

Inorganic substances in vapour or gaseous form:

Not applicable

Organic Substances: portion Class 1: 3,72 %

others: 52,2 %

Carcinogenic substances:

Not applicable Mutagenic: Not applicable Toxic to reproduction: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Cana-



according to Regulation (EC) No. 1907/2006 - DE



Klüberpaste UH1 84-201

Version Revision Date: Date of last issue: 29.10.2019 Print Date: 2.4 07.04.2020 Date of first issue: 19.12.2016 19.06.2020

da); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Classification of the mixture:

Classification procedure:

Aquatic Chronic 3 H412 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

according to Regulation (EC) No. 1907/2006 - DE



Klüberpaste UH1 84-201

VersionRevision Date:Date of last issue: 29.10.2019Print Date:2.407.04.2020Date of first issue: 19.12.201619.06.2020