



SDS – CHARCOAL

SECTION 1

Product and Company

Product identifier

Product Name: Jealous Devil All Natural Hardwood Lump Charcoal - 35LB

Brand: Jealous Devil

Synonyms / General names: Non activated Charcoal

Relevant Identified Uses and Uses Advised Against

Use: Barbeque fuel

Details of the supplier of the Safety Data Sheet

Jealous Devil LLC 300 E 2nd St 15th Floor Reno, NV 89501

Emergency telephone number

6615328767

HS Code

4402.90

SECTION 2

Hazard Identification

EMERGENCY OVERVIEW: The following comments refer to the potential dust, not the lumps. Contact with dust will irritate the eyes and the respiratory tract. Avoid strong oxidizing agents.

HAZARD STATEMENTS:

Physical hazards: None

Health hazards: Causes eye irritation

Environmental hazard: None.

PRECAUTIONARY STATEMENTS:

Preventative: Use only outdoors.

Response: None.

Storage: Store in dry place.

CARCINOGENICITY: Not listed by NTP or IARC. Not regulated as a carcinogen by OSHA.

SECTION 3

Composition / information on ingredients.

Charcoal (7440-40-0), 100

SECTION 4

Always seek professional medical attention after first aid measures are provided.



Eyes:

Flush with excess water for 15 minutes, lifting lower and upper eyelids occasionally.

Skin:

Immediately flush skin with excess water for 15 minutes while removing contaminated clothing.

Ingestion:

Call poison Control immediately. Rinse mouth with cold water. Give victim 1-2 cups of water or milk to drink.

Induce vomit immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration.

SECTION 5

Fire Fighting Measures

Flammable solid. When heated to decomposition, emit vapors acres.

Protective equipment and precautions for fire-fighters: Use foam or dry chemical to extinguish the fire.

Fire-fighters should wear full firefighting turn gear and respiratory protection (SCBA).

Cool containers with water spray. The material is not sensitive to mechanical impact. The material is sensitive to static discharge.

SECTION 6

Accidental Release Measures

Use personal protection recommended in section 8. Isolate hazard area and deny entry to unnecessary and unprotected personnel. Eliminate all sources of ignition and ventilate the area. Contain spill with sand or other absorbent material and place material in a sealed bag or container for disposal. Wash spill area after harvesting is completed. See section13 for disposal information.

SECTION 7:

Handling and Storage

Handling: Use with adequate ventilation and avoid breathing dust or vapor. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling.

Storage: Store away from strong oxidizers. Store in a cool, dry, well ventilated place, away from incompatible materials.

SECTION 8

Exposure Controls/ Personal Protection

The use of ventilation to keep airborne concentrations below exposure limits. They approved and eyewash, safety shower, and fire extinguishers available. Wear goggles and chemical resistant clothing



such as gloves and aprons. Wash hands thoroughly after handling material and before eating or drinking. Use an approved respirator with dust cartridge.

SECTION 9

Physical and Chemical Properties

Molecular Formula: C

Appearance: Black lumps, powders or sticks

Molecular Weight: 12.01

Smell: Odorless

Specific gravity: 1,95 mg/ml at 20 °C

Odors threshold: N/A

Solubility: Insoluble

Melting point: N/A

Evaporation rate: N/A (butyl acetate=1)

Boiling point/range: 4200 °C

Partition Coefficient N/A (log POW)

Vapor Pressure: (20 °C) N/A pH N/A

Flashpoint: N/A

LEL: N/A

Auto-ignition temperature N/A

N/A= not available or applicable

SECTION 10

Stability and reactivity

Avoid heat and ignition sources

Stability: Stable under normal use

Incompatibility: Strong oxidizers

SECTION 11

Toxicological Information

Acute Symptoms / Signs of exposure: Eye pain, watery eyes, swollen eyelids, itchy skin and conjunctivitis.

Insensitivity to pain, feeling cold or clammy skin looks white and feels hard and cold.

Ingestion: mental confusion, drowsiness, nausea, vomiting and headache. Irregular breathing. Rapid breathing, headache, fatigue, mental confusion, nausea and vomiting.

Chronic effects: Prolonged skin contact may cause skin dryness or rash.

Sensitization: None expected



Coal: LD50 (oral, nat) N/A, LC50 (rat) N/A; dermal LD50 (rabbit) N/A

The material has not been found to be carcinogen or produce reproductive, developmental or genetic effects.

SECTION 12

Ecological Information

Eco-toxicity (aquatic and terrestrial): environmental impact has not been determinate.

SECTION 13

Disposal considerations

Check with all local, regional and national laws and regulations. Regulations may be stricter than national regulations in the region. Small amounts of this material may be suitable for sanitary sewer or waste disposal.

SECTION 14

Proper Shipping Name: Charcoal not activated.

Hazard Class: Not applicable. This product has been tested according to the Nations Transport of Dangerous Goods test protocol for spontaneously combustible materials. It has been specifically determinate that this product does not meet the definition of self-heating substance or any hazard class, and therefore is not hazardous material and not regulated.

Identification number: Not applicable

Packing Group: Not applicable

Name: Charcoal Not Activate Norma 1361 on UN.

SECTION 15

Regulatory Information:

The product has been classified in accordance with the hazard criteria of Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

SECTION 16

Other Information:

Last revision: 02/13/2024

Update on last revision: to update Section 14 and 15



JEALOUS DEVIL

INFO@JEALOUSDEVIL.COM | 661.532.8767 | WWW.JEALOUSDEVIL.COM