



www.AvantcoRefrigeration.com

UDD Series Beer Dispenser

BASE MODEL #178UDD72HC • OPTIONAL MODELS #178UDD726, #178UDD728

UDD SERIES - BEER DISPENSER

For convenient dispensing of cold ales and lagers.

CABINET CONSTRUCTION

Heavy duty construction includes corrosion-resistant 201 stainless steel interior and black coated steel exterior.

Durable 1½" thick stainless steel top surface is easy to clean after dispensing.

Foamed-in-place CFC- and HCFC-free polyurethane insulation enhances the structural integrity of the cabinet and helps increase energy efficiency.

Solid, locking doors feature stay-open feature beyond 90° for easy keg loading, but will self-close under 90° to save energy.

SHELVING

6 epoxy-coated steel shelves included to optionally store cans or bottles.

DISPENSING SYSTEM

2 double tap towers with 10¼" faucet height makes filling tall glasses easy.

Includes 4 "D" couplers per tap.

REFRIGERATION SYSTEM

Environmentally-safe R290 refrigerant. Bottom-mounted condensing unit positioned for easy maintenance.

MODEL FEATURES

Preprogrammed digital controls with auto defrost feature.

Built-in drip tray with front-facing drain catches drips and sloshes to reduce the amount of clean-up necessary. Drain includes ½" diameter barb for easy installation.

PROJECT: _____

MODEL: _____

ITEM #: _____ QUANTITY: _____

APPROVAL: _____ DATE: _____

SPECIAL FEATURES

- Holds (3) ½ kegs
- (2) double tap towers with 10¼" faucet height
- ¼ hp compressor uses eco-friendly R290 hydrocarbon refrigerant
- 3 self-closing, locking doors
- LED lights illuminate interior
- Includes 4 "D" couplers per tap
- Attractive black coated steel exterior for durability
- 115V



WARRANTY

RESIDENTIAL: Avantco assumes no liability for parts or labor coverage for component failure, factory defect or any other damages for units installed in non-commercial foodservice or residential applications.



05/2019



UDD Series Beer Dispenser

BASE MODEL #178UDD72HC

OPTIONAL MODELS #178UDD726, #178UDD728



www.AvantcoRefrigeration.com

TECHNICAL DATA

Dimensions

| | |
|----------------------|---|
| Exterior Dimensions | 72 $\frac{3}{4}$ "W x 24 $\frac{3}{8}$ "D x 36 $\frac{5}{8}$ "H |
| Interior Dimensions | 60 $\frac{1}{8}$ "W x 18 $\frac{1}{2}$ "D x 28 $\frac{7}{8}$ "H |
| Tap Tower Dimensions | 16"H 3"Diameter |
| Faucet Height | 10 $\frac{1}{4}$ " |
| Product Capacity | (3) $\frac{1}{2}$ Keg |
| Net Volume | 21.6 cu. ft. |
| Net Weight | 331 lb. |
| Gross Weight | 374 lb. |
| Packaging Dimensions | 75 $\frac{1}{4}$ "W x 27 $\frac{1}{2}$ "D x 41 $\frac{3}{4}$ "H |

Cooling

| | |
|--------------------------|-------------|
| Temperature Range | 33°F - 40°F |
| Refrigerant | R290 |
| Max. Ambient Temperature | 90°F |
| Defrosting | Automatic |
| Temperature Controller | Digital |
| Horsepower | 1/4 |



Construction

| | |
|---------------------|--|
| Exterior Material | Black Coated Steel |
| Interior Material | Type 201 Stainless Steel |
| Insulation Material | Foamed-in-place polyurethane |
| Taps | 4 |
| Shelves | (4) 19" x 18 $\frac{1}{4}$ " + (2) 20 $\frac{1}{2}$ " x 18 $\frac{1}{8}$ " |
| Shelf Material | Epoxy-coated steel |

Electrical

| | |
|------------------------|------------|
| Voltage | 115 |
| Amps | 4 |
| Hz | 60 |
| Phase | 1 |
| Plug Type | NEMA 5-15P |
| Electrical Cord Length | 96" |

PLAN VIEW



NEMA 5-15P